A decorative border surrounds the text, featuring various school supplies and fruit. At the top left is a yellow school bus. To its right are a green crayon, a yellow pencil, and an orange crayon. On the right side, there are blue-handled scissors and a yellow pencil. At the bottom right is another yellow school bus. At the bottom are a yellow pencil, a red crayon, and a green crayon. On the left side, there is a red apple with a green leaf, a grey crayon, and a yellow pencil. The background is a light blue grid pattern.

2015

**Two Rock Child Development Center
Hours of Operation & Days of Closure**

Regular Hours of Operation:
Monday - Friday 6:45am to 4:30pm

The Center will be closed on the following days:

New Years Day, *Thursday, January 1st*
Martin Luther King, Jr.'s Birthday, *Monday, January 19th*
President's Day, *Monday, February 16th*
*Training Day, Friday, March 6th**
Memorial Day, *Monday, May 25th*
*Training Day, Friday, June 12th**
Independence Day, *Friday, July 3rd*
*Training Day, Friday, September 4th**
Labor Day, *Monday, September 7th*
Columbus Day, *Monday, October 12th*
Veterans Day, *Wednesday, November 11th*
Thanksgiving Day, *Thursday, November 26th*
*Training Day, Friday, November 27th**
Christmas Day, *Friday, December 25th*

**Mandatory Staff Development & Training, quarterly.*

Childcare will be limited to 6:45-10:45 on Coast Guard Day.

***Coast Guard personnel are expected to pick up their children within
one hour when Liberty is granted.***

2014 Petaluma CDC Rates

2014 Rates

| <u>Tier</u> | <u>Income Levels</u> | | <u>Full-time</u> | <u>Part-time</u> |
|-------------|----------------------|------------------|------------------|------------------|
| 1 | <= | \$30,466 | \$250 | \$155 |
| 2 | \$30,467 | \$36,993 | \$340 | \$205 |
| 3 | \$36,994 | \$47,873 | \$430 | \$260 |
| 4 | \$47,874 | \$59,841 | \$550 | \$335 |
| 5 | \$59,842 | \$76,162 | \$670 | \$405 |
| 6 | \$76,163 | \$88,079 | \$750 | \$455 |
| 7 | \$88,080 | \$103,622 | \$820 | \$495 |
| 8 | \$103,623 | \$129,572 | \$850 | \$515 |
| 9 | \$129,573 | >= | \$880 | \$530 |

Keep me home if...

I'm vomiting.



2 or more times in 24 hours.

I have head lice.



AND have not had my first treatment yet.

I have diarrhea.



2 or more watery stools more than usual.

I have an eye infection.



Red eyes with white or yellow mucus AND haven't seen a doctor yet.

I have a sore throat.



With fever or swollen glands.

I'm just not feeling very good.



Unusually tired, pale, lack of appetite, confused cranky or in pain.

I have a rash.



AND fever or mouth sores with drooling.

We have a fever.



AND sore throat, cough, rash, vomiting, diarrhea, pain or just not feeling good.

WHEN YOUR CHILD IS SICK:

1. HAVE PLANS FOR BACK UP CHILD CARE.
2. TELL YOUR CAREGIVER ABOUT YOUR CHILD'S SIGNS OF ILLNESS, EVEN IF YOUR CHILD STAYS HOME.


Thanks to the Seattle-King County Department of Public Health and The California Childcare Health Program for this information.

05/2013

www.ucsfchildcarehealth.org



2014 Recommended Immunizations for Children from Birth Through 6 Years Old



Is your family growing? To protect your new baby and yourself against whooping cough, get a Tdap vaccine in the third trimester of each pregnancy. Talk to your doctor for more details.

Shaded boxes indicate the vaccine can be given during shown age range.

NOTE: If your child misses a shot, you don't need to start over, just go back to your child's doctor for the next shot. Talk with your child's doctor if you have questions about vaccines.

FOOTNOTES: * Two doses given at least four weeks apart are recommended for children aged 6 months through 8 years of age who are getting a flu vaccine for the first time and for some other children in this age group.
 § Two doses of HepA vaccine are needed for lasting protection. The first dose of HepA vaccine should be given between 12 months and 23 months of age. The second dose should be given 6 to 18 months later. HepA vaccination may be given to any child 12 months and older to protect against HepA. Children and adolescents who did not receive the HepA vaccine and are at high-risk, should be vaccinated against HepA.

If your child has any medical conditions that put him at risk for infection or is traveling outside the United States, talk to your child's doctor about additional vaccines that he may need.

SEE BACK PAGE FOR MORE INFORMATION ON VACCINE-PREVENTABLE DISEASES AND THE VACCINES THAT PREVENT THEM.

For more information, call toll free **1-800-CDC-INFO** (1-800-232-4636) or visit <http://www.cdc.gov/vaccines>



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention



American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

Vaccine-Preventable Diseases and the Vaccines that Prevent Them

| Disease | Vaccine | Disease spread by | Disease symptoms | Disease complications |
|---------------------|--|--|---|---|
| Chickenpox | Varicella vaccine protects against chickenpox. | Air, direct contact | Rash, tiredness, headache, fever | Infected blisters, bleeding disorders, encephalitis (brain swelling), pneumonia (infection in the lungs) |
| Diphtheria | DTaP* vaccine protects against diphtheria. | Air, direct contact | Sore throat, mild fever, weakness, swollen glands in neck | Swelling of the heart muscle, heart failure, coma, paralysis, death |
| Hib | Hib vaccine protects against <i>Haemophilus influenzae</i> type b. | Air, direct contact | May be no symptoms unless bacteria enter the blood | Meningitis (infection of the covering around the brain and spinal cord), intellectual disability, epiglottitis (life-threatening infection that can block the windpipe and lead to serious breathing problems), pneumonia (infection in the lungs), death |
| Hepatitis A | HepA vaccine protects against hepatitis A. | Direct contact, contaminated food or water | May be no symptoms, fever, stomach pain, loss of appetite, fatigue, vomiting, jaundice (yellowing of skin and eyes), dark urine | Liver failure, arthralgia (joint pain), kidney, pancreatic, and blood disorders |
| Hepatitis B | HepB vaccine protects against hepatitis B. | Contact with blood or body fluids | May be no symptoms, fever, headache, weakness, vomiting, jaundice (yellowing of skin and eyes), joint pain | Chronic liver infection, liver failure, liver cancer |
| Flu | Flu vaccine protects against influenza. | Air, direct contact | Fever, muscle pain, sore throat, cough, extreme fatigue | Pneumonia (infection in the lungs) |
| Measles | MMR** vaccine protects against measles. | Air, direct contact | Rash, fever, cough, runny nose, pinkeye | Encephalitis (brain swelling), pneumonia (infection in the lungs), death |
| Mumps | MMR** vaccine protects against mumps. | Air, direct contact | Swollen salivary glands (under the jaw), fever, headache, tiredness, muscle pain | Meningitis (infection of the covering around the brain and spinal cord), encephalitis (brain swelling), inflammation of testicles or ovaries, deafness |
| Pertussis | DTaP* vaccine protects against pertussis (whooping cough). | Air, direct contact | Severe cough, runny nose, apnea (a pause in breathing in infants) | Pneumonia (infection in the lungs), death |
| Polio | IPV vaccine protects against polio. | Air, direct contact, through the mouth | May be no symptoms, sore throat, fever, nausea, headache | Paralysis, death |
| Pneumococcal | PCV vaccine protects against pneumococcus. | Air, direct contact | May be no symptoms, pneumonia (infection in the lungs) | Bacteremia (blood infection), meningitis (infection of the covering around the brain and spinal cord), death |
| Rotavirus | RV vaccine protects against rotavirus. | Through the mouth | Diarrhea, fever, vomiting | Severe diarrhea, dehydration |
| Rubella | MMR** vaccine protects against rubella. | Air, direct contact | Children infected with rubella virus sometimes have a rash, fever, swollen lymph nodes | Very serious in pregnant women—can lead to miscarriage, stillbirth, premature delivery, birth defects |
| Tetanus | DTaP* vaccine protects against tetanus. | Exposure through cuts in skin | Stiffness in neck and abdominal muscles, difficulty swallowing, muscle spasms, fever | Broken bones, breathing difficulty, death |

* DTaP combines protection against diphtheria, tetanus, and pertussis.

** MMR combines protection against measles, mumps, and rubella.

CHILD DEVELOPMENT SERVICES AND CHILDREN WITH SPECIAL NEEDS (Encl. 1)

Coast Guard Child Development Centers (CDC) and Coast Guard Family Child Care (FCC) Homes include children with special needs (e.g., asthma, allergies, physical disabilities, vision and hearing problems, attention deficit disorder, developmental disabilities, behavior challenges and mental health conditions, etc.) in their programs. To ensure that the special needs of your child could be adequately met and managed at our facilities, the following documents must be obtained and reviewed by the Special Needs Resource Team (SNRT), prior to your child's placement in our care:

1. CDC/FCC enrollment forms, Child Health Form (Encl.4), and child immunization records.
2. Medical documentation specifically addressing the following;
 - a. Nature of child's disability or special need.
 - b. The child's special requirements for care, diet, and medication.
 - c. Special accommodations that the facility must make to accept the child.
 - d. Physician's opinion that the child will benefit from the type of program offered.
3. Individualized Education Plan (IEP) or Individualized Family Service Plan (IFSP).

The goal of this process is to share information to ensure the success of your child's placement in our programs. You will be notified of the time of the meeting. You are encouraged to invite to the meeting a knowledgeable professional who could present details about your child's special needs. The team will make recommendations about your child's placement at the time of the meeting, or as soon as all required documentation is received and reviewed.

If for any reason, we would not be able to care for your child in our facility, we would provide you with information about alternative programs.

For further information about the Special Needs Resource Team (SNRT) or Coast Guard Special Needs Program, please contact:

**Family Resource Specialist
CDC Director**

[Skip to Content](#)
[Accessibility Assistance](#)



County of Sonoma Department of Health Services
Women-Infants-Children
 Supplemental Nutrition Program

[Sonoma County Home](#) | [Site Map](#) | [Contact Us](#) | [Search](#)

Income Guidelines

Effective April 1, 2014 to June 30, 2015

| Number of Persons in Family Unit | GROSS INCOME | | | | | |
|----------------------------------|---------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|--------------------------------|
| | Annual | Monthly | Bi-Monthly | Bi-Weekly | Weekly | Hourly |
| 1 | \$21,590 | \$1,800 | \$900 | \$831 | \$416 | \$9.93 |
| 2 | 29,101 | 2,426 | 1,213 | 1,120 | 560 | 13.45 |
| 3 | 36,612 | 3,051 | 1,526 | 1,409 | 705 | 16.97 |
| 4 | 44,213 | 3,677 | 1,839 | 1,698 | 849 | 20.50 |
| 5 | 51,634 | 4,303 | 2,152 | 1,986 | 993 | 24.02 |
| 6 | 59,145 | 4,929 | 2,465 | 2,275 | 1,138 | 27.54 |
| 7 | 66,656 | 5,555 | 2,778 | 2,564 | 1,282 | 31.10 |
| 8 | 74,167 | 6,181 | 3,091 | 2,853 | 1,427 | 34.58 |
| 9 | 79,273 | 6,607 | 3,304 | 3,050 | 1,525 | 38.11 |
| 9+ | \$7,326 per added family member | \$611 per added family member | \$306 per added family member | \$282 per added family member | \$141 per added family member | \$3.52 per added family member |

Note: A pregnant woman counts as **2** in determining number of persons in family unit.

If you exceed the income guidelines above, but are receiving Medi-Cal, Food Stamps, or TANF, you may still be eligible for WIC benefits.

The USDA is an equal opportunity provider and employer.

This page was last updated on January 27, 2015 by [Webmaster](#)