

U.S. COAST GUARD



STANDARD BOATS

UNITED STATES COAST GUARD

ADDRESS REPLY TO  
THE COMMANDANT (OAL)  
REFER TO FILE: CG-6091

WASHINGTON

29 November, 1944.


To: All DCGO's; Commander, Greenland Patrol; Superintendent, ACADEMY; Commandant, YARD; Inspectors; CO's, Supply Depots; CO's, Air Stations; and all Lifeboat Stations

Subj: U.S.Coast Guard Standard Boats; Allowance List for

1. The Allowance List for Standard Boats as listed herein is approved.

2. The items as listed in this Allowance List should be furnished for boats now under construction and future construction.

3. Where variations of, or deficiencies in items of outfits of boats now in operation are found, corrections shall be made as soon as practicable by the unit to which the boat is assigned, however serviceable items though varying somewhat from the standard, may be retained in use until replacement becomes necessary.



L. T. CHALKER  
Assistant Commandant

TABLE - OF - CONTENTS

BOAT PLATES - ENGINEERING OUTFITS - HULL OUTFITS

<u>PLATE NO.</u>	<u>BOAT</u>	<u>PART I</u>	<u>PART II</u>
1	10-FT. DINGHY		Page 1
2	13-FT. DINGHY		Page 1
3	16-FT. DINGHY		Page 1
4	19-FT. DORY		Page 1
5	20-FT. DINGHY		Page 1
6	23-FT. MONOMOY SURFBOAT		Page 1
7	24-FT. 6 IN. RACE POINT SURFBOAT		Page 1
8	25-FT. 6 IN. S.B. SURFBOAT		Page 1
9	26-FT. DRILL BOAT		Page 1
10	26-FT. MONOMÓY SURFBOAT		Page 1
11	18-FT. MOTOR DINGHY	Page 1-4	Page 1
12	20-FT. MOTOR LAUNCH	Page 1-4	Page 1
13	20-FT. MOTOR CARGO BOAT	Page 1-4	Page 1
14	23-FT. MOTOR WHALEBOAT	Page 1-4	Page 1
15	24-FT. MOTOR CARGO BOAT	Page 1-4	Page 1
16	25-FT. 10 IN. MOTOR S.B. SURFBOAT	Page 1-6	Page 1-2
17	26-FT. MOTOR WHALEBOAT	Page 1-2	Page 1
18	26-FT. CABIN LAUNCH	Page 1-2	Page 1
19	26-FT. 6 IN. MOTOR LAUNCH	Page 1-4	Page 1
20	30-FT. CRASH BOAT	Page 1-6	Page 1-2
21	30-FT. RESCUE BOAT	Page 1-4	Page 1
22	36-FT. 8 IN. MOTOR LIFEBOAT	Page 1-7	Page 1-2
23	38-FT. CABIN PICKET BOAT	Page 1-8	Page 1-2
24	40-FT. MOTOR LAUNCH	Page 1-3	Page 1
25	40-FT. BUOY BOAT	Page 1-5	Page 1-2
26	52-FT. BUOY BOAT		

ALLOWANCE LIST. U.S.C.G. STANDARD BOATS

Part II

GROUP NAME BOATS (10-FT. DINGHY)

Page 1

Group S82-15

ITEM	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
				OUTFIT FOR BOAT (PLATE 1):	
C	12R	No.	4	Rowlocks, composition, No. 3, with lanyards.	
C	21L	No.	1	Painter, bow, 1-3/4" line, 4 fathoms long.	
C	21L	No.	1	Sternfast, 1-3/4" line, 4 fathoms long.	
C	23B	No.	1	Bailer, boat.	
C	230	No.	4	Oars, 7 ft.	
B	24C	No.	1	Cover, boat, canvas.	



REVISED

29 1944

PARTICULARS

Length over all- - - - 10' - 9"  
Beam (over fenders)- - - 4' - 7"  
Weight, with outfit- - - Abt. 175 lbs.  
Distance between  
hoisting fittings- - - 9' - 7"  
Capacity, normal load- - 2 men  
Type of planking - - - - Clinker

Boat outfit in accordance with Std.  
Allowance List for this type of Boat.



ALLOWANCE LIST. U.S.C.G. STANDARD BOATS

Part II

GROUP NAME BOATS (13-FT. DINGHY)

Page 1

Group S82-15



TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	IT
				OUTFIT FOR BOAT (PLATE 2):	
C	12R	No.	4	Rowlocks, composition, No. 3, with lanyards.	
C	21L	No.	1	Painter, bow, 1-3/4" line, 5 fathoms long.	
C	21L	No.	1	Sternfast, 1-3/4" line, 5 fathoms long.	
C	23B	No.	1	Bailer, boat.	
C	230	No.	4	Oars, 8 ft.	
B	24C	No.	1	Cover, boat, canvas.	

2

PARTICULARS

Length over all- - - - 13' - 2"  
Beam (over fenders)- - - 4' - 7"  
Weight, with outfit- - - Abt. 250 lbs.  
Distance between  
hoisting fittings- - - 12' - 0"  
Capacity, normal load- - 3 men  
Type of planking - - - - Clinker

Boat outfit in accordance with Std.  
Allowance List for this type of Boat.



ALLOWANCE LIST. U.S.C.G. STANDARD BOATS

Part II

Page 1

GROUP NAME BGATS (16-FT. DINGHY)




Group 882-15

TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME DESCRIPTION, AND REMARKS	ITEM
				OUTFIT FOR BOAT (PLATE 3):	
B	6A	No.	1	Anchor, boat, galvanized, 14 lb. (Danforth or equal).	
C	12R	No.	4	Rowlocks, composition, No. 3, with lanyards.	
C	21L	No.	1	Line, anchor, 21 thread line, 15 fathoms long.	
C	21L	No.	1	Painter, bow, 2" line, 5 fathoms long.	
C	21L	No.	1	Sternfast, 2" line, 5 fathoms long.	
C	23B	No.	1	Bailer, boat.	
C	23H	No.	1	Hook, boat, 8 ft.	
C	23O	No.	4	Oars, 8 ft.	
B	24C	No.	1	Cover, boat, canvas.	

**PARTICULARS**

Length over all- - - - 16' - 2"  
Beam (over fenders)- - - 4' - 8"  
Weight, with outfit- - - Abt. 350 lbs.  
Distance between  
hoisting fittings- - - 15' - 2"  
Capacity, normal load- - 4 men  
Type of planking - - - - Clinker

Boat outfit in accordance with Std.  
Allowance List for this type of Boat.



ALLOWANCE LIST. U.S.C.G. STANDARD BOATS

Part II  
 Page 1  
 Group S82-16




GROUP NAME BOATS (19-FT. DORY)

TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
OUTFIT FOR BOAT (PLATE 4):					
B	6A	No.	1	Anchor, boat, galvanized, 14-lb. (Danforth or equal).	
C	12P	No.	24	Pins, thole, wood. (8 spares).	
C	21L	No.	1	Line, anchor, 2" line, 15 fathoms long.	
C	21L	No.	1	Painter, bow, 2" line, 5 fathoms long.	
C	21L	No.	1	Sternfast, 2" line, 5 fathoms long.	
C	23H	No.	1	Hook, boat, 8 ft.	
C	230	No.	9	Oars, 9 ft. (1 spare).	
B	24C	No.	1	Cover, boat, canvas.	

PARTICULARS

Length over all- - - - 19' - 6"  
Boam (over fenders)- - - 5' - 8"  
Weight, with outfit- - - Abt. 400 lbs.  
Distance between  
holsting fittings- - - 18' - 3"  
Capacity, normal load- - 5 men  
Type of planking - - - - Glinker

Boat outfit in accordance with Std.  
Allowance List for this type of Boat.






SCALE IN FEET

TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
OUTFIT FOR BOAT (PLATE 5):					
	C 5F	No.	2	Flags, semaphore, with staffs.	
	C 5F	No.	1	Flagstaff, boat.	
	B 6A	No.	1	Anchor, boat, galvanized, 14 lbs. (Danforth or equal).	
	C 12R	No.	5	Rowlocks, composition, No. 3, with lanyards. (1 spare).	
	C 17L	No.	1	Lantern, hand, electric.	
	C 21L	No.	1	Line, anchor, 2" line, 20 fathoms long.	
	C 21L	No.	1	Painter, bow, 2" line, 4 fathoms long.	
	C 21L	No.	1	Sternfast, 2" line, 4 fathoms long.	
	C 23B	No.	1	Bailer, boat.	
	C 23B	No.	1	Box, boat, equipped.	
	B 23B	No.	1	Breaker, water, 3 gal.	
	C 23H	No.	1	Hook, boat, 8 ft.	
	C 230	No.	4	Oars, 12 ft. (2 spares).	
	C 230	No.	2	Oars, 11 ft.	
	C 230	No.	1	Oar, steering, 14 ft.	
	B 24B	No.	1	Bag, flag, canvas.	
	B 24C	No.	1	Cover, boat, canvas.	

**PARTICULARS**

Length over all- - - - 20' - 1"  
Beam (over fenders)- - - 5' - 11"  
Weight, with outfit- - - Abt. 800 lbs.  
Distance between  
hoisting fittings- - - 16' - 0"  
Capacity, normal load- - 8 men  
Type of planking - - - - - Blinker

Boat outfit in accordance with Std.  
Allowance List for this type of Boat.



SCALE IN FEET



PLATE 5

20-FT. DINGHY

PARTICULARS

Length over all- - - - 23' - 1"  
Beam (over fenders)- - - 6' - 9"  
Weight, with outfit- - - Abt. 1,450 lbs.  
Distance between  
hoisting fittings- - - 20' - 0"  
Capacity, normal load- - 10 men  
Type of planking - - - - Clinker

Boat outfit in accordance with Std.  
Allowance List for this type of Boat.






SCALE IN FEET

TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
				OUTFIT FOR BOAT (PLATE 7):	
C	4F	No.	6	Flares, signal, hand, (red), Type A-10, in a sealed container. #	
C	5F	No.	2	Flags, semaphore, with staffs.	
C	5F	No.	1	Flagstaff, boat.	
B	6A	No.	1	Anchor, boat, folding, galvanized, 30 lb.	
B	6A	No.	1	Anchor, sea (drogue), canvas, small size, complete.	
C	6G	No.	1	Grapnel, boat, 4-lb., with 15 fathoms of 1-1/4" line.	
C	12P	No.	2	Plugs, boat, size to suit, with lanyards. (spares).	
C	12R	No.	11	Rowlocks, composition, No. 3, with lanyards. (1 spare).	
C	17L	No.	1	Lantern, hand, electric.	
C	17L	No.	1	Light, signal, electric.	
C	21L	No.	1	Line, anchor, 2" line, 30 fathoms long.	
C	21L	No.	1	Painter, bow, 2" line, 7 fathoms long.	
C	21L	No.	1	Sternfast, 2" line, 5 fathoms long.	
C	23H	No.	1	Heaving stick, with 20 fathoms of 3/4" line attached.	
C	23H	No.	2	Hooks, boat, length 8 ft.	
C	23H	No.	1	Horn, fog, mouth.	
C	230	No.	12	Oars, 12 ft. (2 spares).	
C	230	No.	1	Oar, steering, 20 ft.	
B	23P	No.	17	Preservers, life, jacket-type, kapok.	
C	24B	No.	1	Bag, flag, canvas.	
C	41H	No.	1	Hatchet, claw, with lanyard.	
C	41K	No.	1	Knife, sheath, in leather strap.	
C	42B	No.	1	Bucket, galvanized, with lanyard.	
C	57K	No.	1	Kit, medical.	
				# Not furnished with original outfit of boat, shall be requisitioned by the unit to which the boat is assigned, from the nearest naval ammunition depot.	

PARTICULARS

Length over all- - - - 24' - 9"  
Beam (over fenders)- - - 6' - 2"  
Weight, with outfit- - - Abt. 1200 lbs.  
Distance between  
hoisting fittings- - - 23' - 5"  
Capacity, normal load- - 6 men  
Type of planking - - - - Clinker



Boat outfit in accordance with Std.  
Allowance List for this type of Boat.



PARTICULARS

Length over all - - - - 25' - 6"  
Beam (over cork fenders) 7' - 11"  
          (over wood fenders) 7' - 4"  
Weight, with outfit - - - Abt. 1900 lbs.  
Distance between  
hoisting fittings - - - - 20' - 0"  
Capacity, normal load - - 14 men  
Type of planking - - - - Clinker




Boat outfit in accordance with Std.  
Allowance List for this type of Boat.



PARTICULARS

Length over all- - - - 26' - 1"  
Beam (over fenders)- - - 7' - 4"  
Weight, with outfit- - - Abt. 1600 lbs.  
Distance between  
hoisting fittings- - - - 20' - 0"  
Capacity, normal load- - 14 men  
Type of planking - - - - Carvel

Boat outfit in accordance with Std.  
Allowance List for this type of Boat.






SCALE IN FEET


PARTICULARS

Length over all- - - - 26' - 3"  
Beam (over fenders)- - - 7' - 4"  
Weight, with outfit- - - Abt. 2100 lbs.  
Distance between  
hoisting fittings- - - 20' - 0"  
Capacity, normal load- - 14 men  
Type of planking - - - Carvel  
Boat equipped with sails.

Boat outfit in accordance with Std.  
Allowance List for this type of Boat.






SAIL PLAN



PARTICULARS

Length over all- - - - 18' - 3"  
 Beam (over fenders)- - - 6' - 0"  
 Draft- - - - - 20"  
 Weight, with outfit- - - Abt. 1675 lbs.  
 Speed- - - - - 6 m.p.h.  
 Cruising radius- - - - 110 miles  
 Power (gasoline)- - - - 7 h.p.  
 Distance between  
 holsting fittings- - - 15' - 7"  
 Capacity, normal load- - 8 men  
 Type of planking - - - - Carvel  
 (Draft, speed, cruising radius, based  
 on boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
 Allowance List for this type of Boat.



ALLOWANCE LIST. U. S. C. G. STANDARD BOATS

Part I

GROUP NAME BOATS (20-FT. MOTOR LAUNCH)

Page 4

Group S82-6

TITLE	CLASS OR STOCK NO.	SERIAL SYMBOL, OR PART NUMBER	DRAWING OR FINISHED PLAN NUMBER	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
						<p><u>ENGINEERING OUTFIT FOR BOAT (PLATE 12)</u></p> <p><u>ELECTRICAL SPARES CONT'D</u> Spark plugs and gaskets. Spring, starting, Bendix.</p> <p><u>TOOLS AND EQUIPMENT</u> Listed on page 2, Gray "Four-22" engine, this group.</p> <p><u>RUNNING LIGHTS (CLASS I)</u> Light, combination, bow. Light, stern.</p>	
C	17			Set	1		
C	17			No.	1		
B	17L			No.	1		
B	17L			No.	1		




GROUP NAME BOATS (20-FT. MOTOR LAUNCH)

TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
				HULL OUTFIT FOR BOAT (PLATE 12):	
C	5F	No.	2	Flags, semaphore, with staffs.	
C	5F	No.	1	Flagstaff, boat, fitted with electric stern-light.	
B	6A	No.	1	Anchor, boat, folding, galvanized, 30 lb.	
B	6A	No.	1	Anchor, sea (drogue), canvas, small size, complete.	
B	11P	No.	1	Pump, bilge, hand, galvanized, with 4' length of canvas hose.	
C	12R	No.	3	Rowlocks, composition, No. 2, with lanyards.	
C	21L	No.	1	Line, anchor, 2" line, 15 fathoms long.	
C	21L	No.	1	Painter, bow, 2" line, 4 fathoms long.	
C	21L	No.	1	Sternfast, 2" line, 4 fathoms long.	
B	23B	No.	1	Box, boat, equipped. *	
B	23B	No.	1	Breaker, water, 3 gal.	
C	23F	No.	4	Fenders, side, rope, with lanyards.	
C	23H	No.	1	Hook, boat, 8 ft.	
C	23H	No.	1	Horn, fog, mouth.	
C	23P	No.	4	Preservers, life, jacket-type, kapok.	
C	23O	No.	2	Oars, 9 ft.	
C	23S	No.	1	Staff, bow, for combination running light.	
B	24B	No.	1	Bag, flag, canvas.	
B	24C	No.	1	Cover, boat, canvas.	
B	24S	No.	1	Spray hood, canvas, complete with laces, and portable metal frame.	
C	57K	No.	1	Kit, medical.	
B	58E	No.	1	Extinguisher, fire, portable, CO <sub>2</sub> , 4 lb.	
				*Not furnished with original outfit of boat, should be requisitioned if required by the unit to which the boat is assigned.	

PARTICULARS

Length over all - - - - 20' - 5"  
 Beam (over fenders) - - - 6' - 7"  
 Draft - - - - - 20"  
 Weight, with outfit - - - Abt. 2200 lb.  
 Speed - - - - - 11 m.p.h.  
 Cruising radius - - - - 60 miles  
 Power (gasoline) - - - - 22 h.p.  
 Distance between  
 hoisting fittings - - - - 16' - 2"  
 Capacity, normal load - - 10 men  
 Type of planking - - - - Clinker  
 (Draft, speed, cruising radius, based  
 on boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
 Allowance List for this type of Boat.






GROUP NAME BOATS (23-FT. MOTOR WHALEBOAT)

TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
				HULL OUTFIT FOR BOAT (PLATE 14):	
C	5F	No.	2	Flags, semaphore, with staffs.	
C	5F	No.	1	Flagstaff, boat, fitted with electric stern light.	
B	6A	No.	1	Anchor, boat, galvanized, 30 lb. (Danforth or equal).	
B	11P	No.	1	Pump, bilge, hand, galvanized, with 4' length of canvas hose.	
C	12R	No.	3	Rowlocks, composition, No. 2, with lanyards. (1 spare).	
C	21I	No.	1	Line, anchor, 2-1/4" line, 20 fathoms long.	
C	21L	No.	1	Painter, bow, 2-1/4" line, 7 fathoms long.	
C	21L	No.	1	Sternfast, 2-1/4" line, 5 fathoms long.	
B	23B	No.	1	Box, boat, equipped. *	
B	23B	No.	1	Breaker, water, 3 gal.	
C	23F	No.	4	Fenders, side, rope, with lanyards.	
C	23H	No.	2	Hooks, boat, 8 ft.	
C	23H	No.	1	Horn, fog, mouth.	
C	23O	No.	3	Oars, 10 ft. (1 spare).	
B	23P	No.	6	Preservers, life, jacket-type, kapok.	
C	23S	No.	1	Staff, bow, for combination running light.	
B	24C	No.	1	Cover, boat, canvas.	
B	58E	No.	1	Extinguisher, fire, portable, CO <sub>2</sub> , 4 lb.	
				*Not furnished with original outfit of boat, should be requisitioned if required by the unit to which the boat is assigned.	

**PARTICULARS**

Length over all- - - 23' - 2"  
Beam (over fenders)- - 6' - 11"  
Draft- - - - - 22'  
Weight, with outfit- - Abt. 3,000 lbs.  
Speed- - - - - 8 m.p.h.  
Cruising radius- - - 100 miles  
Power (gasoline) - - - 20 h.p.  
Distance between  
hoisting fittings- - - 20' - 0"  
Capacity, normal load- 10 men  
Type of planking - - - Carvel  
(Draft, speed, cruising radius, based  
on boat with crew and outfit aboard.)



Boat Outfit in accordance with Std.  
Allowance list for this type of Boat.



PARTICULARS

Length over all- - - - 24' - 5"  
Beam (over fenders)- - 7' - 0"  
Draft- - - - - 2' - 2"  
Weight, with outfit- - - Abt. 4750 lbs.  
Speed- - - - - 9 kts.  
Cruising radius- - - - 50 miles  
Power (gasoline) - - - 38 h.p.  
Distance between  
hoisting fittings- - - 22' - 6"  
Capacity, normal load- 10 men  
Cargo, normal load - - 3,000 lbs.  
Type of planking - - - Carvel  
(Draft, speed, cruising radius based  
on boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
Allowance List for this type of Boat.



ALLOWANCE LIST. U.S.C.G. STANDARD BOATS

Part II

Page 1

GROUP NAME BOATS (25-FT. 10 IN. MOTOR S.B. SURFBOAT)

Group S82-22

ITEM	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
				HULL OUTFIT FOR BOAT (PLATE 16):	
C	4F	No.	6	Flares, signal, hand, (red), Type A-10, in a sealed container. #	
C	5F	No.	2	Flags, semaphore, with staffs.	
C	5F	No.	1	Flag, wig-wag, with staff.	
C	5F	No.	1	Flagstaff, boat, for flag and stern light.	
B	6A	No.	1	Anchor, boat, folding, galvanized, 55 lb.	
B	6A	No.	1	Anchor, sea (drogue), canvas, medium size, complete.	
C	6G	No.	1	Grapnel, boat, 4 lb., with 15 fathoms of 1-1/2" line.	
C	12R	No.	7	Rowlocks, composition, No. 2, with lanyards. (1 spare).	
B	17L	No.	1	Lantern, electric, automatic floating, complete with electric bulb, batteries, and lanyard 15 fathoms long of 1/4" line. (Navy Spec. No. 17L11).	
C	21L	No.	2	Life-lines, 15 thread manila.	
C	21L	No.	1	Line, anchor, 2-1/2" line, 30 fathoms long.	
C	21L	No.	6	Lines, righting, 18 thread manila, length 3 fathoms each, with floats.	
C	21L	No.	1	Painter, bow, 2-3/4" line, 7 fathoms long.	
C	21L	No.	1	Sternfast, 2" line, 5 fathoms long.	
B	23B	No.	1	Box, boat, equipped. *	
B	23B	No.	1	Box, stowage, with canvas cover.	
B	23B	No.	1	Breaker, water, 3 gal.	
B	23F	No.	2	Fenders, cork, standard.	
C	23H	No.	1	Heaving stick, with 20 fathoms of 3/4" line.	
C	23H	No.	2	Hooks, boat, 10 ft.	
C	23H	No.	1	Horn, fog, mouth.	
C	23O	No.	7	Oars, 12 ft. (1 spare).	
B	23P	No.	12	Preservers, life, jacket-type, kapok.	
C	23S	No.	1	Staff, bow, for combination running light.	
C	23W	No.	1	Whistle, mouth, motor boat.	
B	24B	No.	1	Bag, flag, canvas.	
B	24C	No.	1	Cover, boat, canvas.	
				# Not furnished with original outfit of boat, shall be requisitioned by the unit to which the boat is assigned, from the nearest naval ammunition depot.	
				* Not furnished with original outfit of boat, should be requisitioned if required by the unit to which the boat is assigned.	

ITEM	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
				HULL OUTFIT (CONT'D):	
B	24S	No.	1	Spray hood, canvas, complete with laces, and portable metal frame. ##	
C	41H	No.	1	Hatchet, claw, with lanyard.	
C	41K	No.	1	Knife, sheath, in leather strap.	
C	41W	No.	2	Wrenches, for drain plug, scuttles and deck pumps.	
C	42B	No.	1	Bucket, deck, galvanized, with lanyard.	
C	57K	No.	1	Kit, medical.	
B	58E	No.	1	Extinguisher, fire, portable, CO <sub>2</sub> , 4 lb.	
				## Not furnished with diesel powered boats.	

PARTICULAR


Standard Motor Surfboat

Length over all - - - - 25' - 10"  
 Beam (over cork fenders) - 7' - 11"  
 (over wood fenders) - 7' - 4"  
 Draft - - - - - 2' - 0"  
 Weight, with outfit - - - - Abt. 4,400 lbs.  
 Speed - - - - - 8½ m.p.h.  
 Cruising radius - - - - 45 miles  
 Power (gasoline) - - - - 30 h.p.  
 Distance between  
 hoisting fittings - - - - 23' - 0"  
 Capacity, normal load - - 16 men  
 Type of planking - - - - Clinker  
 \* \* \* \* \*


Special Motor Surfboat  
 Length over all - - - - 25' - 10"  
 Beam (over cork fenders) 7' - 11"  
 (over wood fenders) 7' - 4"  
 Draft - - - - - 2' - 0"  
 Weight, with outfit - - - - Abt. 6,050 lbs  
 Speed - - - - - 8 m.p.h.  
 Cruising radius - - - - 75 miles  
 Power (diesel) - - - - 30 h.p.  
 Distance between  
 hoisting fittings - - - - 20' - 0"  
 Capacity, normal load - - 16 men  
 Type of planking - - - - Carvel

(Draft, speed, cruising radius, based  
 on boat with crew and outfit aboard.)  
 Boat outfit in accordance with Std.  
 Allowance List for this type of Boat.

Length Including Appendages 26'-0"



FOLDING SPRAY HOOD, NOT FURNISHED  
 WITH DIESEL POWERED BOATS.





PARTICULARS

Length over all - - - 25' - 11 1/2"  
 Beam (over fenders) - - 7' - 5"  
 Draft - - - - - 2' - 7"  
 Weight, with outfit - - Abt. 6,000 lbs.  
 Speed - - - - - 8 m.p.h.  
 Cruising radius - - - 110 miles  
 Power (diesel) - - - 32 h.p.  
 Distance between  
 holating fittings - - - 20' - 0"  
 Capacity, normal load - 16 men  
 Type of planking - - - Carvel  
 (Draft, speed, cruising radius, based on  
 boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
 Allowance List for this type of boat.

*Length including Appendages 28'-0"*






SCALE IN FEET


PARTICULARS

Length over all - - - - 25' - 10"  
 Beam (over fenders) - - - 8' - 0"  
 Draft - - - - - 2' - 6"  
 Weight, with outfit - - - Abt. 4600 lbs.  
 Speed - - - - - 11 m.p.h.  
 Cruising radius - - - - 80 miles  
 Power (gasoline) - - - - 36 h.p.  
 Distance between  
 hoisting fittings - - - 19' - 7"  
 Capacity, normal load - 10 men  
 Type of planking - - - - Carvel  
 (Draft, speed, cruising radius, based  
 on boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
 Allowance List for this type of Boat.

*Length including Appendages 28'-0"*





#### PARTICULARS


Length over all - - - - 26' - 6"  
 Beam (over fenders) - - - 7' - 10"  
 Draft - - - - - 2' - 3"  
 Weight, with outfit - - - - Abt. 5,900 lbs.  
 Speed - - - - - 11 m.p.h.  
 Cruising radius - - - - - 55 miles  
 Power (gasoline) - - - - - 45 h.p.  
 Distance between  
 hoisting fittings - - - - 23' - 0"  
 Capacity, normal load - - - 18 men  
 Type of planking - - - - - Carvel

\*\*\*\*\*

#### Special Motor Launch

Length over all - - - - 26' - 6"  
 Beam (over fenders) - - - 7' - 10"  
 Draft - - - - - 2' - 7"  
 Weight, with outfit - - - - Abt. 7,450 lbs.  
 Speed - - - - - 9 m.p.h.  
 Cruising radius - - - - - 95 miles  
 Power (diesel) - - - - - 35 h.p.  
 Distance between  
 hoisting fittings - - - - 23' - 0"  
 Capacity, normal load - - - 18 men  
 Type of planking - - - - - Carvel

(Draft, speed, cruising radius, based  
 on boat with crew and outfit aboard.)  
 Boat outfit in accordance with Std.  
 Allowance List for this type of Boat.





SCALE IN FEET

**PARTICULARS**

Length over all- - - - 30' - 4"  
 Beam (over fenders)- - - 9' - 9"  
 Draft- - - - -2' - 6"  
 Weight, with outfit- - - Abt. 9,000 Lbs.  
 Speed- - - - - 26 m.p.h.  
 Cruising radius- - - - 135 miles  
 Power (gasoline) - - - 225 h.p.  
 Capacity, normal load- - 18 men  
 Type of planking - - - - Clinker  
 (Draft, speed, cruising radius, based  
 on boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
 Allowance List for this type of Boat.



ALLOWANCE LIST. U.S.C.G. STANDARD BOATS

Part II

GROUP NAME BOATS (30-FT. RESCUE BOAT)

Page 1




Group S82-6

TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
				HULL OUTFIT FOR BOAT (PLATE 21):	
C	4F	No.	6	Flares, signal, hand, (red), Type A-10, in a sealed container.#	
C	5F	No.	2	Flags, semaphore, with staffs.	
C	5F	No.	1	Flag, wig-wag, with staff.	
C	5F	No.	1	Flagstaff, bow, for flag, and electric bow light.	
C	5F	No.	1	Flagstaff, stern.	
B	6A	No.	1	Anchor, kedge, galvanized, 60 lb.	
B	11P	No.	1	Pump, bilge, hand, galvanized, with 4' length of canvas hose.	
C	12T	No.	1	Tiller, emergency.	
B	17L	No.	1	Lantern, electric, automatic floating, complete with electric bulb and batteries. (Navy Spec. No. 17L11).*	
B	18B	No.	1	Binnacle, compass.	
B	18C	No.	1	Compass, 5", for above binnacle.	
C	21L	No.	1	Lanyard, 4' long of 1/4" line, for attaching automatic electric lantern to ring-type life buoy.*	
C	21L	No.	1	Line, anchor, 2-1/2" line, 30 fathoms long.	
C	21L	No.	1	Line, heaving, 12 thread line, 20 fathoms long.	
C	21L	No.	2	Lines, mooring, 2-1/4" line, 6 fathoms long.	
B	23B	No.	1	Bell, motor boat.	
B	23B	No.	1	Buoy, life, ring-type, 24" dia.	
C	23F	No.	6	Fenders, side, rope, with lanyards.	
C	23H	No.	2	Hooks, boat, 10 ft.	
C	23H	No.	1	Horn, fog, mouth.	
B	23P	No.	6	Preservers, life, jacket-type, kapok.	
B	24B	No.	1	Bag, flag, canvas.	
B	24C	No.	1	Cover, binnacle, canvas.	
B	24C	Set	1	Covers, cockpit, canvas, 2 parts, complete.	
B	24C	No.	1	Cover, searchlight, canvas.	
C	41A	No.	2	Axes, boat, short handle.	
C	42B	No.	2	Buckets, deck, galvanized, with lanyards.	
C	57K	No.	1	Kit, medical.	
B	58E	No.	2	Extinguishers, fire, portable, CO <sub>2</sub> , 4 lb.	
				# Not furnished with original outfit of boat, shall be requisitioned by the unit to which the boat is assigned, from the nearest naval ammunition depot.	
				* For use with ring-type life buoy.	

14

REVISED

NOV 29 1964



#### PARTICULARS

Length over all - - - - 30' - 4"  
 Beam (over fenders) - - - 9' - 9"  
 Draft - - - - - 2' - 6"  
 Weight, with outfit - - - 15t. 9125 lbs.  
 Speed - - - - - 26 m.p.h.  
 Cruising radius - - - - 135 miles  
 Power (gasoline) - - - - 225 h.p.  
 Capacity, normal load - - 18 men  
 Type of planking - - - - Clinker  
 (Draft, speed, cruising radius, based  
 on boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
 Allowance List for this type of Boat.

ALLOWANCE LIST. U.S.C.G. STANDARD BOATSPart IIGROUP NAME BOATS (36-FT. 8 IN. MOTOR LIFEBOAT)Page 1Group S82-9

TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
				HULL OUTFIT FOR BOAT (PLATE 22):	
B	2M	No.	1	Machine, rewinding, for rewinding line used with line-throwing rifle.	
B	2R	No.	1	Rifle, line-throwing, .30 caliber, complete with outfit.	
C	4F	No.	6	Flares, signal, hand, (red), Type A-10, in a sealed container. #	
B	5F	No.	1	Flag, National Ensign, No. 11.	
B	5F	No.	1	Flag, Coast Guard Ensign, No. 4.	
C	5F	No.	2	Flags, semaphore, with staffs.	
C	5F	No.	1	Flag, wig-wag, with staff.	
C	5F	No.	1	Flagstaff, stern, with hook for electric stern-light.	
B	5P	No.	1	Pennant, Coast Guard, No. 7.	
B	6A	No.	1	Anchor, boat, folding, galvanized, 55 lb.	
B	6A	No.	1	Anchor, kedge, galvanized, 100 lb.	
B	6A	No.	1	Anchor, sea (drogue), canvas, large size, complete.	
B	6A	No.	1	Anchor, sea (drogue), Hawthorne-Type, complete.	
C	6G	No.	1	Grapnel, hand, folding, galvanized, 10 lb., with 15 fathoms of 1-1/2" line.	
C	12T	No.	1	Tiller, emergency, galvanized.	
C	14O	Gal.	1	Oil, storm, one (1) gallon, in can.	
B	17L	No.	1	Lantern, electric, automatic floating, complete with electric bulb and batteries. (Navy Spec. No. 17L11). *	
B	18B	No.	1	Binocular, with case.	
B	18C	No.	1	Compass, and binnacle.	
C	18D	No.	1	Dividers, Navigators'.	
C	18R	No.	1	Ruler, parallel.	
B	18S	No.	1	Scale, spring, 200 lb. capacity, for weighing CO <sub>2</sub> cylinders.	
C	18T	No.	1	Tube, chart, metal, 6" dia. x 3' long.	
C	21L	No.	1	Lanyard, 4' long of 1/4" line, for attaching automatic electric lantern to ring-type life buoy. *	
				# Not furnished with original outfit of boat, shall be requisitioned by the unit to which the boat is assigned, from the nearest naval ammunition depot.	
				* For use with ring-type life buoy.	

ALLOWANCE LIST. U.S.C.G. STANDARD BOATS

Part II  
Page 2  
Group S82-9

GROUP NAME BOATS (36-FT. 8 IN. MOTOR LIFEBOAT)



TITLE	CLASS OR STOCK NO.	UNIT OF QUANTITY	ALLOWANCE	NAME, DESCRIPTION, AND REMARKS	ITEM
				HULL OUTFIT (CONT'D):	
C	21L	No.	2	Life-lines, 21 thread manila.	
C	21L	No.	1	Line, anchor, 3" manila, 80 fathoms long.	
C	21L	No.	1	Line, anchor, 2-1/2" manila, 25 fathoms long.	
C	21L	No.	1	Line, heaving, 1-1/8" circum.	
C	21L	No.	2	Lines, mooring, 2-3/4" line, 8 fathoms long.	
C	21L	No.	1	Line, towing, manila, size and length to suit. **	
B	23B	No.	1	Bell, motor boat, 8" dia.	
B	23B	No.	1	Breaker, water, 3 gal.	
B	23B	No.	1	Buoy, life, ring-type, 24" dia.	
C	23F	No.	4	Fenders, side, rope, about 6" dia. x 22" long, with lanyards.	
B	23F	No.	1	Fender, bow, rope, (fitted on stem).	
C	23H	No.	2	Hooks, boat, 10 ft.	
C	23H	No.	1	Horn, fog, mouth.	
C	23L	No.	1	Lead, hand, 9 lb., with 20 fathoms of 1/4" cotton sash cord.	
B	23P	No.	16	Preservers, life, jacket-type, kapok.	
B	24B	No.	1	Bag, flag, canvas.	
B	24B	No.	1	Bag, scale, canvas.	
C	24B	No.	1	Belt, safety, canvas, for wheelsman.	
B	24C	No.	1	Cover, binnacle, canvas.	
B	24C	No.	1	Cover, forward cockpit, canvas.	
B	24C	No.	1	Cover, searchlight, canvas.	
B	24S	No.	1	Spray hood, canvas, complete with laces, and portable metal frame.	
C	37M	No.	1	Megaphone, hand, 18".	
C	41A	No.	1	Axe, boat, long handle, 3-3/4 lb.	
C	41A	No.	1	Axe, boat, short handle, 2-1/2 lb.	
C	41W	No.	1	Wrench, boat, standard, for drain plugs.	
C	42B	No.	1	Bucket, deck, galvanized, with lanyard.	
C	57K	No.	1	Kit, medical.	
B	58E	No.	2	Extinguishers, fire, portable, CO <sub>2</sub> , 4 lb.	

\*\*Not furnished with original outfit of boat, should be requisitioned if required by the unit to which the boat is assigned.

PARTICULARS

Length over all- - - - 36' - 10"  
Beam (over fenders)- - - 10' - 10"  
Draft- - - - - 3' - 4"  
Weight, with outfit- - - Abt. 22,500 lbs.  
Speed- - - - - 9 m.p.h.  
Cruising radius- - - - 170 miles  
Power (gasoline) - - - - 90 h.p.  
Capacity, normal load- - 30 men  
Type of planking - - - - Carvel  
Boat equipped with auxiliary battery charger,  
(Draft, speed, cruising radius, based on  
boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
Allowance List for this type of boat.





0 1 2 3 4 5  
SCALE IN FEET

**PARTICULARS**

Length over all - - - - 38' - 30"  
 Beam (over fenders) - - - 10' - 5"  
 Draft - - - - - 3' - 00"  
 Weight, with outfit - - - - - Abt. 16,500 lbs.  
 Speed - - - - - Abt. 22 m.p.h.  
 Cruising radius - - - - - 175 miles  
 Power (gasoline) - - - - - 250 h.p.  
 Capacity, normal load - - - 12 men  
 Crew accommodations - - - 2 men  
 Boat equipped with small galley, w.c.,  
 and auxiliary battery charger.  
 Type of planking - - - - Carvel  
 (Draft, speed, cruising radius based on  
 boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
 Allowance List for this type of boat.




  
 0 1 2 3  
 SCALE IN FEET

PARTICULARS

Length over all- - - - 40' - 2"  
 Beam (over fenders)- - - 11' - 4"  
 Draft- - - - - 2' - 4"  
 Weight, with outfit- - - Abt. 15,000 lbs.  
 Speed- - - - - 11 m.p.h.  
 Cruising radius- - - - 150 miles  
 Power (diesel) - - - - 50 h.p.  
 Distance between  
 hoisting fittings- - - - 33' - 7"  
 Capacity, normal load- - 40 men  
 Type of planking - - - - Carvel  
 (Draft, speed, cruising radius, based on  
 boat with crew and outfit aboard.)

Boat outfit in accordance with Std.  
 Allowance List for this type of boat.



0 1 2 3 4 5  
 SCALE IN FEET

PARTICULARS

Length over all - - - - 40' - 4"  
 Beam (over fenders) - - - 12' - 6"  
 Draft - - - - - 4' - 2"  
 Weight, with outfit - - - Abt. 24,750 lbs.  
 Speed - - - - - 13 m.p.h.  
 Cruising radius - - - - 170 miles  
 Power (gasoline) - - - - 180 h.p.  
 Capacity, normal load - - 30 men  
 Cargo, normal load - - - 5,000 lbs.  
 Hoist (gasoline) driven - 1,500 lbs. Capacity  
 Type of planking - - - - Carvel  
 Boat equipped with auxiliary battery charger  
 (Draft, speed, cruising radius based on boat  
 with crew and outfit aboard.)

Boat outfit in accordance with Std.  
 Allowance List for this type of Boat.

