

WOMEN'S RESERVE UNIFORM REGULATIONS - 1943

I. General Regulations

1. General:

- (a) The wearing of the Naval uniform should be a matter of personal pride to all Naval personnel. All officers and enlisted women shall provide themselves with the correct uniform as prescribed by these regulations, and are forbidden to wear any other than the regulation uniform, insignia, or devices of their respective rank, corps, or rating, or any medals or orders in any other way than hereinafter prescribed.
- (b) It shall be the duty of those intrusted with authority to enforce the provisions of these regulations.
- (c) The uniform, with its various insignia and devices, is designed primarily to indicate on sight those belonging to the Naval Service; to show at a glance their rank, corps, or rating, and hence the authority and responsibility imposed by law upon those wearing it.
- (d) Uniforms shall be kept scrupulously clean with devices and insignia bright and free from tarnish and corrosion. Clothes and equipment shall be made of high grade material.
- (e) Officers and enlisted women on duty shall at all times wear the uniform of their respective grades, as prescribed by the senior officer present, except as otherwise designated herein.
- (f) Officers Suspended. Officers suspended from duty by sentence of court-martial, or waiting orders for punishment, are prohibited from wearing the uniform during these periods.

2. Civilian Clothing, Officers:

- (a) Officers on active duty will wear the prescribed uniform at all times except when engaged in exercise or in the home with less than three guests present, or as provided in paragraph 1(f).
- (b) No part of the uniform shall be worn with civilian clothing except articles which do not present a distinct Naval appearance, such as the raincoat, shirt, stockings, gloves, shoes, and overshoes.

3. Civilian Clothing, Enlisted Personnel:

- (a) Enlisted women will wear the prescribed uniform at all times except when engaged in exercise.

4. Uniform of the Day:

- (a) The uniform to be worn for the season, day, or occasion shall be prescribed by the senior officer present corresponding to the orders for men's uniforms with due regard to the duty to be performed and the state and variation of the weather.
- (b) The uniform of the day shall be regulated by the senior officer present to insure that the dress for officers and enlisted women is the same for all in the same locality.
- (c) Prescribed uniforms shall be designated in the terms used in these regulations, and in the following sequence:
 - (1) Officers of the Women's Reserve.
 - (2) Chief petty officers (if different from that of other enlisted personnel).
 - (3) Enlisted personnel.
- (d) When Service Dress Blue A or B is prescribed, the jacket may be removed indoors only when the Navy blue shirt is worn.
- (e) When the Working Uniform is prescribed, the jacket may be removed indoors.
- (f) The white shirt, long-sleeved, may be worn only by Commissioned Officers in the evening or when prescribed for formal or dress occasions.
- (g) The white shirt, short-sleeved, shall be worn at all times with the working uniform, and shall be worn by enlisted personnel with Service Dress White.
- (h) The Reserve blue tie shall be worn at all times with the Navy blue shirt. The black tie shall be worn at all times with all other shirts.
- (i) Service Shoes, Black, shall be worn at all times with Service Dress Blue A or B, except for formal or dress occasions, when Dress Shoes, Black, may be worn. Dress Shoes, Black, may be worn at all times with Working Uniform. Dress Shoes, White, shall be worn at all times with Service Dress, White.

5. Exceptions to Uniform of the Day:

- (a) The working smock, or aviation coverall and cap, shall be worn by officers or enlisted personnel when the nature of their work requires a protective covering. When not engaged in work requiring protective covering, they shall wear the uniform of the day.
- (b) Slacks shall be worn by officers or enlisted personnel when prescribed, if the nature of their work requires the wearing of this garment. Slacks shall be worn only when work of this nature is being performed. Slacks shall be worn with the

Service Jacket or Working Jacket and shall be made of the same material and match in color the jacket with which they are to be worn. The jacket may be removed when prescribed by the senior officer present.

- (c) The Working Uniform for any rank or rating may be worn as prescribed by the senior officer present.
 - (d) Midshipmen Uniforms. The duly-authorized and approved uniforms for midshipmen at the Women's Reserve Midshipmen's School shall be the same as prescribed for commissioned officers, except that no sleeve braid or miniature pin-on collar devices shall be worn, and the hat device shall consist of a single fouled anchor of gold colored metal or embroidered in gold color thread 1-5/8 inches high, and 1 inch wide, mounted on a black fabric backing of appropriate size, worn in a vertical position.
 - (e) V-9 Class Trainee Uniform. The duly-authorized and approved uniforms for apprentice seamen (Class V-9) at the Women's Reserve Midshipmen's School shall be the same as prescribed for commissioned officers except that no sleeve braid or miniature pin-on collar devices shall be worn and that the hat prescribed for enlisted personnel shall be worn. Required quantities of each item of uniform for apprentice seamen (Class V-9) shall be prescribed by the Commanding Officer of the Women's Reserve Midshipmen's School.
6. Standard Phraseology. When official references are made to the uniform by any person in the Navy, by any bureau, or in any official publication, the terms set forth in the Uniform Regulations, U. S. Navy, shall be used.
7. Pins and Jewelry. No pins or other jewelry shall be worn exposed upon the uniform by any officer or enlisted woman of the Navy except the authorized decorations, medals, and ribbons. Bracelets and earrings shall not be worn and rings shall be inconspicuous.
8. Neatness:
- (a) Neatness and good grooming are of the utmost importance. Slips shall not show below the uniform skirt. Stocking seams shall be straight. The officer's hat shall be worn without tilting it to one side. Gloves shall be tucked under the coat sleeve. Hair shall not cover the coat collar.
 - (b) Inspection of Clothing and Bedding: When enlisted women are in schools or quartered in barracks on shore, commanding officers shall cause their clothing and bedding to be inspected by division or other officers periodically, taking care that the inspections are so conducted as not to be unnecessarily irksome to the women. They shall encourage the enlisted women to keep their uniforms clean and neat and do everything possible to facilitate the proper care, cleaning, fitting, and preservation of the uniforms and equipment.

7. Transfer or Exchange of Clothing. No transfer or exchange of Navy owned clothing shall be made without the authority of the Commanding Officer.
10. Regulation Clothing:
- (a) All wearing apparel bearing the U. S. Navy label shall be considered uniform.
 - (b) Clothes made by the women for themselves, made by tailors for them, or received by them from other than official sources shall conform strictly in material, pattern, and making to the specifications issued by the U. S. Navy.
 - (c) Standard samples as approved by the Bureau of Naval Personnel of every article of Women's Reserve uniforms shall be kept at the Bureau of Supplies and Accounts, Washington, D. C.
 - (d) An umbrella is considered a non-military item and should not be carried by either officers or enlisted personnel when in uniform.
11. Required Items of Uniform:
- (a) Commissioned Officers and Midshipmen - are required to have in their possession and maintain sufficient articles of uniform to appear in whatever uniform of the day may be ordered. This includes the following items:
 - (1) Service Jacket, Navy Blue.
 - (2) Service Jacket, White.
 - (3) Working Jacket, Navy Blue.
 - (4) Service Skirt, Navy Blue.
 - (5) Service Skirt, White.
 - (6) Working Skirt, Navy Blue.
 - (7) Raincoat-Overcoat.
 - (8) Shirt, Reserve Blue.
 - (9) Shirt, Navy Blue.
 - (10) Shirt, White, Long-sleeved.
 - (11) Shirt, White, Short-sleeved.
 - (12) Tie, Black.
 - (13) Tie, Reserve Blue.
 - (14) Hat.
 - (15) Hat Cover, Navy Blue.
 - (16) Hat Cover, White.
 - (17) Hat Device.
 - (18) Havelock.
 - (19) Hose, Beige.
 - (20) Service Shoes, Black.
 - (21) Dress Shoes, White.
 - (22) Gloves, Black.
 - (23) Gloves, White.
 - (24) Handbag, Black.
 - (25) Miniature pin-on collar devices.
 - (26) Sleeve Braid.
 - (27) Handbag Cover, White.

Optional Items:

- (1) Overcoat
- (2) Muffler
- (3) Aviation Coverall and Cap
- (4) Working Smock
- (5) Slacks
- (6) Dress Shoes, Black.

(b) Enlisted Personnel - will be required to possess and maintain the following minimum articles of uniform:

<u>Item</u>	<u>Chief Petty Officers</u>	<u>Other Enlisted Personnel</u>
(1) Service Jacket, Navy Blue	2	2
(2) Working Jacket, Navy Blue	2	2
(3) Service Skirt, Navy Blue	2	2
(4) Working Skirt, Navy Blue	2	2
(5) Raincoat-Overcoat	1	1
(6) Shirts, Reserve Blue	2	2
(7) Shirts, Navy Blue	3	3
(8) Shirts, White, Short-sleeved	4	4
(9) Ties, Black	2	2
(10) Ties, Reserve Blue	2	2
(11) Hat (Officer)	1	Not worn
(12) Hat Cover, Navy Blue	1	Not worn
(13) Hat Covers, White	2	Not worn
(14) Hat Device, CPC	1	Not worn
(15) Hat, Enlisted, Navy Blue	Not worn	1
(16) Hat, Enlisted, Navy Blue and White	Not worn	2
(17) Havelock (officer's)	1	Not worn
(18) Hat rain cover (enlisted)	Not worn	1
(19) Hose, Beige	4 prs.	4 prs.
(20) Service Shoes, Black	2 prs.	2 prs.
(21) Gloves, Black	1 pr.	1 pr.
(22) Gloves, White	2 prs.	2 prs.
(23) Sneakers - Rubber-soled Shoes	1 pr.	1 pr.
(24) Soft-soled Bedroom Slippers	1 pr.	1 pr.
(25) Handbag	1	1
(26) Service Jacket, White	Optional	Optional
(27) Service Skirt, White	Optional	Optional
(28) Dress Shoes, White	Optional	Optional
(29) Overcoat	Optional	Optional
(30) Muffler	Optional	Optional
(31) Aviation Coverall and Cap	When Required	When Required
(32) Working Smock	When Required	When Required
(33) Slacks	When Required	When Required
(34) Handbag Cover, White	Optional	Optional

All personnel will be required to possess and maintain an adequate supply of easily laundered underwear.

II. Commissioned Officers:

Designation of Uniforms:

1. Service Dress, Blue, A.- Navy blue jacket, Navy blue skirt, Navy blue hat, black gloves, black shoes. White gloves and white shirt, long-sleeved, may be worn for dress occasions only. Navy blue or Reserve blue shirt may be worn for work as designated by the senior officer present.
2. Service Dress, Blue, B.- Same as Service Dress, Blue, A, but with white hat cover and white gloves.
3. Service Dress, White.- White jacket, white skirt, white shirt, long-sleeved, white hat cover, white shoes, white gloves.
4. Working Uniform.- Navy blue jacket, Navy blue skirt, white shirt, short-sleeved, white hat cover, black shoes, white gloves.

General Characteristics:

1. Navy Blue.- Where Navy blue is specified to mean the color of a material for a garment, it shall be interpreted to mean the shade of Navy blue for which a standard is maintained in the Bureau of Supplies and Accounts, Washington, D. C.
2. Reserve Blue.- Where Reserve blue is specified to mean the color of a material for a garment, it shall be interpreted to mean Standard Reserve blue, for which a standard is maintained in the Bureau of Supplies and Accounts, Washington, D. C.
3. Service Jacket, Navy Blue.- This garment shall be of Navy blue woolen cloth, Palm Beach or similar lightweight material, four gilt buttons, to be worn buttoned using all four buttons, straight back, easy fitting front, collar to have rounded ends overlying peak lapels of jacket, two breast pocket flaps, with two inside breast pockets.
4. Service Jacket, White.- This garment shall be of white cotton, rayon, Palm Beach or similar lightweight material. In all other respects, this garment shall be the same as Service Jacket, Navy Blue.
5. Working Jacket, Navy Blue.- This garment shall be of Navy blue cotton, Palm Beach, tropical worsted, or similar lightweight material. In all other respects, this garment shall be the same as Service Jacket, Navy Blue.
6. Skirt.- This garment shall be six gored style, of conventional sweep and length, with two inset pockets at front. Skirt shall be made of the same material and match in color the jacket with which it is to be worn.

7. Raincoat-Overcoat.- This garment shall be double-breasted, with a double row of five Navy blue buttons, of Navy blue, water repellent fabric, and shall have convertible collar similar to overcoat. It shall be loose fitting, raglan sleeved, full skirted, with full belt. It shall have a removable body and sleeve lining of Navy blue material or leather. Use of this lining is not required. Raincoat shall be as long as skirt and may be worn slightly longer if desired.
8. Shirt, Long-sleeved.- This garment shall be of cotton or rayon material, Reserve blue, Navy blue or white in color and shall button down the front, with turn down, pointed, mannish collar and long sleeves with buttoned single cuffs. Front of shirt shall have a yoke on each forepart ending in a vertical line extending to top shoulder seam. Collar shall close at neck with a small button and button loop.
9. A shirt of the following description may also be worn:
Shirt, Long-sleeved.- Of cotton or rayon material, Reserve blue, white or Navy blue in color. This garment shall be slip-over style, with turn down pointed collar and long sleeves with buttoned single cuffs. Front of shirt to have a yoke ending in the open ends of a V shape. Neckline to be a surplice closing overlapping from each end of the open V.
10. Shirt, Short-sleeved.- This garment shall be of cotton material, white in color, and shall be the same design as Shirt, Long-sleeved, except that sleeves shall be short extending two-thirds the distance from shoulder seam to elbow and shall be finished with a turned back cuff, one inch in depth.
11. Tie.- The tie shall be approximately 11 inches wide and 33 inches long, with pointed ends, and shall be made of black or Reserve blue rayon or silk material. The black tie shall be worn with Shirt, White, or Reserve Blue. The Reserve blue tie shall be worn with Shirt, Navy Blue. The tie shall be worn under the shirt collar, tied in a square knot, with the knot placed at the collar opening and the tie ends tucked under collar tips.
12. Hat.- The hat shall be so constructed that a Navy blue cloth or plain white material cover may be fitted, brim to be Navy blue. Crown shall be stiffened, oval in shape. Brim to be rolled at sides, straight in front and back. Insignia shall be worn at front of crown, attached to Navy blue band encircling crown at brim seam.
13. Havelock.- (Rain hat cover).- This garment shall be made of the same Navy blue, water repellent material as the raincoat-overcoat. The havelock shall be constructed to fit over the hat, the hat brim fitting into a flap in front of havelock brim, side of havelock shall be cut full to hang down to shoulders of raincoat.

- 14a. Hose.- Hose shall be conventional long stockings, without clocks or decorations of any kind, neutral beige in color, of plain cotton or lisle thread not thinner than 100's 2-ply. A standard sample of this color is maintained in the Bureau of Supplies and Accounts, Washington, D. C. For dress wear, and with Working Uniform, conventional long hose without clocks or decorations of any kind, in the same color as prescribed above, of rayon, silk, nylon, or other similar material, may be worn.
- 14b. Socks.- Navy blue cotton ankle socks may be worn with the Aviation Coverall and slacks. They shall not be worn with any other item of uniform.
15. Service Shoes, Black.- Service shoes shall be 4, 5, or 6 eyelet laced oxfords, heels not to be higher than 13/8's inches, of plain black leather with closed toes and heels without decoration or perforation of any kind, with black stitching. Moccasin toe types and variations are permitted. Suede, patent or novelty leather shoes are not permitted.
- Black rubbers, boots, or overshoes may be worn when weather conditions make them desirable.
16. Dress Shoes, Black.- Dress shoes may be laced oxfords, simple pumps or monk strap style, with closed toes and heels, of plain black leather, with black stitching, heels not higher than 16/8's inches. Suede, patent leather or novelty leather shoes are not permitted.
17. Dress Shoes, White.- With Service Dress, White, shoes of the same description as Dress Shoes, Black, but white in color, with white stitching, may be worn. White buckskin shoes may be worn.
18. Gloves.- White gloves shall be short in length, plain, of leather or fabric, with white stitching. Black gloves shall be short in length, plain, of leather or fabric, with black stitching. Black suede gloves are not permitted.
- 19a. Handbag.- Handbag shall be of black fabric, synthetic material, or leather, envelope style, not more than 11 inches wide, and 7½ inches high, with a shoulder carrying strap of self-material, to be worn with shoulder strap on right shoulder, bag swung over left hip.
- 19b. Handbag with Service Dress, White.- A white slip cover of cotton, rayon, or wool material shall be provided to fit over handbag when worn with Service Dress White. This cover shall fit neatly over bag. The strap shall be removed and the bag carried by hand with Service Dress White.
20. Overcoat.- This garment shall be of Navy blue woolen cloth, double breasted, double row of four gilt buttons, easy fitting, shaped at waist and held by half belt at back; to be worn buttoned using the three lower buttons on the left side. Collar to have rounded

ends, overlying lapels, to be so arranged that coat may be buttoned at the neck. Coat shall be as long as skirt and may be worn slightly longer if desired.

21. Mufflers.— The wearing of mufflers with overcoats or raincoats is optional. When mufflers are worn they shall be of white silk, rayon, or wool.
22. Aviation Coverall.— This garment shall be of cotton material, a medium shade of blue in color, a sample for which is maintained in the Bureau of Supplies and Accounts, Navy Department, Washington, D. C. This garment shall be one-piece style, long-sleeved, with buttoned single cuffs, buttoned down the front to below the waist, buttoned drop seat, two large patch pockets at front below waist, two breast pockets, pencil pocket, with rounded Peter Pan collar. Trouser legs shall be long and shall have tabs to adjust width at bottom.
23. Aviation Coverall Cap.— This garment shall be a wrap around turban of Navy blue material.
24. Working Smock, Reserve Blue.— This garment shall be of plain cotton or rayon material, Reserve blue in color, long set-in sleeves, double-breasted front, full tie belt, opening down to below the waistline, double row of three plastic or vegetable ivory buttons, Navy blue in color. Collar to have rounded ends overlying peaked lapels similar to Service Jacket. Smock shall be as long as skirt and may be worn slightly longer if desired.
25. Slacks.— This garment shall be full-cut, with single pleat at front below waistband, side opening, with two pockets, one at each side. Slacks shall be made of the same material and match in color the jacket with which they are worn.

Insignia

26. Indication of Rank of an Officer.— The rank of an officer is indicated by the number and width of stripes on sleeves of jacket and overcoat.
27. Sleeve Markings (Stripes).— Sleeve stripes shall encircle the sleeve and shall be of Reserve blue braid on Service Jacket, Navy Blue, Overcoat, and Working Uniform, Navy Blue. In the case of the Service Jacket, White, braid shall be Navy blue in color. The stripes shall be made in two widths - (a) one-half inch overall, and (b) one-fourth inch overall.

The spacing between stripes shall be $\frac{1}{4}$ inch, the lower stripe shall be 2 inches from the edge of the sleeve and parallel thereto.

The following stripes shall be worn on the sleeves of all jackets and overcoats by officers of the following or equivalent ranks:

- | | | |
|--------------------------|---|--|
| (1) Lieutenant Commander | 2 | $\frac{1}{2}$ inch stripes with one $\frac{1}{4}$ inch stripe between the other two. |
| (2) Lieutenant | 2 | $\frac{1}{2}$ inch stripes. |
| (3) Lieutenant (jg) | 1 | $\frac{1}{2}$ inch stripe with one $\frac{1}{4}$ inch stripe above it. |
| (4) Ensign | 1 | $\frac{1}{2}$ inch stripe. |

28. Collar Devices.- In warm climates necessitating the removal of jackets, the insignia of rank, a metal pin-on or embroidered device, shall be worn by all commissioned officers on the collar of the shirt. The device shall be placed on each side of the shirt collar, one inch from the front edge, one inch above collar tip, the collar being turned down.

Designation of rank shall be as follows:

Lieutenant Commander	Gold Oak Leaf
Lieutenant	Two Silver Bars
Lieutenant (jg)	One Silver Bar
Ensign	One Gold Bar

29. Corps Devices.- A corps device shall be worn in the center of each rounded end of the jacket collar.

This device shall be embroidered of a size to be inscribed in a circle $1\frac{1}{2}$ " in diameter, and shall consist of a propeller with a fouled anchor superimposed.

With Service Jacket, Navy Blue, and Working Jacket, Navy Blue, the propeller is to be embroidered in Reserve blue color, the anchor in white, the background to be Navy blue.

With Service Jacket, White, the propeller is to be embroidered in Navy blue, the anchor in Reserve blue, the background to be white.

30. Hat Insignia.- The hat device shall consist of two crossed fouled anchors in gold with silver shield, and spread eagle, to face right (dexter) superimposed. The cap device shall be made of solid metal or embroidered, and mounted on a black fabric backing of appropriate size.

31. Buttons:-

- (a) Navy gilt buttons shall be convex of standard pattern with regulation device of United States Navy stamped on the surface of the button. A plastic button, metal covered, or of gilt color, may be worn. The eagles on all buttons shall face right (dexter). Size shall be as prescribed in the detailed specifications for various garments.

- (b) Navy blue buttons shall be plain four hole type of vegetable ivory, plastic or non-metallic substance, and shall be of the size prescribed in the detailed specifications for various garments.

III. Chief Petty Officers.

Designation of Uniforms:

1. Service Dress, Blue A.- Navy blue jacket, Navy blue skirt, Navy blue hat, Navy blue shirt, Reserve blue tie, black gloves, black shoes. The Reserve Blue Shirt and White Gloves may be worn for dress occasions only.
2. Service Dress, Blue B.- Same as Service Dress, Blue A, but with white hat cover and white gloves.
3. Service Dress, White.- White jacket, white skirt, white shirt, short-sleeved, white hat cover, white shoes, white gloves.
4. Working Uniform.- Navy blue jacket, Navy blue skirt, white shirt, short-sleeved, white hat cover, black shoes, white gloves.

General Characteristics.- Same as articles prescribed for Commissioned Officers except where modified herein.

1. Jacket.- To have four Navy blue buttons instead of four gilt buttons.
2. Overcoat.- To have a double row of four Navy blue buttons instead of double row of four gilt buttons.
3. Hat.- Chief Petty Officer's pin-on device shall be worn on front of crown, without backing.
4. Shirt, Long-sleeved.- This garment shall be in Reserve blue or Navy blue only.
5. White Shirt, Short-sleeved.- This garment shall be worn with Service Dress, White.

Insignia

6. Sleeve Markings (Stripes).- No sleeve stripes shall be worn.
7. Pin-on Miniature Collar Devices.- No pin-on miniature collar devices shall be worn.
8. Hat Insignia.- The hat device shall consist of a fouled anchor in gold color metal with the letters U S N in silver color metal superimposed.
9. Buttons.- Navy blue buttons shall be plain four hole, flat type, of vegetable ivory or non-metallic substance and shall be of

the size prescribed in the detailed specifications for various garments. Buttons of the same color, convex, of plastic material, with regulation device of U. S. Navy stamped on the surface of the button, may be worn with Service Dress, Navy Blue, Service Dress, White, Working Uniform, Navy Blue, and Overcoat.

Navy blue buttons for wear with raincoat shall be plain four hole style of vegetable ivory, plastic, or non-metallic substance and shall be of the size prescribed in the detailed specifications for this garment.

IV. Other Enlisted Personnel.

Designation of Uniforms:

1. Service Dress, Blue A.- Navy blue jacket, Navy blue skirt, Navy blue hat, Navy blue shirt, Reserve blue tie, black gloves, black shoes. The Reserve blue shirt and white gloves may be worn for dress occasions only.
2. Service Dress, Blue B.- Same as Service Dress, Blue A, but with Navy blue and white hat and white gloves.
3. Service Dress, White.- White jacket, white skirt, white shirt, short-sleeved, Navy blue and white hat, white shoes and white gloves.
4. Working Uniform.- Navy blue jacket, Navy blue skirt, white shirt, short-sleeved, Navy blue and white hat, black shoes, white gloves.

General Characteristics:- Same as articles prescribed for Chief Petty Officers except where modified herein.

1. Hat, Navy Blue.- This hat shall be of Navy blue cotton or woolen cloth, with a six section crown, brim to be turned up at back, close to body of hat and gradually slope to a slight turn up at front. Brim at front to be about 2 3/8 inches wide - with dark Navy blue cap ribbon marked "U. S. Navy" in gilt letters. Hat shall be worn with brim turned down in front.
2. Hat, Navy Blue and White.- The crown of this hat shall be of white cotton material. The brim shall be of Navy blue cotton material. In all other respects, this hat shall be the same as Hat, Navy Blue.
3. Hat Raincover.- This cover shall be of Navy blue transparent waterproof material to fit neatly over brim of hat at front, and shall be so made as to hang down to the shoulders at back, fastening under chin.

Insignia

4. Hat Insignia.- No hat insignia shall be worn.

V. Rating Badges - Chief Petty Officers and Petty Officers.

1. Rating Badges - Rating badges shall be embroidered of silk, cotton, or rayon thread, and shall consist of an eagle, chevrons and a specialty mark and shall have a background matching in color the jacket, shirt, or working smock with which they are worn.

Colors shall be as shown in the following table:

<u>Garment</u>	<u>Eagle and Specialty Mark</u>	<u>Chevrons</u>
Service Jacket, Navy Blue	White	Red
Service Jacket, White	Navy blue	Navy blue
Working Jacket, Navy Blue	White	Red
Shirt, Long-sleeved, Navy Blue	White	Red
Shirt, Short-sleeved, White	Navy blue	Navy blue
Working Smock, Reserve Blue	Navy blue	Navy blue

No rating badge is worn on Shirt, Long-sleeved, Reserve Blue.

For Pharmacists Mates the specialty marks for all rating badges shall be embroidered in red.

2. Size of Rating Badges - The badge shall cover a field $2 \frac{3}{16}$ inches wide. The specialty mark shall be in the center of the field, in the angle of the stripes of the chevron. The talons of the eagle shall be 1 inch above the angle of the chevrons and just above the specialty mark. The background of the rating badge shall be of a pentagon shape, bounded by two parallel, vertical lines $2 \frac{5}{8}$ inches apart, crossed at the top by a horizontal line $\frac{1}{4}$ inch above the wing tips of the eagle, and at the bottom by two converging lines parallel to, and $\frac{1}{4}$ inch below, the lower chevron.

3. Chevrons -

(a) Chevrons indicate the rank of class of Petty Officers. Chevrons shall be approximately $\frac{1}{4}$ inch wide, separated $\frac{3}{16}$ inches.

(b) Chief Petty Officers shall wear chevrons of three stripes with an arch of one $\frac{1}{4}$ inch embroidered stripe forming the arc of a circle between the ends of the upper stripe of the chevrons. The specialty mark being in the center of the field under the arch, the eagle resting on the top of the arch.

(c) Petty Officers, first class, shall wear three stripes in the chevron; petty officers, second class, two stripes; and petty officers, third class, one stripe.

4. Manner of Wearing - Chief Petty Officers and Petty Officers shall wear the rating badge on the left sleeve 4 to 5 inches below the shoulder. Rating badges shall be applied on the outer side of the sleeve so that the rear edge of the badge shall coincide with the side view center line of the arm.
5. Specialty Marks - Specialty marks are made for and worn by the following ratings:

Aerographer's Mates	Specialists T
Aviation Machinists Mates	Specialists W
Aviation Metalsmiths	Specialists P
Bakers, Cooks	Specialists M
Electricians Mates	Specialists I
Photographers' Mates	Parachute Riggers
Radiomen and Telegraphers	Signalmen
Pharmacists Mates	Storekeepers
	Officers Stewards
	Yeomen

6. Distinguishing Marks

- (a) Non-rated personnel who have completed the full course of instruction at a regularly established service school on shore, shall wear midway between elbow and wrist on left arm of Service Jacket, Navy Blue; Working Jacket, Navy Blue, Service Jacket, White; Shirt, Navy Blue, and Working Smock, Reserve Blue, the distinguishing mark as indicated.

<u>School</u>	<u>Specialty Mark</u>
Radio	Radioman
Storekeeper	Storekeeper
Yeoman	Yeoman
Aviation Machinist's Mate	Aviation Machinist's Mate
Aviation Metalsmith	Aviation Metalsmith
Cook and Baker	Ship's Cook and Baker
Hospital Apprentice *	Pharmacist's Mate *
Parachute Rigger	Parachute Rigger
Aerographer's Mate	Aerographer's Mate

* The specialty mark for Pharmacist's Mate shall be worn midway between shoulder and elbow of left sleeve.

- (b) Specialty marks shall be embroidered of silk, cotton, or rayon thread, and shall be the same size as prescribed for specialty marks of rating badges. (Section V-2 above). Specialty marks shall have a background matching in color the jacket, shirt, or working smock with which they are worn.

Colors shall be as shown in the following table:

<u>Garment</u>	<u>Specialty Mark</u>
Service Jacket, Navy Blue	White
Working Jacket, Navy Blue	White
Shirt, Long-sleeved, Navy Blue	White
Service Jacket, White	Navy Blue
Working Smock, Reserve Blue	Navy Blue

For Pharmacist's Mates the specialty marks shall be embroidered in red in all cases.

DETAILED DESCRIPTION OF UNIFORMS

I. Commissioned Officers

A. Service Jacket, Navy Blue

(a) Material - Shall be woolen cloth, Palm Beach, or similar lightweight cloth, Navy blue in color. A standard sample of this color is maintained at the Bureau of Supplies and Accounts, Navy Department, Washington, D. C.

(b) Garment Specifications -

1. General Style - Single breasted easy fitting jacket, with 4 gilt buttons at front.

2. Length - Shall be $24 \frac{1}{4}$ inches long in a size 14 (measurement from nape of neck to hem). Each succeeding larger size shall be $\frac{1}{4}$ inch longer, and each smaller size $\frac{1}{4}$ inch shorter.

3. Collar and Lapels - Collar shall have rounded ends ($2\frac{1}{2}$ inches in diameter), ends overlying peaked lapels. End of collar shall be loose, lapel shall be felled to collar $\frac{3}{4}$ inch in from end of collar. Lapels shall be 4 inches wide.

4. Pockets - Two breast pocket flaps $1 \frac{3}{4}$ inches deep, $4 \frac{1}{4}$ inches wide, with rounded bottom corners, set on 5 inches below shoulder seam. Inside breast pockets on each side $4 \frac{1}{2}$ inches wide by $5 \frac{1}{2}$ inches deep.

5. Sleeves - Sleeves shall be 2 piece, cuffs closed without buttons, set on to body of coat with sufficient fullness to allow for shoulder and upper arm padding.

6. Lining - Rayon, serge or twill, Navy blue in color to match material of jacket. Jacket may be full lined or half lined, as desired. If garment is made of Palm Beach or similar lightweight cloth, no lining is required.

7. Buttons - Four 35-line Navy standard eagle gilt buttons sewn on left forepart, reinforced by small inside stay buttons. Top button is placed below lapels at a point which, in a size 14 jacket, measures 12 inches when measured from center back of neck, around neck, under lapel to center of button when coat is buttoned, bottom button at the waistline, the two others equally spaced between.

8. Front - Front of jacket to be slightly fitted at waistline. Each forepart of the jacket shall be cut in two pieces with a vertical dart at waistline. Bottom front corners of each forepart shall be cut with a rounded edge.

9. Back - This garment shall have a three piece back, slightly fitted at waistline.

10. Seams and Edges - Plain.

11. Rank and Corps Devices - Type A embroidered corps devices shall be worn on rounded ends of collar as prescribed under Section S herein. Both sleeves shall bear stripes of Type A braid, as prescribed under Section Q herein.

B. Service Jacket, White.

(a) Material - Shall be cotton, Palm Beach, tropical worsted, or similar lightweight material, white in color.

(b) Garment Specifications -

1. Details of this jacket shall be identical to specifications for Service Jacket, Navy Blue, except as prescribed below.

2. Lining - Jacket shall be unlined.

3. Buttons - Shall be as prescribed for Service Jacket, Navy Blue, except that they shall be shank buttons to pass through eyelet holes and be held by split rings or bodkin fasteners.

4. Seams - Shall be bound.

5. Rank and Corps Devices - Type B corps device shall be worn on rounded end of jacket collar, as prescribed under Section S herein. Both sleeves shall bear stripes of Type B braid, as prescribed under Section Q herein.

C. Working Jacket, Navy Blue

(a) Material - Shall be cotton, Palm Beach, tropical worsted, or similar lightweight material, Navy blue in color. A standard sample of this color is maintained at the Bureau of Supplies and Accounts, Navy Department, Washington, D. C.

(b) Garment Specifications -

1. Details of this jacket shall be identical to specifications for Service Jacket, Navy Blue, except as prescribed below.

2. Collar and Lapels - Shall be identical to Service Jacket, Navy Blue, except that lapels shall be 3 3/4 inches wide.

3. Lining - Jacket shall be unlined.

4. Buttons - Shall be as prescribed for Service Jacket, White.

5. Seams - Shall be bound.

D. Skirt

(a) Material - Shall be of same color and fabric as jacket with which it is to be worn.

(b) Garment Specifications -

1. General Style - Shall be six gored style of conventional sweep and length with two inset pockets at front.
2. Hem - Finished garment shall have a hem at least 2 1/2 inches wide.
3. Waistband - Skirt shall be attached to a waistband 1 1/2 inches wide.
4. Side Opening - Skirt shall have an opening approximately 7 1/2 inches deep over left hip, to be closed with a slide fastener or other suitable device. Waistband shall overlap at this point and be closed with button and buttonhole.
5. Seams and Edges - Shall be plain except that 2 inch selvages shall be left in both the right and left side seam.
6. Pockets - Two pockets shall be inset at front of skirt. They shall be 4 inches wide and 6 inches deep. Pockets shall be slanted so that the outside edge of the pocket opening is 4 1/4 inches below the top of the skirt and the inside edge is 2 1/2 inches below the top of the skirt. Inside edge of each pocket opening shall be 1 3/4 inches from center front of skirt.

E. Raincoat-Overcoat (outside shell)

(a) Material - Shall be woolen serge, whipcord, gabardine, or elastique, Navy blue in color. Fabric used shall be water repellent and shall weigh not less than 10 ounces, nor more than 18 ounces per linear yard. (58 inches wide).

(b) Garment Specifications -

1. General Style - Double breasted, loose fitting, raglan sleeved, drawn in at waistline by a full belt going all around coat and fastened with a buckle; shall have a convertible collar similar to overcoat.
2. Length - Shall be as long as, or slightly longer than, skirt length.
3. Collar and Lapels - Collar shall have rounded ends 4 inches in diameter overlying lapels by one inch when coat is worn open at throat. Lapels shall be so arranged that coat may be buttoned at the neck.
4. Pockets - Two pockets shall be inset in front of coat, one in each forepart with welts 1 1/4 inch wide and in a vertical position. Pockets shall be 6 1/4 inches wide and 8 inches deep. Pockets shall be placed 6 1/2 inches in from side seams of coat and shall open through lining.
5. Sleeves and Cuffs - Sleeves shall be full cut one piece raglan style starting from neck line, with deep arm holes. Cuffs to be closed without buttons. Sleeves to have tabs 1 3/8 inch wide let into underseam and buttoning over top side of sleeve, one buttonhole in tab, two buttons on sleeve. Tab to be placed 2 1/2 inches above bottom of sleeve.

6. Lining - Outside shell of raincoat may be skeleton lined, or full lined with matching Navy blue rayon satin, or twill.

7. Belt - Shall be a full belt, single stitched $3/8$ inch, width of belt to be $1\ 7/8$ inch, with pull through buckle, leather or fabric covered, of plastic material. At least two belt loops shall be provided. Sliding loop shall be placed on belt to hold loose end at front.

8. Buttons - To have two rows of 50-line flat matching Navy blue vegetable ivory, or composition four hole buttons to be reinforced by small inside stay buttons on the left side. Five buttons in each row, the top button to be located at the neckline under the collar, the second button at the breast line, the third button at the waistline, and the lower two buttons equally spaced below.

9. Front - Each forepart shall be cut in one piece with a vertical dart from shoulder seam to breast. Tab shall be sewn to inside of right forepart, tab to be $1\ 1/4$ inch wide, $3\ 1/2$ inches long with buttonhole at each end and shall button to small button placed on front of left forepart. This tab shall be placed $14\ 1/2$ inches above hem of coat.

10. Back - Shall be two piece full cut style with double sewn center seam. Vent at center of skirt $18\ 1/2$ inches long, and left side overlapping the right $2\ 3/8$ inches and made with a fly loop fastened by 2 small size black buttons.

11. Seams and Edges - Side and back seams shall be double sewn. Other seams plain. Edges shall be taped with piping to match the color of the lining.

12. Hem - Coat shall have a $1\ 1/2$ inch hem.

Raincoat Lining

(a) Material - Shall be of woolen flannel, serge, or fleece, Navy blue in color to match the outer shell, weighing not less than 14 ounces nor more than 16 ounces per linear yard (58 inches wide), or leather, or any combination of leather and woolen fabric. Fabric used in lining shall be water repellent.

(b) Garment Specifications -

1. General Style - Lining shall be constructed to be removable and to fasten into coat by means of buttons, snaps, or other suitable device. In general it shall follow the lines of the coat, fitting the outer shell smoothly.

2. Sleeves and Cuffs - Sleeves shall be lined with rayon satin, or twill matching Navy blue in color. Sleeves shall be so constructed as to allow free arm movement.

3. Lining - Yoke lining front and back of rayon satin, or twill matching Navy blue in color.

4. Fastening - Lining shall be constructed to fasten into coat at the facings using best standard commercial practice.

5. Seams and Edges - Plain and taped with piping of same lining.

F. Shirt, Long-sleeved

(a) Material - Shall be of plain cotton, rayon, or silk material, or any combination of these fibres without any stripes or figures of any kind. Colors of shirt shall be white, Reserve blue and Navy blue as prescribed in Section II, Uniform Regulations, Women's Reserve.

(b) Garment Specifications -

1. General Style - Button front style with mannish pointed collar, long set-in sleeves with buttoned single cuffs. Yoke at front ending in a vertical line to top shoulder seam, collar to close at neck with a small button and button loop.

2. Length - Shall be 24 inches long in a size 14. This measurement shall be taken from nape of neck to hem.

3. Collar - Shall have a mannish tailored collar with pointed ends $3 \frac{3}{8}$ inches long, collar to be fastened with one small white button and button loop at throat, and shall be cut full enough to allow for thickness of tie which is worn under the collar. Collar shall have a row of stitching $\frac{1}{4}$ inch in from edge. Collar shall be lined.

4. Sleeves and Cuffs - Shall be plain, one-piece long sleeve, set onto body of shirt in regulation manner. Cuffs shall be plain, closed with one small white button and buttonhole. Sleeve shall be cut with an opening at cuff 6 inches deep. Cuffs shall be lined.

5. Front - Front of shirt shall be cut in two pieces with a horizontal yoke (approximately $4 \frac{1}{2}$ inches long) on each forepart ending a vertical seam extending at a right angle from the end of this yoke to the top shoulder seam. Lower part of each forepart shall be cut with fullness shirred to this horizontal yoke. Front shall be shaped at waistline with 6 tucks, 3 at each side.

6. Back - Back of shirt shall have shoulder yoke $4 \frac{3}{4}$ inches deep, one piece back of shirt shall be shirred to this yoke. Back shall be shaped at waistline with 6 tucks, 3 at each side.

7. Buttons - Front shall close with 4 Mother-of-Pearl, plastic, or vegetable ivory, white, flat, two-hole buttons approximately 20 line in size, sewn to left forepart, with corresponding buttonholes on the right forepart. Top button shall be placed $5 \frac{1}{4}$ inches below throat, bottom button $7 \frac{3}{4}$ inches above hem. The other two buttons equally spaced between. With shirt, long-sleeved, Navy blue, buttons shall be Navy blue in color.

8. Hem - Finished garment shall have a $\frac{1}{4}$ inch hem.

9. Seams and Edges - Shall be plain and single stitched.

G. Shirt, Short-sleeved.

(a) Material - Shall be of plain white cotton, rayon, or silk material, or any combination of these fibres without any stripes or figures of any kind.

(b) Garment Specifications -

1. Details of this shirt shall be identical to specifications for Shirt, Long-sleeved, except as prescribed below.

2. Sleeves and Cuffs - Shall be plain, one piece sleeve, set onto body of shirt in regulation manner. Sleeve shall be short, extending $\frac{2}{3}$ distance from shoulder seam to elbow, and shall be finished with a turn back cuff, without button, one inch in depth.

H. Tie

(a) Material - Shall be rayon, or silk, black or Reserve blue in color.

(b) Garment Specifications -

1. General Style - Shall be rectangular in shape, approximately 11 inches wide and 33 inches in length overall.

2. Ends - Shall be cut in 90° angle points, the arms of this angle to be 7 $\frac{1}{2}$ inches long.

3. Bias - Tie shall be cut on the bias, so that the grain of the material runs across the width of the tie.

4. Edges - Edges shall be neatly hemmed with a $\frac{1}{8}$ inch hem all around.

5. Wearing - Tie shall be folded lengthwise and worn under collar of shirt with ends tied in a square knot.

I. Hat

(a) Material - Brim, one cap cover, and band shall be blue woolen cloth, Navy blue in color. White covering, and two extra cap covers shall be of cotton, Palm Beach cloth, tropical worsted, or similar lightweight material, white in color.

(b) Garment Specifications -

1. General Style - Hat shall be so constructed that a blue cloth or plain white material cover may be fitted. In general, the crown shall be oval in shape, stiff and standing, the brim shall be up at the sides, straight in front and back. Insignia shall be worn at front of crown, attached to blue band encircling crown at headsize.

2. Linings - Crown shall be constructed over a hair cloth foundation no lighter than 8 ounces. Brim to be lined with wool felt.

3. Crown - Measurements of crown, based on size $21\frac{1}{2}$, shall be $5\frac{5}{8}$ inches long (from front to back), at tip $4\frac{3}{4}$ inches wide. Crown shall be $2\frac{1}{2}$ inches high at front, $3\frac{5}{8}$ inches high at back, $3\frac{1}{4}$ inches high at side, height measurements taken from brim seam to tip seam. Sides of crown shall be made in one piece, sewn with seam at back, tip shall be cut in one piece and sewn to top of side crown.

4. Brim - Shall be stitched all around with rows of stitching $\frac{1}{4}$ inch apart. Measurements of brim, based on size $21\frac{1}{2}$, shall be $2\frac{1}{2}$ inches wide at front, $1\frac{7}{8}$ inches wide at back, 3 inches wide at sides. Sides of brim shall be turned up so that they may hug the crown closely at the sides.

5. Sweatband - Hats shall have a sweatband $\frac{3}{4}$ inches wide made of rayon and cotton ribbon.

6. Band - There shall be a removable band of blue woolen cloth, $\frac{7}{8}$ inch wide, to the front of which shall be attached the appropriate insignia and to the back of which shall be attached two streamers.

7. Inside Lining - Crown of hat shall have inside lining.

J. Havelock - (Rain Hat Cover)

(a) Material - Shall be woolen serge, whipcord, gabardine, or elastique, Navy blue in color. Fabric used shall be water repellent and shall match the raincoat in color.

(b) Garment Specifications -

1. General Style - Havelock shall be so constructed as to fit neatly over hat, crown and front brim of havelock to conform in shape to crown and front brim of hat, brim of hat to be inserted into flap at front brim of havelock, sides and back of havelock to be loose and hanging down to shoulders.

2. Lining - Crown of havelock shall be lined with a water proof material, or a separate lining of waterproof material shall be provided to fit over crown of hat under havelock.

3. Crown - Shall be cut a size larger than that of the hat, and the front of crown shall be cut full enough to permit havelock to cover insignia worn at front of hat crown.

4. Brim - Front part of brim shall follow the lines of front brim of hat. Front of havelock shall have a section to fit under brim into which front edge of brim may be inserted to headsizes.

5. Sides - Sides of havelock shall hang $1\frac{1}{4}$ inches below brim seam line of hat, and shall be cut on the bias to have a circular sweep of 43 inches at bottom circumference.

6. Seams - Stitch open and sew down.

7. Edges - Front edge of side pieces of havelock shall be faced to headsizes.

8. Hem - Bottom edge of havelock shall have a hem 1/4 inch deep.

K. Handbag

(a) Material - Shall be black in color, of leather, synthetic material, fabric, or felt, or any combination of these fabrics.

(b) Garment Specifications -

1. General Style - Shall be envelope style with a removable and adjustable shoulder carrying strap of self material.

2. Contents - Shall contain envelope compartment at least 10 1/4 inches wide, change purse, comb and double-faced mirror.

3. Dimensions - Shall be approximately 11 1/8 inches wide overall and 7 1/2 inches high overall.

4. Front - Shall be of one solid piece of material sewn at sides and bottom to flat joining gusset.

5. Back and Flap - Shall be of one solid piece of material sewn at sides and bottom to flat joining gusset. Flap shall extend over and fasten on front 2 1/2 inches from top, with one metal snap or other suitable device placed at center front of bag.

6. Bottom and Side Gusset - Shall be of one solid piece of material, flat in shape, approximately 2 inches wide at bottom and 1 inch wide at top of side pieces. Top of side portions of gusset shall form tab to which shoulder strap may be attached.

7. Stitching - Front, back, and gusset shall be joined together with plain machine stitching using black thread.

8. Shoulder Strap - Shall be of two thicknesses of self material with covered matching adjustable buckle. Shall be 7/8 inch wide and 45 inches long when extended to its greatest length. Ends of strap shall be formed into loops with metal snaps or other suitable devices. These ends shall pass through slits at top of side gussets.

9. Lining - Handbag may be self lined, unlined, or lined with felt, or other suitable material. In every case, inside of bag must match in color the outside.

L. Overcoat

(a) Material - Shall be woolen cloth, Navy blue in color. A standard of this color is maintained at the Bureau of Supplies and Accounts, Navy Department, Washington, D. C.

(b) Garment Specifications -

1. General Style - A double breasted easy fitting winter overcoat, shaped at waist and held by half belt at back. Collar cut so that it may be worn open or buttoned to the neck.

2. Length - Shall be as long as, or slightly longer than, skirt length.

3. Collar and Lapels - Shall be the same as prescribed for the rain-coat-overcoat (Section E-3).

4. Pockets - Two outside welted pockets shall be inset in front of coat, one in each forepart, with welts 1 1/2 inches wide. Pockets shall be inset along the line of the panel seam between the lower two buttons. Pockets shall be 6 1/2 inches wide and 7 inches deep. Inside breast pocket shall be placed on left side, with horizontal opening 5 inches wide and 6 inches deep.

5. Sleeves and Cuffs - Regulation two piece set in style. Shoulder line to be rounded, not square. Cuffs closed without buttons.

6. Lining - shall be full lined with matching Navy blue rayon, satin, or twill.

7. Belt - Shall be a one piece belt 2 inches wide. The ends of belt shall be sewn to back of coat approximately 3 1/2 inches in from side seam.

8. Buttons - To have two rows of 40-line Navy standard eagle gilt buttons, reinforced by small inside stay buttons. Four buttons in each row, the top button at the neck under the collar, the second button at the breast line, the third button at the waistline, and the lower button equally spaced below.

9. Front - Each forepart shall be cut in two panels, joined together with a double stitched seam curving outward above the breastline to reach the sleeve seam 2 1/2 inches below the shoulder seam.

10. Back - Back shall be two piece style with double sewn center seam, full cut and fitted with a half belt. Vent in center at skirt 17 inches long, the left side overlapping the right 1 3/4 inches and made with a fly fastened by 2 small size black buttons.

11. Seams and Edges - Shall be plain.

12. Hem - Coat shall have a 2 inch hem.

13. Rank and Corps Devices - No corps device shall be worn on coat. Rank will be indicated by stripes of Type A braid completely encircling both sleeves as prescribed under Section Q herein.

M. Aviation Coverall

(a) Material - Shall be of cotton material, a medium shade of blue in color, a sample for which color is maintained in the Bureau of Supplies and Accounts, Navy Department, Washington, D. C.

(b) Garment Specifications -

1. General Style - Shall be a one piece coverall, long-sleeved, drop seat, button front, with rounded collar.

2. Collar - Shall be a small collar with rounded ends, similar to collar of Service Jacket, Navy Blue. Rounded ends of collar shall be 2 3/4 inches wide at widest part.

3. Pockets -

(a) Plain breast pocket shall be placed on left side 4 3/4 inches wide, 5 1/2 inches deep. Inside edge of pocket shall be placed 2 1/4 inches out from center line of buttons at front.

(b) Breast pocket with inverted pleat shall be placed on right side 3 1/2 inches wide, 4 inches deep. Inside edge of pocket shall be placed 3 3/4 inches out from center line of buttons at front.

(c) Pencil pocket shall be placed on right side 1 3/8 inches wide, 5 3/4 inches deep. Inside edge of pocket shall be placed 2 inches out from center line of buttons at front.

(d) Top edges of these three breast pockets shall be in line, and shall be placed approximately 10 1/2 inches above top of waistband.

(e) One vertical pocket shall be placed at each side at front of garment below waistband, top of pockets shall be 3 3/4 inches below bottom of waistband, inside edge of pockets shall be 3 1/4 inches out from center line of garment. Pockets shall be 8 inches deep, 5 3/4 inches wide at top, 6 3/8 inches wide at bottom. Inside bottom corner of each pocket shall be curved.

4. Waist and Sleeves - Waist and sleeves of garment shall be cut in one piece with a continuous seam running under the sleeve to armpit and then down to waistline. Sleeves shall be full with cuffs faced 2 inches deep and closed with a single button and buttonhole. Sleeve shall be cut with an opening at cuff 5 3/4 inches deep. Cuff shall be tight fitting.

5. Front - Coverall shall open down the front to a point approximately 6 1/4 inches below bottom of waistband. There shall be a facing 1 3/8 inches wide extending from collar to waistband on right forepart. Buttons shall be sewn on left forepart and shall button through buttonholes in this facing. There shall be 5 buttons. Top button shall be at neckline, bottom button at waistline, the other 3 equally spaced between. In addition there shall be a button placed approximately 3 inches below bottom of waistband to button through a fly underneath right forepart closing the garment below the waistline.

6. Back - Back of coverall shall have an inverted pleat, approximately 2 inches deep, extending from neck to waistline. Garment shall have a drop seat buttoning with 5 buttons. Center button shall be placed at center

back, the two outside buttons shall be placed at sides, the other two buttons equally spaced between. All buttons shall be sewn to waist of garment and shall button through drop seat, except that the side buttons shall button through front and back portions of waistband.

7. Trousers - Trousers shall be long, and full cut. Trouser width shall be adjustable at bottom by means of tab of self material $1 \frac{1}{8}$ inches wide, with buttonhole in tab and two buttons sewn to trouser leg. Tab shall be let into outside seam of trouser leg, one inch above bottom.

8. Waist Tie - Waist tie shall be sewn to waistline at center front 4 inches from center line of garment. Ends of tie shall be loose and shall be worn knotted at center front.

N. Aviation Coverall Cap

(a) Material - Shall be of cotton, rayon, or woolen material, Navy blue in color.

(b) Garment Specifications -

1. General Style - Shall be a wrap-around turban.

2. Size - Turban shall be approximately 35 inches long and 18 inches wide. Ends of turban shall be approximately 23 inches long; the other 12 inches of length shall form the headsize and the fullness shall be shirred at center front.

3. Edges - Shall be plain with $\frac{1}{8}$ inch hems.

O. Working Smock, Reserve Blue

(a) Material - Shall be plain cotton or rayon material without any stripes or figures of any kind, Reserve blue in color.

(b) Garment Specifications -

1. General Style - Double breasted long sleeve smock, full tie belt, opening down to 7 inches below the waistline, double row of 3 plastic or vegetable ivory buttons, collar to have rounded ends overlying peaked lapels similar to Service Jacket.

2. Length - Shall be as long as, or slightly longer than, skirt length.

3. Collar and Lapels - Collar shall have rounded ends (2 $\frac{1}{2}$ inches in diameter), ends overlying peaked lapels. End of collar shall be loose. Lapels shall be 3 $\frac{3}{4}$ inches wide.

4. Pockets - Two large pockets shall be set onto the front of the garment just below the waistline. Pocket shall be 7 $\frac{1}{4}$ inches wide at top, 8 $\frac{1}{2}$ inches wide at bottom, 10 $\frac{1}{2}$ inches deep on inner edge, 7 $\frac{3}{4}$ inches deep on outer edge. Top of pocket to be finished in a smooth curve covering 2 $\frac{3}{4}$ inches difference in depth from top edge of inner side to top edge of outer side.

5. Sweep - Skirt shall have conventional sweep.
6. Sleeves - Sleeves shall be two piece, cuffs closed without buttons, set into body of smock with sufficient fullness to allow for freedom of motion.
7. Lining - Smock shall be unlined.
8. Buttons - Two rows of three 35-line plastic or vegetable ivory shank buttons, Navy blue in color. Top button shall be just below end of lapel, second button midway between top button and waistline, third button an equal distance below waistline. There shall be no button at the waistline. Button rows shall be 4 1/2 inches apart.
9. Belt - Belt shall be of self material, 1 1/2 inches wide and shall be set into back of garment, hanging loose at side seams, and shall tie at front.
10. Back - Back shall be cut with straight double yoke 3 1/2 inches deep at center. Center back of garment shall be in one piece, cut with fullness; this fullness shall be shirred to yoke at top and belt at bottom. Back of skirt shall be cut in 3 gores and fastened to belt at top.
11. Front - Front of garment shall be cut in three panels. The center panel is cut in one piece with left lapel and carries buttonholes. This panel is backed by a panel starting about 7 inches below the waistline which carries the right lapel and buttons. Each center panel shall be double thickness of material. Each side panel shall be in two pieces joined at the waistline, the top piece of each side panel shall be cut with fullness shirred to this waistline seam.
12. Seams and Edges - Shall be plain and pinked.
13. Hem - Smock shall have a 2 inch hem.
14. Corps Devices - No corps devices shall be worn.

P. Slacks

(a) Material - Shall be of same color and fabric as jacket with which they are to be worn.

(b) Garment Specifications -

1. General Style - Shall be loose fitting, full cut, pleated at waist, side opening, with two side pockets.
2. Waistband - Slacks shall have 1 1/4 inch waistband which shall close over left hip with button and buttonhole and an extended tab with button and buttonhole.
3. Closing - Slacks shall close over left hip with a 6 inch zipper fastener or other suitable device.

4. Bottom Size - Bottom size of slacks shall be 21 1/2 inches in a size 14.

5. Pleats - A pleat 3/4 inch deep shall be inset on each side at front under waistband.

6. Pockets - Pockets shall be 9 inches deep at inside edge, 5 1/4 inches deep at outside edge. Top of pocket to be finished in a smooth curve covering 3 3/4 inches difference in depth from top edge of inner side to top edge of outer side. Opening of pocket at curve to be 3 1/2 inches wide, pocket shall be 7 inches wide (inside measurement).

7. Seams and Edges - Shall be plain. Seam at center back shall have 2 inch outlet.

Q. Sleeve Stripes

(a) Material - Shall be of mohair, cotton, or rayon braid.

(b) Garment Specifications -

1. General Style - Shall be smoothly and tightly woven.

2. Widths - Shall be in two widths, 1/2 inch overall and 1/4 inch overall.

3. Wearing - Shall be worn as prescribed in Uniform Regulations, Women's Reserve, Section II (29).

4. Colors - Sleeve stripes shall be in two types. Type A - Reserve blue in color, to be worn with Service Jacket, Navy Blue, Working Jacket, Navy Blue, and Overcoat. Type B - Navy blue in color, to be worn with Service Jacket, White.

R. Collar Devices

(a) Material - 1. Embroidered devices shall be made of washable, color fast rayon or cotton thread, background shall be same material and color as shirt with which device is worn.

2. Pin-on devices shall be made of silvered white metal, or gold plated on metal base, fitted to fasten with brooch pin.

(b) Design -

1. Lieutenant Commander - Gold oak leaf, made in rights or lefts; from end of stem to tip approximately 23/32 inch; width 5/8 inch. These devices shall be plain, raised and veined.

2. Lieutenant - Two silver bars, each approximately 23/32 inch by 1/4 inch, to be set 1/4 inch apart. The bars shall be plain and flat.

3. Lieutenant (Junior Grade) - Same as for Ensign, except bar shall be silver.

4. Ensign - One gold bar, approximately 23/32 inch by 1/4 inch. The bar shall be plain and flat.

S. Corps Device

(a) Material - Shall be embroidered in silk, cotton or rayon, color fast thread of suitable quality and thickness, on a background matching in color the jacket with which it is worn.

(b) Garment Specifications -

1. General Style - Device shall consist of a 3-bladed propeller with a fouled anchor superimposed, of a size to be inscribed in a circle 1 1/2 inches in diameter. To be set with one blade of the propeller in a vertical position, the anchor shall also be in a vertical position.

2. Stitching - The stitches forming the propeller shall be so arranged as to be sewn at right angles to the direction of the propeller blade.

3. Colors - There shall be two types of Corps Device:

Type A - Anchor white, propeller Reserve blue in color, to be worn with Service Jacket, Navy Blue, and Working Jacket, Navy Blue.

Type B - Anchor Reserve blue, propeller Navy blue in color, to be worn with Service Jacket, White.

T. Hat Device

(See U. S. Navy Dept. Specification 73-C-2b, Section E-2a.)

U. Buttons, Gilt

(See U. S. Navy Dept. Specification 71-B-4a.)

II. Chief Petty Officers

A. General Specifications - Shall be the same as prescribed for Commissioned Officers, except where modified herein.

B. Service Jacket, Navy Blue -

1. Sleeve Stripes - No sleeve stripes shall be worn.

2. Buttons - Buttons shall be 35-line, flat, 4 hole, of vegetable ivory or composition substance, matching Navy blue in color. Buttons of the same color, convex, of plastic material, with regulation device of U. S. Navy stamped on the surface of the button, may be worn.

C. Service Jacket, White -

1. Sleeve Stripes - No sleeve stripes shall be worn.

2. Buttons - Shall be as prescribed for Service Jacket, Navy Blue, except that they shall be detachable shank style to pass through eyelet holes and be held by split rings or bodkin fasteners.

D. Working Jacket, Navy Blue -

1. Sleeve Stripes - No sleeve stripes shall be worn.

2. Buttons - Shall be as prescribed for Service Jacket, White.

E. Shirt, Long-sleeved -

1. Colors - Shall be in Reserve Blue, and Navy Blue only.

F. Overcoat -

1. Sleeve Stripes - No sleeve stripes shall be worn.

G. Sleeve Stripes -

1. No sleeve stripes shall be worn.

H. Collar Devices -

1. No collar devices shall be worn.

I. Hat Device -

(See U. S. Navy Dept. Specification 71-D-2.)

J. Buttons, Gilt -

1. No gilt buttons shall be worn.

III. Other Enlisted Personnel

A. General Specifications - Shall be the same as prescribed for Chief Petty Officers, except where modified herein.

B. Hat, Blue -

1. Material - Shall be of woolen cloth, woolen felt, or cotton material, Navy blue in color.

2. Garment Specifications -

(a) General Style - Hat shall have a six section crown with stitched brim. There shall be a slight turnup at front of brim, graduated until entire brim turns up sharply at back to hug the crown.

- (b) Crown - Shall be 4 1/2 inches high and shall be cut in 6 equal bias sections.
- (c) Brim - Shall be 2 1/2 inches wide at front, 2 1/2 inches wide at sides, 3 inches wide at back and shall be stitched all around with rows of stitching 1/4 inch apart. Edge of brim shall be bound with self trim.
- (d) Brim Turnup - Brim shall be so blocked as to turn up 1/2 inch at front, graduated to 1 3/4 inches at center sides and 2 1/2 inches at back. Brim to be so cut that back, when turned up, hugs back of crown.
- (e) Cap Ribbon - Shall be sewn to crown at brim seam with two ends on left side. Ribbon shall be dark Navy blue in color and shall carry the designation U S NAVY thereon in gold color.
- (f) Sweat Band - Shall be of cotton and rayon ribbon and shall be 3/4 inch wide.

C. Hat, White and Blue -

- 1. Material - Shall be of cotton material, crown to be white in color, brim to be Navy blue.
- 2. Garment Specifications - Shall be precisely as prescribed for Enlisted Personnel, Hat, Blue.

D. Rain Hat Cover -

- 1. Material - Shall be made of transparent waterproof material, Navy blue in color.
- 2. Garment Specifications -
 - (a) General Style - Rain cover shall be so constructed as to fit over hat, front brim of hat to be inserted into flap of front of rain cover, sides and back of rain cover to hang down to shoulders and to fasten under chin with snap fastener, or other suitable device.
 - (b) Lining - Rain cover shall be unlined.
 - (c) Crown - Shall be cut a half size larger than that of hat with one seam down center back.
 - (d) Sides - Shall hang 10 1/2 inches below brim seam line of hat, and shall be cut on the bias to have a circular sweep of 37 inches at bottom circumference.