

U.S. Coast Guard Equipment List

Friday, March 29, 2002

160.010 - Buoyant Apparatus (Rigid or Inflatable)

"Approved" items are approved for current manufacture - "Former May Use" items are no longer manufactured, but may continue in use

APPROVED

CAL-JUNE INCORPORATED

- 160.010/70/- 122cm x 122cm x 23cm (48 x 48" x 9") buoyant apparatus
box type. "
- 160.010/71/- 157cm x 122cm x 23cm (62 x 48" x 9") buoyant apparatus
box type. "
- 160.010/72/- 213cm x 122cm x 23cm (84 x 48" x 9") buoyant apparatus
box type. "
- 160.010/73/- 130cm x 94cm x 23cm (51 x 37" x 9") buoyant apparatus
rectangular type
- 160.010/74/- 160cm x 94cm x 23cm (63 x 37" x 9") buoyant apparatus
rectangular type
- 160.010/75/- 163cm x 122cm x 32cm (64 x 48" x 12 1/2") buoyant apparatus
rectangular type
- 160.010/76/- 254cm x 122cm x 32cm (100 x 48" x 32") buoyant apparatus
rectangular type
- 160.010/77/- 130cm x 94cm x 23cm (51 x 37" x 9") buoyant apparatus
rectangular type
- 160.010/78/- 160cm x 94cm x 23cm (63 x 37" x 9") buoyant apparatus
rectangular type
- 160.010/79/- 163cm x 122cm x 32cm (64 x 48" x 12 1/2") Buoyant apparatus
rectangular type
- 160.010/80/- 254cm x 122cm x 32cm (100 x 48" x 12 1/2") buoyant apparatus
rectangular type

DBC MARINE SAFETY SYSTEMS

- 160.010/108/- A DBC type USCG IBA 6"
13154
- 160.010/109/- A DBC type USCG IBA 10"
13155
- 160.010/111/- A DBC type USCG IBA 30"
packed in a rigid FRP container."
- 160.010/112/- A DBC type USCG IBA 50"
packed in a rigid FRP container."

- 160.010/114/- A DBC type USCG IBA 4"
packed in a rigid FRP container."
- 160.010/115/- 100-person capacity inflatable buoyant apparatus, packed in a rigid FRP container.
- 160.010/121/- 4-person inflatable buoyant apparatus, packed in a suitcase-style rigid ABS container.
- 160.010/122/- 6-person inflatable buoyant apparatus, packed in a suitcase-style rigid ABS container.
- 160.010/123/- 8-person inflatable buoyant apparatus, packed in a suitcase-style rigid ABS container.
- 160.010/125/- A DBC type USCG IBA 100" or "USCG HSCR 100"
13158
- 160.010/86/- 10-person capacity inflatable buoyant apparatus packed in a rigid FRP container.
- 160.010/87/- 25-person capacity inflatable buoyant apparatus packed in a rigid FRP container.
- 160.010/88/- 50-person capacity inflatable buoyant apparatus packed in a rigid FRP container.

INFLATABLE SURVIVAL SYSTEMS, INC.

- 160.010/113/- 50-person ELLIOT or CREWSAVER inflatable buoyant apparatus, packed in a rigid FRP container.
- 160.010/118/- Four-person ELLIOT or CREWSAVER inflatable buoyant apparatus, packed in either a low-profile FRP container or a fabric valise.
- 160.010/119/- Six-person ELLIOT or CREWSAVER inflatable buoyant apparatus, packed in either a low-profile FRP container or a fabric valise.
- 160.010/120/- Eight-person ELLIOT or CREWSAVER inflatable buoyant apparatus, packed in either a low-profile FRP container or a fabric valise.

LIFESAVING EQUIPMENT REPAIR CO

- 160.010/126/- Roe Float, Model RBA-4, 4-person buoyant apparatus, 915 mm x 745 mm x 250 mm (36 x 29.25" x 10")
fibrous glass reinforced plastic "

RESCUE RING, INC

- 160.010/83/- Model KRR-26 buoyant ring, 2-person capacity 660 mm (26) o.d. x 200 mm (8") i.d. x 200 mm (8") thick. "
- 160.010/85/- Model KRR-30A buoyant ring 4-person capacity 760 mm (30) o.d. x 100 mm (4") i.d. x 200 mm (8") thick. "

REVERE SUPPLY CO. INC.

- 160.010/101/- A Type FERRYMAN 25"
packed in a rigid FRP container. "
- 160.010/102/- A Type FERRYMAN 50"
packed in a rigid FRP container. "
- 160.010/105/- A Type SHORESAVA" 4
packed in either a rigid FRP container or a fabric valise. "
- 160.010/106/- A RFD Type SHORESAVA" 6
packed in either a rigid FRP container or a fabric valise. "
- 160.010/107/- A RFD Type SHORESAVA" 8
packed in either a rigid FRP container or a fabric valise. "

RFD LIMITED

- 160.010/101/- RFD type FERRYMAN 25"
packed in a rigid FRP container. "
- 160.010/102/- RFD type FERRYMAN 50"
packed in a rigid FRP container. "
- 160.010/105/- RFD Type SHORESAVA" 4
packed in either a rigid FRP container or a fabric valise. "
- 160.010/106/- RFD Type SHORESAVA" 6
packed in either a rigid FRP container or a fabric valise. "
- 160.010/107/- RFD Type SHORESAVA" 8
packed in either a rigid FRP container or a fabric valise. "

SEA SAVER

- 160.010/124/- Sea Saver buoyant apparatus, (2.60 m (101.5 in) x 1.87 m (73 in)), 6 persons capacity, foam-filled fiberglass/urethane shell construction.

SWITLIK PARACHUTE CO., INC.

- 160.010/100/- Type IBA-6, six-person inflatable buoyant apparatus.
- 160.010/116/- 30-person inflatable buoyant apparatus, packed in a rigid round fiberglass container.
- 160.010/117/- 60-person inflatable buoyant apparatus with air-aspirated inflation system, packed in a rigid round fiberglass container.

VIKING LIFE-SAVING EQUIPMENT A/S

- 160.010/103/- Viking type 6 IBA, 6-person capacity inflatable buoyant apparatus, packed in either a rigid rectangular FRP container or a fabric valise.
- 160.010/104/- Viking type 12 IBA, 12-person capacity inflatable buoyant apparatus, packed in a cylindrical or low-profile FRP container or a fabric valise.
- 160.010/127/- Viking type 25 IBA, 25-person inflatable buoyant apparatus.

- 160.010/128/- Viking type 150 IBA, 150-person capacity inflatable buoyant apparatus, packed in a rigid cylindrical FRP container.
- 160.010/84/- Viking Type 45 RDV, 45-person capacity inflatable buoyant apparatus.
- 160.010/89/- Viking Type 20 RDV, 20-person capacity inflatable buoyant apparatus.
- 160.010/92/- Viking Type 50 RDV, 50-person capacity inflatable buoyant apparatus.

WARDLE STOREYS PLC

- 160.010/101/- B ELLIOT" or "CREWSAVER" 25-person capacity inflatable buoyant apparatus
1387
- 160.010/102/- B ELLIOT" or "CREWSAVER" 50-person capacity inflatable buoyant apparatus
1391
- 160.010/105/- B ELLIOT or CREWSAVER 4-person capacity inflatable buoyant apparatus, packed in either a rigid FRP container or a fabric valise.
- 160.010/106/- B ELLIOT or CREWSAVER 6-person capacity inflatable buoyant apparatus, packed in either a rigid FRP container or a fabric valise.
- 160.010/107/- B ELLIOT or CREWSAVER 8-person capacity inflatable buoyant apparatus, packed in either a rigid FRP container or a fabric valise.

ZODIAC INTERNATIONAL

- 160.010/108/- Zodiac type USCG IBA 6"
1403
- 160.010/109/- Zodiac type USCG IBA 10"
1404
- 160.010/110/- Zodiac type USCG IBA 20"
1405
- 160.010/110/- A DBC type USCG IBA 20"
13190
- 160.010/111/- Zodiac type USCG IBA 30"
packed in a rigid FRP container. "
- 160.010/112/- Zodiac type USCG IBA 50"
packed in a rigid FRP container. "
- 160.010/114/- Zodiac type USCG IBA 4"
packed in a rigid FRP container. "
- 160.010/125/- Zodiac type USCG IBA 100" or "USCG HSCR 100"
1420

FORMER-MAY USE

AMERICAN PAD AND TEXTILE CO

- 160.010/18/- 5.17' x 2.67' (8 x 8" body section)
5-person capacity. "
- 160.010/19/- 7.0' x 3.17' (9 x 9" body section) solid balsa wood
1317

ATLANTIC PACIFIC MFG CORP

- 160.010/1/- 4' x 4' (8 x 12" body section)
10-person capacity. "
- 160.010/17/- 5.0' x 2.5' (7 1/2 x 9" body section) solid balsa wood
1315
- 160.010/2/- 6' x 4' (10' x 12' body section), solid balsa wood, 20-person capacity.

- 160.010/20/- 7.5' x 4.0' (11 x 11" body section)
20-person capacity. "
- 160.010/4/- 4' x 4' (8 x 16" body section)
12-person capacity. "
- 160.010/40/- 3.17' x 3.17' x 0.67' wood decking with cellular foam glass core, 6-person capacity.

- 160.010/41/- 3.17' x 3.17' x 0.83' wood decking with cellular foam glass core, 8-person capacity.

- 160.010/42/- 4.67' x 3.17' x 0.83' wood decking with cellular foam glass core, 12-person capacity.

- 160.010/43/- 6.21' x 4.21' x 0.75' wood decking with cellular foam glass core, 20-person capacity.

- 160.010/5/- 3' x 3' (8 x 12" body section)
6-person capacity. "
- 160.010/57/- 3.75' x 3.0' x 0.79', FRP shell with unicellular polyurethane plastic core, 12 person capacity.

- 160.010/6/- 3' x 3' (10 x 12" body section)
8-person capacity. "
- 160.010/61/- 5.0' x 2.5' x (7 1/2 x 9" body section)
5-person capacity. "
- 160.010/62/- 5.0' x 2.67' (7-1/2 x 10" body section)
8 person capacity. "
- 160.010/63/- 7.5' x 4.0' (10 x 11 1/2" body section)
20-person capacity. "
- 160.010/67/- 7.5' x 4.0' (10 x 11-1/2" body section)
20 person capacity. "

160.010/68/- 5.0' x 2.67' (7 1/2 x 10" body section) FRP shell with unicellular polyurethane core
1355

C C GALBRAITH & SON, INC

160.010/21/- 6.0' x 4.0' x 0.75, pine decking with copper tanks, 20-person capacity.

160.010/25/- 6.0' x 4.0' x 0.83', wood decking with unicellular plastic foam core, 20-person capacity.

160.010/26/- 4.5' x 2.71' x 0.83', wood decking with unicellular plastic foam core, 12-person capacity.

160.010/27/- 3.0' x 2.71' x 0.83', wood decking with unicellular plastic foam core, 8-person capacity.

160.010/3/- 6.0' x 4.0' x 0.67', pine decking with copper tanks, 18-person capacity.

160.010/7/- 2' x 4' x .67', pine decking with copper tanks, 11-person capacity.

160.010/8/- 4' x 4' x .67', pine decking with copper tanks, 20-person capacity.

DBC MARINE SAFETY SYSTEMS

160.010/81/- 45-person capacity inflatable buoyant apparatus packed in a rigid FRP container.

INFLATABLE SURVIVAL SYSTEMS, INC.

160.010/97/- Four-person Crewsaver" inflatable buoyant apparatus
1382

160.010/98/- Six-person Crewsaver" inflatable buoyant apparatus
1383

160.010/99/- Eight-person Crewsaver" inflatable buoyant apparatus
1384

LUNN LAMINATES, INC

160.010/51/- 3.75' x 3.0' x 0.83', Type BP-12, FRP shell with unicellular plastic foam core, 12-person capacity.

160.010/52/- 4.75' x 3.0' x 0.83', Type BP-15, FRP shell with unicellular plastic foam core, 15-person capacity.

MODECRAFT CO, INC

160.010/15/- 4' x 4' (10 x 12" body section)
20-person capacity. "

160.010/16/- 5' x 2.5' (7 1/2 x 9" body section) solid balsa wood
1314

PLASTI-KRAFT CORPORATION

- 160.010/30/- 4.17' x 3.0' (8 x 8-1/2" body section)
7 person capacity. "
- 160.010/31/- 6.17' x 3.67' (10 x 9-1/4" body section)
15 person capacity. "

PLOTT MANUFACTURING INC.

- 160.010/65/- 4.17' x 3.0' (8 x 8" body section)
7-person. "
- 160.010/66/- 6.17' x 3.67' (10x9 1/4" body sec.)
13-person. "

PORTLAND INDUSTRIAL PLASTICS CO

- 160.010/36/- 4.0' x 3.0' x 0.67', FRP shell with unicellular plastic foam core, 11 persons capacity.
- 160.010/49/- 2.75' x 2.75' x 0.67', FRP shell with unicellular plastic foam core, 7 persons capacity.
- 160.010/50/- 4.0' x 4.0' x 0.75', FRP shell with unicellular plastic foam core, 16 persons capacity.
- 160.010/58/- 6.0' x 4.0' x 0.75', FRP shell with unicellular plastic foam core, 20 persons capacity.

RAFTGO HENDRY MANUFACTURING INC.

- 160.010/46/- 3.25' x 3.0' x 0.71', FRP shell with unicellular plastic foam core, 10-persons capacity.
- 160.010/47/- 4.0' x 3.25' x 0.71', FRP shell with unicellular plastic foam core, 13-persons capacity.
- 160.010/48/- 6.0' x 4.0' x 0.71', FRP shell with unicellular plastic foam core, 20-persons capacity.
- 160.010/55/- 4.0' x 3.0' x 0.38', FRP shell with unicellular plastic foam core, 6-person capacity.

RESCUE RING, INC

- 160.010/82/- Model KRR-30 buoyant ring, 760 mm (30) o.d. x 425 mm (16-3/4") i.d. x 200 mm (8")
thick
1368
- 160.010/91/- Model Mini-26" buoyant ring
one person capacity

SCHAT-MARINE SAFETY CORPORATION

- 160.010/22/- 6.25' x 3.92' x 0.67', fibrous glass shell with unicellular plastic foam core, 20-person capacity.

- 160.010/28/- 3.75' x 3.0' x 0.75', fibrous glass shell with unicellular plastic foam core, 11-person capacity.
- 160.010/29/- 6.0' x 4.0' x 0.75', fibrous glass reinforced plastic shell with unicellular plastic foam core, 20-person capacity.

SEACO/ELLIOT, INC.

- 160.010/93/- Inflatable buoyant apparatus, 8-person capacity.
- 160.010/94/- Inflatable buoyant apparatus, 12-person capacity.
- 160.010/95/- Inflatable buoyant apparatus, 20-person capacity.
- 160.010/96/- Inflatable buoyant apparatus, 50-person capacity.

TAPATCO, INC

- 160.010/59/- 4.17' x 3.0' (8 x 8" body section)
7-person capacity. "
- 160.010/60/- 6.17' x 3.67' (9 x 9" body section)
1348

TREGONING INDUSTRIES, INC

- 160.010/11/- 6' x 4.10' x 1.54', spruce with copper tanks, 20-person capacity.
- 160.010/12/- 6' x 4' x .58', plywood, Type B, 20-person capacity.

WELIN BOAT AND DAVIT DIVISION

- 160.010/10/- 5.92' x 4.08' x .83', spruce with copper air tanks, 20-person capacity.
- 160.010/13/- 5.17' x 2.67' (7 dia. body section)
hollow aluminum
- 160.010/14/- 10' x 5' (11 dia. body section)
hollow aluminum
- 160.010/37/- 6.0' x 2.83' (8 1/2 x 8 1/2" body section) Aluminum shell with unicellular plastic foam core
1329
- 160.010/38/- 7.5' x 4.0' (10 1/2 x 10 1/2" body section) Aluminum shell with unicellular plastic foam core
1330
- 160.010/39/- 9.0' x 5.0' (10 1/2 x 10 1/2" body section) Aluminum shell with unicellular plastic foam core
1331

160.010/56/-	9.75' x 6.25' (10 1/2 x 10 1/2" body section) Aluminum shell with unicellular plastic foam core
	1344
160.010/9/-	Dwg. 1778, 15 persons capacity (spruce with copper tanks).