

U.S. Coast Guard Equipment List

Wednesday, April 03, 2002

160.027 - Life Floats for Merchant Vessels

"Approved" items are approved for current manufacture - "Former May Use" items are no longer manufactured, but may continue in use

APPROVED

BILLY PUGH CO INC

- 160.027/84/- Model LF 15, 2.29m(90.00) x 1.22m(48.00") [255mm(10.00") x 290mm(11.50")] body section)
urethane core
- 160.027/85/- Model LF 25, 2.74m(108) x 1.55m(61") [(325mm(12.75") x 300mm(11.75"))]
urethane core

CAL-JUNE INCORPORATED

- 160.027/75/- 128cm x 93cm x 22cm (50 1/2 x 36 1/2" x 8 1/2") life float 8-person capacity
Model A Series. "
- 160.027/76/- 160cm x 94cm x 23cm (63 x 37" x 9") life float
rectangular type
- 160.027/77/- 163cm x 122cm x 32cm (64 x 48" x 12 1/2") life float
rectangular type
- 160.027/78/- 254cm x 122cm x 32cm (100 x 48" x 12 1/2") life float
rectangular type
- 160.027/79/- 128cm x 93cm x 22cm x (50 1/2 x 36 1/2" x 8 1/2") 6-person capacity
Model A Series. "
- 160.027/80/- 198cm x 94cm x 23cm (78 x 37" x 9") life float
rectangular type

LIFESAVING EQUIPMENT REPAIR CO

- 160.027/126/- Roe Float, Model RBA-4, 4-person capacity, 915 mm x 745 mm x 250 mm (36 x 29.25" x 10") polurethane core
1994
- 160.027/86/- Roe Float, 6-person capacity, 1250 mm x 900 mm x 250 mm (49 1/2 x 36" x 10")
fibrous glass reinforced plastic shell. "
- 160.027/87/- Roe Float, 12-person capacity, 1880 mm x 1120 mm x 250 mm (74x 44" x 10")
fibrous glass reinforced plastic shell. "
- 160.027/88/- Roe Float, Model RLF-15, 15-person, 1880 mm x 1220 mm x 280 mm (74 x 48" 11")
fibrous glass reinforced plastic shell. "
- 160.027/89/- Roe Float, Model RLF-25, 25-person, 2285 mm x 1420 mm x 345 mm (90 x 56" x 13.5")
fibrous glass reinforced plastic shell. "

160.027/90/- Roe Float, Model RLF-4, 4-person capacity, 915 mm x 745 mm x 250 mm (36 x 29.25" x 10")
fibrous glass reinforced plastic shell. "

FORMER-MAY USE

ALEPH PLASTICS

160.027/81/- 111 x 64" x 12" life float
urethane core

AMERICAN PAD AND TEXTILE CO

160.027/16/- 15-person (Balsa).

160.027/18/- 7.0' x 3.17' (9 x 9" body section) Rectangular Solid Balsa Wood
1942

160.027/19/- 9.0' x 5.08' (12 x 12" body section) Rectangular Solid Balsa Wood
1943

160.027/21/- 7.5' x 4.0' (11 x 11" body section) Elliptical Solid Balsa Wood
1944

160.027/55/- 4.17' x 3.0' (8 x 8" body section)
6-person capacity. "

160.027/56/- 6.17' x 3.67' (9 x 9" body section)
foam core

ATLANTIC PACIFIC MFG CORP

160.027/11/- 7.0' x 3.5' (10 x 10" body section)
10-person capa city. "

160.027/21/- 8.5' x 4.0' (11 x 11" body section)
15-person capa city. "

160.027/31/- 10.0' x 5.5' (12 x 12" body section)
25- person c apacity. "

160.027/41/- 11.5' x 7.0' (14 x 14" body section)
40-person cap acity. "

160.027/51/- 7.0' x 3.17' (9 x 9" body section)
10-person capa city. "

160.027/61/- 7.5' x 4.0' (11 x 11" body section)
15-person cap acity. "

160.027/60/- 5.0' x 2.67' (7 1/2 x 10" body section)
6-person capacity. "

160.027/61/- 21nov843.16' (9 x 11 1/4" body section)
6 person capacity. "

160.027/62/- 7.5' x 4.0' (10.5 x 10.0" body section)
15 person capacity. "

160.027/63/- 9.0' x 5.1' (12 1/2 body section)
25 person capacity. "

160.027/7/- 9.0' x 5.08' (12 x 12" body section)
25-person ca pacity. "

160.027/70/- 7.0' x 3.16' (9 x 11 1/4" body section)
12 person capacity. "

160.027/71/- 7.0' x 3.16' (9 x 11 1/4" body section)
11 person capacity. "

160.027/73/- 6.16' x 3.66' (6 x 9" body section)
12 person capacity. "

160.027/74/- 4.16' x 3.0' (8 x 8" body section)
6 person capacity. "

160.027/8/- 10.67' x 6.17' (13 x 13" body section)
40-person capacity. "

160.027/9/- 12.0' x 7.58' (15 x 15" body section)
60-person capacity. "

BILLY PUGH CO INC

160.027/82/- 49.50 x 35.75" (8.0" x 9.75" body section) Model LF 6 lifefloat
urethane core

160.027/83/- Model LF 12, 1.84m(72.50)x 1.12m(44.00")][215 mm(8.50")x 275mm(10.875")] body
section)
urethane core

C C GALBRAITH & SON, INC

160.027/10/- 7.0' x 3.5' (10 x 10" body section)
10-person ca pacity. "

160.027/11/- 8.5' x 4.0' (11 x 11" body section)
20-person capa city. "

160.027/12/- 9.0' x 5.5' (12 x 12" body section)
20-person capa city. "

160.027/13/- 10.0' x 5.5' (12 x 12" body section)
20-person cap acity. "

160.027/14/- 11.5' x 7.0' (14 x 14" body section)
40-person cap acity. "

160.027/15/- 13.0' x 8.5' (16 x 16" body section)
60-person cap acity. "

PLASTI-KRAFT CORPORATION

160.027/40/- 4.17' x 3.0' (8 x 8 1/2" body section) rectangular life float
1954

160.027/41/- 6.17' x 3.67' (10 x 9" body section) rectangular life float
1955

160.027/43/- 7.5' x 4.67' (13.5 x 12.5" body section) rectangular life float
1956

PLOTT MANUFACTURING INC.

160.027/67/- 4.17' x 3.0' (8 x 8 1/2" body sec.)
6-person cap. "

160.027/68/- 6.17' x 3.67' (10 x 9 1/4" body sec.)
12-pers cap. "

SALERCO, INC

160.027/69/- 7.0 x 9.0 x 4 rectangular, laminated fabric-covered.

SCHAT-MARINE SAFETY CORPORATION

160.027/48/- 6.17' x 4 .7' (11 x 10 1/4" body section)
1959

160.027/53/- 5.0' x 3.83' (9 x 9" body section)
1961

SUNDE & D'EVERS CO

160.027/46/- 5.17' x 3.0' (8 x 8" body section)
6-person. "

WELIN BOAT AND DAVIT DIVISION

160.027/27/- 9.0' x 5.08' (13 x dia-body section) rectangular hollow aluminum
1950

160.027/34/- 9.0' x 5.08' (13 x diameter body section) rectangular hollow aluminum, 25-p erson
capacity.

160.027/36/- 7.67' x 4.17' (12 dia. body section) rectangular hollow aluminum
1952

160.027/39/- 6.0' x 2.83' (8 1/2 x 8 1/2" body section)
7-person capacity. "

160.027/47/- 7.5' x 4.0' (10 1/2 x 10 1/2" body section)
15-person capacity. "

160.027/49/- 9.0' x 5.0' (10 1/2 x 10 1/2" body section)
22-person capacity. "

160.027/54/- 9.75' x 6.25' (10 1/2 x 10 1/2" body section)
25-person capacity. "

160.027/57/- 9.75' x 6.25' (10 x 12" body section) FRP shell with unicellular polyurethane foam core
1965

160.027/58/- 12.0 x 7.58' (15 1/4" x 15" body section) FRP shell with unicellular plastic foam core
1966

WINNER MANUFACTURING CO, INC

160.027/22/- 7.0' x 3.17' (9 x 9" body section) rectangular balsa wood
1945

160.027/23/- 7.5' x 4.0' (11 x 11" body section) rectangular balsa wood
1946

160.027/24/- 9.0 x 5.08' (12 x 12" body section) rectangular balsa wood
1947

160.027/25/- 10.67' x 6.17' (13 x 13" body section) rectangular balsa wood
1948

160.027/26/- 12.0' x 7.58' (15 x 15" body section) rectangular balsa wood 60-person. "