

U.S. Coast Guard Equipment List

Tuesday, May 21, 2002

162.050 - Oil Pollution Prevention Equipment

"Approved" items are approved for current manufacture - "Former May Use" items are no longer manufactured, but may continue in use

APPROVED

BRISTOL-BABCOCK LTD

- 162.050/3007/- Model OPM 1 bilge alarm.
- 162.050/6001/- Type and model designation OTM 18. Oil Content Meter.

COFFIN WORLD WATER SYSTEMS

- 162.050/1138/- HELI-SEP Model 500, 0.5 cu. m/hr (2.2 gpm),
- 162.050/1139/- HELI-SEP Model 1000, 1.0 cu. m/hr (4.4 gpm),
- 162.050/1140/- HELI-SEP Model 2000, 2.0 cu. m/hr (8.8 gpm),
- 162.050/1141/- HELI-SEP Model 2500, 2.5 cu. m/hr (11 gpm),
- 162.050/1142/- HELI-SEP Model 5000, 5.0 cu. m/hr (22 gpm),
- 162.050/1167/- HELI-SEP Model 10000, 10.0 cu. m/hr (44 gpm),
- 162.050/3015/- Model BA-100 Bilge Alarm.

DECKMA HAMBURG GMBH

- 162.050/3030/- Model OMD-11 Oil in Water Monitor - 15ppm bilge alarm:

ENSOLVE BIOSYSTEMS, INC.

- 162.050/1241/- Ensolve PETROLIMINATOR 630: 0.45 cu. m/hr. (2.0 gal/min)
- 162.050/1245/- Ensolve Biosystems Petrolimator 630 M: 0.45 cu m/hr. (2.0 gal/min)
- 162.050/1247/- Ensolve Biosystems Petrolimator 100: 0.23 cu. m/hr. (1.0 gal/min), 15ppm, oil water separator.

FACET INTERNATIONAL, INC.

- 162.050/1199/- Model CPS-2.5B MK III, 15 ppm separator, 0.50 cu. m/hr.
- 162.050/1200/- Model CPS-5B MK III, 15 ppm separator, 1.0 cu. m/hr.
- 162.050/1201/- Model CPS-10B MK III, 15 ppm separator, 2.5 cu. m/hr.
- 162.050/1202/- Model CPS-25B MK III, 15 ppm separator, 5.0 cu. m/hr.
- 162.050/1203/- Model CPS-50B MK III, 15 ppm separator, 10.0 cu. m/hr.
- 162.050/1214/- Model CPS-75B MK III, 15 ppm separator, 15.0 cu. m/hr.
- 162.050/1215/- Type and model designation CG-25, 5.7 cu. m/hr and incorporating:
- 162.050/1218/- Type and model designation - CPS 1.6 Oily water separator.
- 162.050/1219/- Model CG-25EXP, 15 ppm oily water separator, 5.7 cu. m/hr.
- 162.050/1246/- Type and model designation:Facet CPS 3.2

FAST SYSTEMS

- 162.050/1110/- Type and model designaion PACE MODEL S1, 0.06 cu. m/hr (2.2 gpm) and incorporating:

FELLOW KOGYO CO, LTD

- 162.050/3021/- Type and model designation FOCAS 1500C or FOCAS 1500E when provided with dual range 5 ppm/15 ppm function, and incorporating:

HAMWORTHY KSE LTD

- 162.050/1164/- Model HS 1 Mk II; 1.0 cu. m/hr oily water separator.
- 162.050/1165/- Model HS 2.5 Mk II; 2.5 cu. m/hr oily water separator.
- 162.050/1166/- Model HS 5.0 Mk II; 5.0 cu. m/hr. oily water separator.
- 162.050/1204/- Model HS 10 Mk II, 15 ppm separator, 10.0 cu. m/hr.

HARCO MANUFACTURING CO

- 162.050/1135/- Type and model designation HMC 1-2; 0.45 cu. m/hr. and incorporating:

162.050/1136/- Type and model designation HMC 1-4; 0.90 cu. m/hr. and incorporating:

162.050/1137/- Type and model designation HMC 1-6; 1.36 cu. m/hr. and incorporating:

162.050/1143/- Type and model designation HMC 1-8; 1.8 cu. m/hr. and incorporating:

HF SCIENTIFIC INC

162.050/3009/- Model BA/1 Oil content meter.

162.050/3025/- Model 20075 Oil content meter - 15 ppm bilge alarm:

INVENTIVE SYSTEMS, INC

162.050/3013/- Oilarm Model BA-200 bilge alarm.

162.050/9002/- Oil Sentry Model OS-100M bilge monitor.

MARINFLOC AB

162.050/1217/- Type and model designation Marinfloc 3-100-2, 2.0 cu. m/hr (8.8 gpm) and incorporating:

NALFLEET, BULL & ROBERTS, INC

162.050/9006/- Model Aqualert bilge monitor

NATIONAL MARINE SERVICES, INC.

162.050/1011/- Model Bilgemaster I, 5 gpm-1.14 cu. m/hr oil water separator.

162.050/1012/- Model Bilgemaster I, 10 gpm-2.27 cu. m/hr oil water separators.

162.050/1013/- Type and model designation Bilgemaster II, 0.46 cu. m/hr (2 gpm), and incorporating:

162.050/1014/- Type and model designation Bilgemaster II, 1.14 cu. m/hr (5 gpm), and incorporating:

162.050/1015/- Type and model designation Bilgemaster II, 2.27 cu. m/hr (10 gpm), and incorporating:

OPTEC INTERNATIONAL LTD

162.050/6005/- Model OILI-S 1000 ballast (cargo) monitor - second generation.

PARMATIC POLLUTION CONTROL CORP.

162.050/1155/-	Type and model designation Basic Oily Water Separator, Model S2-25, 5.68 cu. m/hr.
162.050/1216/-	Type and model designation Oily Water Separator Assembly Model S1-25-AX, 5.68 cu. m/hr.
162.050/1220/-	Model S2-8-A, 1.80 cu. m/hr., 15 ppm, oil water separator:
162.050/1221/-	Model S2-4-A, 0.90 cu. m/hr., 15 ppm, oil water separator.
162.050/1222/-	Model S2-8-A5, 1.80 cu. m/hr., 15 ppm, oil water separator.
162.050/1223/-	Model S2-4-A5, 0.90 cu. m/hr., 15 ppm, oil water separator:
162.050/1224/-	Model S2-8-C5, 1.80 cu. m/hr., 15 ppm, oil water separator:
162.050/1225/-	Model S2-3.5T, 3.50 cu. m/hr., 15 ppm, oil water separator:
162.050/1226/-	Model S2-1T, 0.9 cu. m/hr., 15 ppm, oil water separator:
162.050/1227/-	Model S2-2T-A, 1.8 cu. m/hr., 15 ppm, oil water separator:
162.050/1228/-	Model S2-2T, 1.8 cu. m/hr., 15 ppm, oil water separator:
162.050/1229/-	Model S2-0.5T, 0.45 cu. m/hr., 15 ppm, oil water separator:
162.050/1234/-	Model S2-10-A, 2.27 cu. m/hr., 15 ppm, oil water separator:
162.050/1235/-	Model S2-16-A, 3.60 cu. m/hr., 15 ppm, oil water separator:
162.050/1236/-	Model S2-20-A, 4.50 cu. m/hr., 15 ppm, oil water separator:
162.050/1237/-	Model S2-50-A, 11.36 cu. m/hr., 15 ppm, oil water separator:
162.050/1238/-	Model S2-8-L, 1.80 cu. m/hr., 15 ppm, oil water separator:
162.050/1240/-	Model S2-33-A, 7.27 cu. m/hr., 15 ppm, oil water separator:

REFINING SYSTEMS, INC.

- 162.050/1133/- A PETRO-ELIMINATOR Model OWS-1000SS-3, 150 gph, 0.568 cu. m/hr (2.5 gpm), 15 ppm, oil water separator.
- 162.050/1181/- A PETRO-ELIMINATOR Model OWS-2000SS-8, 528 gph, 2.26 cu. m/hr (8.8 gpm), 15 ppm, oil water separator.

RGF MARINE

- 162.050/1211/- Type and model designation RGF 4000C Bilge Filter, 0.17 cu. m/hr (45 gph), and incorporating:

RIVERTRACE ENGINEERING LTD.

- 162.050/3019/- Model OCD 1m Oil Content Meter - 15PPM Bilge alarm
- 162.050/3020/- Model OCD 2m Oil content meter - 15 ppm bilge alarm:
- 162.050/3022/- Model OCD-CM Oil Content Meter 15ppm bilge alarm.
- 162.050/3023/- Model OCD 10m Oil Discharge Monitoring and Control System.

RWO MASCHINENFABRIK

- 162.050/1163/- Model GSF 10, 10 cu. m/hr oil water separator.

SEPARATION & RECOVERY SYS. INC.

- 162.050/1001/- Type and model designation SAREX Model 10 GPM/OWS, 2.27 cu. m/hr (10 gpm), and incorporating:
- 162.050/1002/- Type and model designation SAREX Model VGS-10, 2.27 cu. m/hr (10 gpm), and incorporating:
- 162.050/1003/- Type and model designation SAREX Model VGS-2, 0.45 cu. m/hr (2 gpm), and incorporating:
- 162.050/1004/- Type and model designation SAREX Model 100 GPM/OWS, 22.7 cu. m/hr (100 gpm), and incorporating:
- 162.050/1005/- Sarex Model 20 GPM/VGS, 4.54 cu. m/hr oil water separator.
- 162.050/1006/- Type and model designation SAREX Model 5 GPM/OWS, 1.14 cu. m/hr (5 gpm), and incorporating:
- 162.050/1007/- Type and model designation SAREX Model 60 GPM/OWS, 13.62 cu. m/hr (60 gpm), and incorporating:
- 162.050/1008/- Type and model designation SAREX Model 20 GPM/OWS, 4.54 cu. m/hr (20 gpm), and incorporating:
- 162.050/1009/- Type and model designation SAREX Model VGS-1, 0.227 cu. m/hr (1 gpm), and incorporating:

- 162.050/1054/- Type and model designation SAREX Model VGS-25, 5.675 cu. m/hr (25 gpm), and incorporating:
- 162.050/1055/- Type and model designation SAREX Model VGS-50, 11.35 cu. m/hr (50 gpm), incorporating:
- 162.050/1178/- Type and model designation SAREX Model VGS-5, 1.14 cu. m/hr (5 gpm), and incorporating:
- 162.050/3001/- Type and model designation SAREX Model BA-1 BILGE ALARM, and incorporating:
- 162.050/3002/- Type and model designation SAREX Model OCA-1 Bilge Alarm,

SEPARATION TECHNOLOGIES

- 162.050/1133/- Model BB 00311 DXX 0.568 cu. m/hr (2.5 gpm), 15 ppm, oil water separator. Model BB 00322 DXX 0.568 cu. m/hr (2.5 gpm), 15 ppm, oil water separator.
- 162.050/1181/- Model BB 00811 DXX, 2.26 cu. m/hr, (8.8 gpm), 15 ppm, oil water separator. Model BB 00822 DXX, 2.26 cu. m/hr, (8.8 gpm), 15 ppm, oil water separator.

SEREP

- 162.050/1230/- Model SFC 1 BW N, 1.0 cu. m/hr., 15 ppm, oil water separator:
- 162.050/1231/- Model SFC 5 BW N, 2.5 cu. m/hr., 15 ppm, oil water separator:
- 162.050/1232/- Model SFC 8 BW N, 5.0 cu. m/hr., 15 ppm, oil water separator:
- 162.050/1233/- Model SFC 12 BW N, 10.0 cu. m/hr., 15 ppm, oil water separator:

SERES

- 162.050/6000/- Model ODME S.663 cargo monitor (with Westfalia separator).
- 162.050/6003/- Model ODME S663 MKIII ballast monitor (162.050/6003/2) and ODME S663 MKIII ballast monitor, ANNEX II (162.050/6003/3).

SHIMADZU CORPORATION

- 162.050/3018/- Model ET-35A bilge alarm.

TAIKO KIKAI INDUSTRIES, CO.

- 162.050/1205/- Type and model designation USC-01; 0.15 cu. m/hr. and incorporating:
- 162.050/1206/- Type and model designation USC-03; 0.25 cu. m/hr. and incorporating:

162.050/1207/- Type and model designation USC-05; 0.5 cu. m/hr. and incorporating:

162.050/1208/- Type and model designation USC-10; 1.0 cu. m/hr. and incorporating:

162.050/1209/- Type and model designation USC-20; 2.0 cu. m/hr. and incorporating:

162.050/1210/- Type and model designation USC-50; 5.0 cu. m/hr. and incorporating:

TURNER DESIGNS

162.050/3026/- Model TD-4100 XD with Bubble Trap, Oil content meter - 15 ppm bilge alarm:

162.050/3027/- Model TD-4100 XD without Bubble Trap, Oil content meter - 15 ppm bilge alarm:

162.050/3028/- Model TD-4100 with Bubble Trap, Oil content meter - 15 ppm bilge alarm:

162.050/3029/- Model TD-4100 without Bubble Trap, Oil content meter - 15 ppm bilge alarm:

VAF INSTRUMENTS B.V.

162.050/3024/-

162.050/6002/- OILCON Mk 4C and Mk 4 (Annex II) ballast (cargo) monitor - 2nd generation.

162.050/6006/- OILCON Mark 5 Ballast (cargo) Monitor - 2nd Generation.

VILLAGE MARINE TEC.

162.050/1239/- Model OWS 4.4, 1.0 cu. m/hr, 15 ppm, oil water separator.

162.050/1242/- Model OWS 2.2, 0.50 cu. m/hr, 15 ppm, oil water separator.

162.050/1243/- Model OWS 8.8, 2.0 cu. m/hr, 15 ppm, oil water separator.

162.050/1244/- Model OWS 11, 2.5 cu. m/hr, 15 ppm, oil water separator.

FORMER-MAY USE

BLOHM & VOSS AG

162.050/1192/- Model TURBULO Compact Separator, type TCS 0.25, 0.25 cu. m/hr, 15 ppm. OWS

- 162.050/1193/- Model TURBULO Compact Separator, type TCS 0.5, 0.5 cu. m/hr, 15 ppm. OWS.
- 162.050/1194/- Model TURBULO Compact Separator, type TCS 1, 1.0 cu. m/hr, 15 ppm. OWS.
- 162.050/1195/- Model TURBULO Compact Separator, type TCS 2.5, 2.5 cu. m/hr, 15 ppm. OWS.
- 162.050/1196/- Model TURBULO Compact Separator, type TCS 5, 5.0 cu. m/hr, 15 ppm. OWS.
- 162.050/1197/- Model TURBULO Compact Separator, type TCS 10, 10.0 cu. m/hr, 15 ppm. OWS.

BRISTOL-BABCOCK LTD

- 162.050/5001/- (old 162.050/0125/1) Model 5 E, Type 1411 C cargo monitor.
- 162.050/5009/- Model OTM-17X.
- 162.050/9003/- Model Type OTM2. Oil Content Meter.

BUTTERWORTH SYSTEMS (UK), LTD

- 162.050/1104/- Model SFC-5 BW, 2.0 m³/h oily water separator.
- 162.050/1105/- Model SFC-8 BW, 5.0 m³/h oily water separator.
- 162.050/1106/- Model SFC-12 BW, 10.0 m³/h oily water separator.

COFFIN WORLD WATER SYSTEMS

- 162.050/1186/- Model Heli-Sep 2500A, 2.5 cu. m/hr.
- 162.050/1190/- Heli-Sep Model 5000-D, 3.63 cu. m/hr, 15 ppm, oil water separator.

EMV AB

- 162.050/5002/- (old 162.050/0225/1) Model Salwico cargo monitor.

FACET INTERNATIONAL, INC.

- 162.050/1016/- Facet Model 3-OWS-2.3/10, 2.3 cu. m/hr. oil/water separator
- 162.050/1017/- Model 3-OWS-22.7/100, 22.7 cu. m/hr. oil water separator.

162.050/1022/-	Model 3-OWS-0.5/2.2, 0.5 cu. m/hr. oil water separator.
162.050/1023/-	Model 3-OWS-1/4.4, 1.0 cu. m/hr. oil water separator.
162.050/1024/-	Model 3-OWS-2/8.8, 2.0 cu. m/hr. oil water separator.
162.050/1025/-	Model 3-OWS-3/13.2, 3.0 cu. m/hr. oil water separator.
162.050/1026/-	Model 3-OWS-5/22, 5.0 cu. m/hr. oil water separator.
162.050/1027/-	Model 3-OWS-5.7/25, 5.7 cu. m/hr. oil water separator.
162.050/1028/-	Model 3-OWS-10/44, 10 cu. m/hr, oil water separator.
162.050/1029/-	Model 3-OWS-11.4/50, 11.4 cu. m/hr. oil water separartor.
162.050/1030/-	Model 3-OWS-15/66, 15 cu. m/hr. oil water separator.
162.050/1031/-	Model 3-OWS-17.5/77, 17.5 cu. m/hr. oil water separartor.
162.050/1032/-	Model 3-OWS-20/88, 20.0 cu. m/hr. oil water separartor.
162.050/1033/-	Model 3-OWS-25/110, 25 cu. m/hr. oil water separator.
162.050/1034/-	Model 3-OWS-27.5/121, 27.5 cu. m/hr. oil water separartor.
162.050/1035/-	Model 3-OWS-30/132, 30 cu. m/hr. oil water separator.
162.050/1070/-	Model OWS-0.5/2.2, 0.5 cu. m/hr oily water separator.
162.050/1071/-	Model OWS-1/4.4, 1.0 cu. m/hr oily water separator.
162.050/1072/-	Model OWS-2.3/10, 2.3 cu. m/hr oily water separator.
162.050/1073/-	Model OWS-3/13.2, 3.0 cu. m/hr oily water separator.
162.050/1074/-	Model OWS-5.7/25, 5.7 cu. m/hr oily water separator.

162.050/1075/-	Model OWS-7.5/33, 7.5 cu. m/hr oily water separatopr.
162.050/1076/-	Model OWS-10/44, 10 cu. m/hr oily water separator.
162.050/1077/-	Model OWS-11.4/50, 11.4 cu. m/hr oily water separator.
162.050/1078/-	Model OWS-15/66, 15 cu. m/hr oily water separator.
162.050/1079/-	Model OWS-17.5/77, 17.5 cu. m/hr oily water separator.
162.050/1080/-	Model OWS-20/88, 20.0 cu. m/hr oilywater separator.
162.050/1081/-	Model OWS-22.7/100, 22.7 cu. m/hr oily water separator.
162.050/1083/-	Facet Model CPS-10 B15, 2.27 cu. m/hr. oil water separator.
162.050/1084/-	Model 2OWS-0.25/1.1, 2.5 cu. m/hr oily water separator.
162.050/1085/-	Model 2OWS-0.50/2.2, 0.5 cu. m/hr oily water separator.
162.050/1086/-	Model 2OWS-1/4.4, 1.0 cu. m/hr oily water separator.
162.050/1087/-	Model 2OWS-2/8.8, 2.0 cu. m/hr oily water separator.
162.050/1088/-	Model 2OWS-3/13.2, 3.0 cu. m/hr oily water separators.
162.050/1089/-	Model 2OWS-4/17.6, 4.0 cu. m/hr oily water separator.
162.050/1090/-	Model 2OWS-5/22.0, 5.0 cu. m/hr oily water separator.
162.050/1095/-	Model CPS-3 B15, 0.68 cu. m/hr. oil water separator.
162.050/1115/-	Model 3OWS-68.1/300, 68.1 cu. m/hr oily water separator.
162.050/1116/-	Model OWS-68.1/300, 68.1 cu. m/hr oily water separator.
162.050/1130/-	Model 5OWS-5/22, 5.0 cu. m/hr oily water separator.

162.050/1131/- Model OWS-27.5/121, 27.5 cu. m/hr oily water separator.

162.050/1132/- Model OWS-30/132, 30 cu. m/hr oily water separator.

162.050/1144/- Facet Model 1-OWS-2.3/10-15, 2.27 cu. m/hr. oil water separator.

162.050/1146/- Facet Model 1-OWS-0.25/1.1-15, 0.25 cu. m/hr. oil water separator.

162.050/1147/- Facet Model 1-OWS-0.5/2.2-15, 0.50 cu. m/hr. oil water separator.

162.050/1148/- Facet Model 1-OWS-0.68/3.0-15, 0.68 cu. m/hr. oil water separator.

162.050/1149/- Facet Model 1-OWS-1/4.4-15, 1.0 cu. m/hr. oil water separator.

162.050/1150/- Facet Model 1-OWS-3/13.2-15, 3.0 cu. m/hr. oil water separator.

162.050/1151/- Facet Model 1-OWS-4/17.6-15, 4.0 cu. m/hr. oil water separator.

162.050/1152/- Facet Model 1-OWS-5/22-15, 5.0 cu. m/hr. oil water separator.

162.050/1168/- Facet Model 3-OWS-91/400-15, 91.0 cu.m/hr.

162.050/1170/- Model OPB-10C, 10 gpm.

162.050/1172/- Model OWS-91/400, 91 cu. m/hr. oil water separator.

162.050/1188/- Model CPS-22 B15, 5.0 cu. m/hr (22.5 gpm) oily water separator.

162.050/1189/- Facet Model 3-OWS-45.5/200 oil water separator.

162.050/3003/- Model MARK VI. Bilge Alarm.

162.050/3016/- Model MARK VIII Bilge Alarm.

162.050/5005/- Model MARK V Ballast Monitor.

162.050/6004/- Model MK-IX ballast (cargo) monitor - second generation.

162.050/9004/- Model MARK VII. Bilge Monitor.

FAST SYSTEMS

162.050/1111/- Model Pace S-2, 1.25 cu. m/hr, 15 ppm oil water separator.

162.050/1112/- Model Pace S-3, 2.5 cu. m/hr, 15 ppm oil water separator.

162.050/1113/- Model Pace S-4, 5.0 cu. m/hr, 15 ppm oil water separator.

162.050/1114/- Model Pace S-5, 10.0 cu. m/hr, 15 ppm oil water separator.

FELLOW KOGYO CO, LTD

162.050/3010/- Model FOCAS-1500A and FOCAS-1500B bilge alarm.

HAMWORTHY KSE LTD

162.050/1117/- Model HS 1, 1 cu. m/hr oily water separator.

162.050/1118/- Model HS 2.5, 2.5 cu. m/hr oily water separator.

162.050/1119/- Model HS 5.0, 5.0 cu. m/hr oily water separator.

HEISHIN PUMP WORKS CO, LTD

162.050/1037/- Model HSN-0.25D, 0.25 cu. m/hr oil water separator.

162.050/1038/- Model HSN-0.5D, 0.5 cu. m/hr oil water separator.

162.050/1039/- Model HSN-1.0D, 1.0 cu. m/hr oil water separator.

162.050/1040/- Model HSN-2.0D, 2.0 cu. m/hr oil water separator.

162.050/1041/- Model HSN-3.0D, 3.0 cu. m/hr oil water separator.

162.050/1042/- Model HSN-5.0D, 5.0 cu. m/hr oil water separator.

162.050/1043/- Model HSN-10.0D, 10.0 cu. m/hr oil water separator.

162.050/1044/- Model HSN-0.25F, 0.25 cu. m/hr oil water separator.

162.050/1045/- Model HSN-0.5F, 0.5 cu. m/hr oil water separator.

162.050/1046/- Model HSN-1.0F, 1.0 cu. m/hr oil water separator.

162.050/1047/- Model HSN-2.0F, 2.0 cu. m/hr oil water separator.

162.050/1048/- Model HSN-3.0F, 3.0 cu. m/hr oil water separaaator.

162.050/1049/- Model HSN-5.0F, 5.0 cu. m/hr oil water separator.

162.050/1050/- Model HSN-10.0F, 10.0 cu. m/hr oil water separator.

HORIBA LTD

162.050/3008/- Model OCMA-34 bilge alarm.

HOWALDTSWERKE-DEUTSCHE WERFT

162.050/1153/- Model TEF-1S, 1 cu. m/hr oil water separator.

162.050/1154/- Model TEF-10S, 10 cu. m/hr.

162.050/1173/- Model TEF-0.5S, 0.5 cu. m/hr oil water separator.

162.050/1174/- Model TEF-2.5S, 2.5 cu. m/hr oil water separator.

162.050/1175/- Model TEF-5S, 5 cu. m/hr oil water separator.

HYDE PRODUCTS INC.

162.050/1082/- Model Hyde 1.5 gpm, 3 cu. m/hr oil water separator.

162.050/1120/- Model MSS 1.5, 0.34 cu. m/hr, 15 ppm, oil water separator.

162.050/1121/- Model MSS 2.2, 0.5 cu. m/hr, 15 ppm, oil water separator.

162.050/1122/- Model MSS 3.0, 0.68 cu. m/hr, 15 ppm, oil water separator.

162.050/1123/- Model MSS 4.4, 1.0 cu. m/hr, 15 ppm, oil water separator.

162.050/1124/- Model MSS 5.0, 1.14 cu. m/hr, 15 ppm, oil water separator.

162.050/1125/- Model MSS 8.8, 2.0 cu. m/hr, 15 ppm, oil water separator.

162.050/1126/- Model MSS 10.0, 2.27 cu. m/hr, 15 ppm, oil water separator.

162.050/1127/- Model MSS-17.6 gpm, 4.0 cu. m/hr oil water separator.

162.050/1128/- Model MSS-20.0 gpm, 4.52 cu. m/hr oil water separator.

162.050/1145/- Model 4, (25 gpm) oil water separator, Limited to certain Lykes vessels

162.050/3011/- Model Hydalarm, IR-15 bilge alarm.

INPLANT SYSTEMS INC.

162.050/1018/- A Model SFC 0.5 BW, 0.5 cu. m/hr, 15 ppm, oil water separator.

162.050/1019/- A Model SFC 5 BW, 2 cu. m/hr, 15 ppm, oil water separator.

162.050/1020/- A Model SFC 8 BW, 5 cu. m/hr, 15 ppm, oil water separator.

162.050/1021/- A Model SFC 12 BW, 10 cu. m/hr, 15 ppm, oil water separator.

162.050/1170/- A Model OPB-10C, 10 gpm.

162.050/1171/- A Model SFC 1 BW, 1 cu. m/hr, 15 ppm, oil water separator.

KAYDON CORPORATION

162.050/1180/- Keene Model 2100 oily water separator.

MONITEK, INC

162.050/3004/- Model 160/829 bilge alarm.

NALFLEET, BULL & ROBERTS, INC

162.050/3012/- Model Aqualert bilge alarm.

NATIONAL MARINE SERVICES, INC.

162.050/1010/- Model Bilgemaster I, 2 gpm-0.46 cu. m/hr oil water separator.

NELSON INDUSTRIES, INC

162.050/1036/- Nelson Model 10100, 10 gpm-2.27 cu. m/hr. oil water separator.

PARMATIC POLLUTION CONTROL CORP.

162.050/1051/- Model SH2-12 , 2.72 m3/h oil water separator.

162.050/1052/- Model SH2-20, 4.54 m3/h oil water separator.

162.050/1053/- Model SH2-40, 9.08 m3/h oil water separator.

162.050/1091/- Model S1-04, 0.90 cu. m/hr, 15 ppm, oil water separator.

162.050/1092/- Model S1-08 (modified), 1.80 cu. m/hr oil water separator.

162.050/1093/- Model S1-16, 3.60 cu. m/hr, 15 ppm, oil water separator.

162.050/1094/- Model S1-20, 4.5 cu. m/hr, 15 ppm, oil water separator.

162.050/1096/- Model COMYN 10, 10 cu. m/hr oil water separator.

162.050/1097/- Model COMYN 20, 20 cu. m/hr oil water separator.

162.050/1107/- Model COMYN 1, 1 cu. m/hr oil water separator.

162.050/1108/- Model COMYN 2.5, 2.5 cu. m/hr oil water separator.

162.050/1109/- Model COMYN 5, 5 cu. m/hr oil water separator.

162.050/1169/- Model S1-0.5T, 0.45 cu. m/hr, 15 ppm, oil water separator.

162.050/1176/- Model S1-1T, 0.9 cu. m/hr, 15 ppm, oil water separator.

162.050/1177/- Model S1-2T, 1.8 cu. m/hr, 15 ppm, oil water separator.

162.050/1179/- Model S1-7.5T, 7.27 cu. m/hr 15 ppm, oil water separator.

- 162.050/1182/- Model S1-08, 1.80 cu. m/hr, 15 ppm, oil water separator.
- 162.050/1183/- Model S1-3.5T, 3.50 cu. m/hr, 15 ppm, oil water separator.
- 162.050/1184/- Model S1-8-OWS(H) and S1-8-CX, 1.80 cu. m/hr, 15 ppm, oil water separator.
- 162.050/1185/- Model S1-08-OWS(J), 1.80 cu. m/hr, 15 ppm, oil water separator.
- 162.050/1187/- Model S1-10-OWS, 2.27 cu. m/hr, 15 ppm, oil water separator.
- 162.050/1191/- Model S1-1/2T-OWS, 0.45 cu. m/hr, 15 ppm, oil water separator.
- 162.050/1198/- Model S1-12T-OWS, 11.36 cu. m/hr oil water separator.

RED FOX ENVIRONMENTAL SERVICE INC

- 162.050/1129/- Model OWS-5, 1.14 cu. m/hr oil water separator.

RWO MASCHINENFABRIK

- 162.050/1156/- Model GSF 0.25, 0.25 cu. m/hr oil water separator.
- 162.050/1157/- Model GSF 0.5, 0.5 cu. m/hr oil water separator.
- 162.050/1158/- Model GSF 1.0, 1.0 cu. m/hr oil water separator.
- 162.050/1159/- Model GSF 1.5, 1.5 cu. m/hr oil water separator.
- 162.050/1160/- Model GSF 2.5, 2.5 cu. m/hr oil water separator.
- 162.050/1161/- MODEL GSF 5.0, 5.5 CU. m/hr oil water separator.
- 162.050/1162/- Model GSF 7.5, 7.5 cu. m/hr oil water separator.

SASAKURA ENGINEERING CO LTD

- 162.050/5003/- Cargo deballasting meter (cargo monitor), Model 5E, Type OTM 1411 C. Total system identified as OTM-17.

SEREP

- 162.050/1018/- Model SFC 0.5 BW, 0.5 CU. m/hr. oil water separator.

- 162.050/1019/- Model SFC 5 BW, 2 cu. m/hr oil water separator.
- 162.050/1020/- Model SFC 8 BW, 5 cu. m/hr oil water separator.
- 162.050/1021/- Model SFC 12 BW, 10 cu. m/hr oil water separator.
- 162.050/1171/- Model SFC 1 BW, 1 cu. m/hr, oil water separator.

SERES

- 162.050/3014/- Model BWAM S646 bilge alarm.
- 162.050/5008/- Model DRUR 545D cargo monitor.
- 162.050/5010/- Model ODME S.663 cargo monitor.
- 162.050/9005/- Model DRUR 545D, (See cargo monitor 162.050/5008/0).
- 162.050/9007/- Model ODME-S.663 (See Cargo monitor 162.050/5010/0).

SHIMADZU CORPORATION

- 162.050/3005/- Model ET-30A bilge alarm.

STORK SERVICES BV

- 162.050/1063/- Model AQUAMARIN-1, 1 cu. m/hr oil water separator.
- 162.050/1064/- Model AQUAMARIN-2.5, 2.5cu. m/hr oil water separator.
- 162.050/1065/- Model AQUAMARIN-5, 5 cu. m/hr oil water separator.
- 162.050/1066/- Model AQUAMARIN-10, 10 cu. m/hr oil water separator.
- 162.050/1067/- Model AQUAMARIN MK II, 0.25 cu. m/hr oil water separator.
- 162.050/1068/- Model AQUAMARIN MK II, 0.5, 0.5 cu. m/hr oil water separator.
- 162.050/1069/- Model AQUAMARIN MK II-1, 1.0 cu. m/hr oil water separator.

SUMITOMO PRECISION PRODUCTS CO

162.050/5006/- Model OILCON MK III cargo monitor (combination of ITT oil content meter and Sumitomo computer).

TAIKO KIKAI INDUSTRIES, CO.

162.050/1056/- Model UST-01, 0.15 cu. m/hr, 15 ppm oil water separator.

162.050/1057/- Model UST-03, 0.25 cu. m/hr, 15 ppm oil water separator.

162.050/1058/- Model UST-05, 0.5 cu. m/hr, 15 ppm oil water separator.

162.050/1059/- Model UST-10, 1.0 cu. m/hr, 15 ppm oil water separator.

162.050/1060/- Model UST-20N, 2.0 cu. m/hr, 15 ppm oil water separator.

162.050/1061/- Model UST-30N, 3.0 cu. m/hr, 15 ppm oil water separator.

162.050/1062/- Model UST-50N, 5.0 cu. m/hr, 15 ppm oil water separator.

TESCO ENGINEERING CORPORATION

162.050/1098/- Model OPE OS-0.1, 0.1 cu. m/hr oil water separator.

162.050/1099/- Model OPE OS-0.2, 0.2 cu. m/hr oil water separator.

162.050/1100/- Model OPE OS-0.5, 0.5 cu. m/hr oil water separator.

162.050/1101/- Model OPE OS-1.0, 1.0 cu. m/hr oil water separator.

162.050/1102/- Model OPE OS-2.0, 2.0 cu. m/hr oil water separator.

162.050/1103/- Model OPE OS-5.0, 5.0 cu. m/hr oil water separator.

VAF INSTRUMENTS B.V.

162.050/3017/- Model C11-15ppm.

162.050/5004/- (old 162.050/0425/1) Model OILCON MK III cargo monitor.

162.050/9001/- Model ITT Conoflow-VAFI (old 162.050/0129/1) bilge monitor.

YAMATAKE-HONEYWELL CO, LTD

162.050/3006/-

Oil-a-lyzer Type A, Model KOAL, KOAR Bilge Alarm.