

U.S. Coast Guard Equipment List

Tuesday, May 21, 2002

162.055 - Oil-Water Interface Detectors

"Approved" items are approved for current manufacture - "Former May Use" items are no longer manufactured, but may continue in use

APPROVED

AGAR CORPORATION

162.055/4/- Model ID-310 Portable oil/water interface detector. Intrinsically safe for use in Class I, Division 1, Groups C and D Hazardous locations.

MARINE MOISTURE CONTROL CO, INC

162.055/1/- Models B2220 & D2319 (May also be marked 160.055/8001/0).

162.055/3/- Models B2401 & D2401 (May also be marked 160.055/8003/0).

TANKTECH CO., LTD.

162.055/5/- Model T2000-TFC-01 Oil Water Interface Detector

TS TANKSYSTEMS S.A.

162.055/2/- Model Hermetic UTI, UTI-GT, UI, UI-GT, UTI 2000 OPTO, AND UTI 2000 TOUCH and incorporating:

U.S. Coast Guard Equipment List

Tuesday, May 21, 2002

162.135 - Water Mist Nozzles

"Approved" items are approved for current manufacture - "Former May Use" items are no longer manufactured, but may continue in use

APPROVED

GRINNELL CORP

162.135/1/- Aquamist Water Mist Nozzles Models AM6, AM11, AM22 and AM24.

GW SPRINKLER A/S

162.135/2/- LoFlow K15 Water Mist Nozzles Models C, O and S

162.135/3/- MisterySpray Model Angus S 22 nozzles.

U.S. Coast Guard Equipment List

Tuesday, May 21, 2002

163.002 - Pilot Hoists

"Approved" items are approved for current manufacture - "Former May Use" items are no longer manufactured, but may continue in use

FORMER-MAY USE

ALEXANDER/RYAN MARINE & SAFETY CO

163.002/1/- Air Powered Pilot Hoist Model M-80, Working Load 225 kg (497 lb), Lift Height 22.5 m (74 ft.).

CHUO KOGYO CO LTD

163.002/2/- Electrically powered Pilot Hoist Models PHL-EE-T and PHL-EE-S. Working load 230 kg. (525 lbs) Lift Height 20.9 m (69 ft.).