

Department of  
Homeland Security  
**United States  
Coast Guard**



---

# **HEALTH SERVICES ALLOWANCE LIST, AFLOAT**

COMDTINST M6700.6G  
November 2010

COMDTINST M6700.6G  
NOV 16 2010

COMMANDANT INSTRUCTION M6700.6G

Subj: HEALTH SERVICES ALLOWANCE LIST, AFLOAT

1. PURPOSE. This Manual provides cutters with health services personnel assigned the required basic stock levels of health care materials. It is re-promulgated because of numerous formatting and requirement changes.
2. ACTION. All Coast Guard unit commanders, commanding officers, officers-in-charge, deputy/assistant commandants, and chiefs of headquarters staff elements shall comply with the provisions of this Manual. Internet release is authorized.
3. DIRECTIVES AFFECTED. Health Services Allowance List, Afloat, COMDTINST M6700.6F is cancelled.
4. SUMMARY. This Manual indicates the minimum amount of medications and equipment required by the Independent Duty Health Services Technicians (IDHS). In order to meet the needs of the crew or the operational needs of the mission, the IDHS may, with the permission of their Designated Medical Officer Advisor (DMOA), carry additional equipment not on this allowance list. Pharmaceuticals on this allowance list are intended to be administered and dispensed by the IDHS only in collaboration with a Medical Officer.
5. PROCEDURE. No paper distribution will be made of this Manual. Official distribution will be via the Coast Guard Directives System (CGDS) DVD. An electronic version will be located on the following Information and Technology CG-612 web sites. Intranet <http://cgweb.comdt.uscg.mil/CGDirectives/Welcome.htm>, Internet: <http://www.uscg.mil/directives/>, and CGPortal: <https://cgportal.uscg.mil/delivery/Satellite/CG612>.
6. ENVIRONMENTAL ASPECT AND IMPACT CONSIDERATIONS. Environmental considerations were examined in the development of this Manual and have been determined not to be applicable.

DISTRIBUTION – SDL No. 155

	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o	p	q	r	s	t	u	v	w	x	y	z
A	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1		1		1					
B	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1
C	1	1	1	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
D	1	1	1	1			1	1			1	1		1	1	1	1			1			1			
E	1	1		1	1			1	1										1							
F																	1	1	1							
G			1	1	1																					
H																										

NON-STANDARD DISTRIBUTION:

7. FORMS/REPORTS. The forms referenced in this Manual are available in USCG Electronic Forms on the Standard Workstation or on the Internet: <http://www.uscg.mil/forms/>, CGPortal at <https://cgportal.uscg.mil/delivery/Satellite/uscg/References>; and Intranet at <http://cgweb.comdt.uscg.mil/CGForms>.

Mark J. Tedesco /s/  
Director of Health, Safety and Work-Life

## TABLE OF CONTENTS

## CHAPTER 1. HEALTH SERVICES ALLOWANCE LIST INSTRUCTIONS

A. General Information.....	1-1
B. Explanation of Class 2 Unit Categories.....	1-2
C. Obtaining References and Publications.....	1-2
D. Ordering Supplies and Equipment.....	1-7
E. Ordering Health Care Equipment (HCE).....	1-8
F. Instructions for Maintaining, Issuing, and Inventorying Health Care Supplies and Equipment.....	1-8

## CHAPTER 2. EMERGENCY MEDICAL AND MILITARY READINESS EQUIPMENT AND SUPPLIES

A. General Information.....	2-1
B. Emergency Medical Equipment and Supplies.....	2-1
C. Oxygen/Resuscitation Equipment.....	2-2
D. Litters and Stretchers.....	2-3
E. Military Readiness.....	2-4

## CHAPTER 3. CLINICAL MEDICINE

A. General Information.....	3-1
B. Required Clinical Medicine, Equipment and Supplies.....	3-1

## CHAPTER 4. PHARMACEUTICALS

A. General Information.....	4-1
B. Required Pharmaceuticals.....	4-2

## CHAPTER 5. RADIOLOGY EQUIPMENT AND SUPPLIES

A. General Information.....	5-1
B. Required Radiology Equipment and Supplies.....	5-1

## CHAPTER 6. LABORATORY EQUIPMENT AND SUPPLIES

A. General Information.....	6-1
B. Required Laboratory Equipment and Supplies.....	6-2

## CHAPTER 7. DENTAL SUPPLIES AND EQUIPMENT

A. General Information.....	7-1
B. Required Dental Equipment and Supplies.....	7-1

## CHAPTER 8. ENVIRONMENTAL HEALTH

A. General Information.....	8-1
B. Required Environmental Health Equipment and Supplies.....	8-1

This page intentionally left blank.

## CHAPTER 1. HEALTH SERVICES ALLOWANCE LIST INSTRUCTIONS

### A. General Information.

1. The information and requirements contained in this Manual apply to all vessels with health services personnel assigned (Class 2 units).
2. This Manual contains lists of required health care materials (reference books, pharmaceuticals, medical and dental equipment/ supplies, etc.) necessary for initial outfitting and ongoing operation of Class 2 Coast Guard units.
3. Health Services Allowance List (HSAL) quantities represent the minimum required inventory of equipment and supplies. Units must maintain these minimum quantities onboard at all times. In some cases (e.g. HS Formulary drugs), the afloat HS may be tasked with determining the necessary quantities based on their personal product preference and maintaining a sufficient quantity of those items. Each chapter in the manual will address specific issues regarding excess quantities allowed or the stocking of products other than those listed. Generally, a 90 day supply is the desired inventory level for all required expendable items. To carry additional items or make changes to the required quantities listed requires a waiver. All waiver requests will be submitted to the DMOA. An approved copy shall be forwarded to the appropriate Health, Safety and Work Life Field Office (HSWL FO) and the Regional Pharmacy Executive (RPE). Increases to or additional items are to be authorized by your DMOA.
4. Complete requisitioning instructions for the items contained herein are included in Medical Prime Vendor Program Implementation within the Coast Guard, COMDTINST M6740.2 (series). Assistance with Prime Vendor procurement can be obtained by contacting the Coast Guard clinic that supports your unit or Health Safety and Work Life Support Activity (HSWL SUPACT). Procurement of injectable chemical, biological, radiological and nuclear medications are ordered from the Defense Supply Center Philadelphia.
5. Commandant (CG-1121) will make changes to this Manual as required due to therapeutic advances, product availability changes, and mission requirement changes. To ensure timely dissemination of information, changes may be made via medical logistics messages with the changes being numerically identified. Units should reference these medical logistics messages in making “pen and ink” changes to the HSAL until a change or reissue of this directive.
6. Units and/or individuals are encouraged to provide updated supply information or suggestions for improvement to the responsible organizational point of contact listed in each chapter.
7. When modifications are made to required items, information will be given as to disposition of the deleted item. When possible, units will be notified to replace deleted items with the newly required items only when a new purchase is necessary due to expiration, contamination, or exhaustion of current supplies.

B. Explanation of Class 2 Unit Categories.

1. Coast Guard vessels with health service personnel assigned.
  - a. 2A Ice breakers (WAGBs)
  - b. 2B High Endurance Cutters (WHECs) and National Security Cutters (NSC)
  - c. 2C Medium Endurance Cutters (WMECs)
  - d. 2D Seagoing Buoy Tenders (WLBs)

C. Obtaining References and Publications.

1. Most required publications are civilian-published reference books from an “open purchase” source. For each of these, a suggested source will be given. Other sources may exist to obtain the same reference book. When in doubt, contact the publisher or a local bookstore for procurement information.
2. Government publications should be requisitioned directly from the stocking point as indicated by the Routing Identifier.
3. All required Coast Guard publications may be printed from the Information and Technology Commandant (CG-612) websites at: Intranet <http://cgweb.comdt.uscg.mil/CGDirectives/Welcome.htm>, Internet: <http://www.uscg.mil/directives/>, and CGPortal: <https://cgportal.uscg.mil/delivery/Satellite/CG612>.
4. General required publications for Class 2 units are:
  - a. Medical Manual, COMDTINST M6000.1(series) 1 Copy
  - b. Health Services Allowance List, Afloat (Vessels), COMDTINST M6700.6 (series). 1 Copy
  - c. Medical Prime Vendor Program Implementation within the Coast Guard, COMDTINST M6740.2 1 Copy

Note: Unless otherwise indicated, all commercial references may be the current edition or a prior edition published within the last 3 years.
5. An electronic version of all books, manuals, publications, and instructions is an acceptable alternative to actual copies of the items listed in this allowance list. All electronic versions must be maintained on a CD,DVD or local harddrive.
6. Poison Control Center phone numbers shall be prominently displayed outside of sickbay. (Ensure this number can be reached from any area the ship is deployed to.)

Required Clinical Medicine References.

PUBLICATION NAME	2A	2B	2C	2D
"FERRI'S CLINICAL ADVISOR" Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a>	1	1	1	1
"CLINICAL PROCEDURES FOR MEDICAL ASSISTANTS" Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a>	1	1	1	1
BATES' "GUIDE TO PHYSICAL EXAMINATION AND HISTORY TAKING" J. B. Lippincott Company 227 East Washington Square Philadelphia, PA 19106	1	1	1	1
"DORLANDS POCKET MEDICAL DICTIONARY" Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a>	1	1	1	1
BRADY'S "EMERGENCY CARE" Prentice Hall Ordering Department 200 Old Tappan Rd. Old Tappan, NJ 07675 Phone: 1 800 922 0579 <a href="http://vig.prenhall.com/">http://vig.prenhall.com/</a>	1	1	1	1
"MOSBY'S EMT I" Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a>	1	1	1	1

## Required Clinical Medicine References. (cont.)

PUBLICATION NAME	2A	2B	2C	2D
MOSBY'S PREHOSPITAL TRAUMA LIFE SUPPORT: MILITARY VERSION Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a>	1	1	1	1
"CURRENT DIAGNOSIS & TREATMENT IN ORTHOPEDICS" McGraw-Hill Order Services Blacklick, OH 43004-0545 Phone: 1 800 262 4729 <a href="http://www.mhprofessional.com/templates/116-medical.php">http://www.mhprofessional.com/templates/116-medical.php</a>	1	1	1	1
HOPPENFELD'S "PHYSICAL EXAMINATION OF THE SPINE AND EXTREMITIES" Prentice Hall Ordering Department 200 Old Tappan Rd. Old Tappan, NJ 07675 Phone: 1 800 922 0579 <a href="http://vig.prenhall.com/">http://vig.prenhall.com/</a>	1	1	1	1
"MERCK MANUAL Merck Publishing Group Merck & Co., Inc. PO Box 2000 RY84-15 Rahway, NJ 07065 Phone: (732) 594-4600 <a href="http://www.merckbooks.com/">http://www.merckbooks.com/</a>	1	1	1	1
"SANFORD'S GUIDE TO ANTIMICROBIAL THERAPY" P.O. Box 276 Sperryville VA 22740 540-987-9480 <a href="http://www.sanfordguide.com/">http://www.sanfordguide.com/</a>	1	1	1	1
RESCUE & SURVIVAL SYSTEMS MANUAL, <a href="#">COMDTINST M10470.10C</a>	1	1	1	1

Required Pharmacy References.

PUBLICATION NAME	2A	2B	2C	2D
Standardized Health Services Technician Drug Formulary COMDTINST 6570.1	1	1	1	1
Coast Guard Medical Logistics Messages (Three Years)	1	1	1	1
Coast Guard/DoD Medical Materiel Information Notices (Drug recall and shelf life extension messages) (Three Years)	1	1	1	1
“POISONING & DRUG OVERDOSE” Lange, Clinical Manual McGraw-Hill Order Services Blacklick, OH 43004-0545 Phone: 1 800 262 4729 <a href="http://www.mhprofessional.com/templates/116-medical.php">http://www.mhprofessional.com/templates/116-medical.php</a>	1	1	1	1
“TARASCON PHARMACOPIA LIBRARY EDITION” Jones and Bartlett Publishers 40 Tall Pine Drive Sudbury, MA 01776 Phone: 1-978-443-5000	1	1	1	1
“MOSBY’S NURSING DRUG REFERENCE” Elsevier Health Sciences 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a>	1	1	1	1

Required Environmental Health References.

PUBLICATION NAME	2A	2B	2C	2D
<a href="#">SAFETY AND ENVIRONMENTAL HEALTH MANUAL, COMDTINST M5100.47 (series)</a>	1	1	1	1
<a href="#">FOOD SERVICE SANITATION MANUAL, COMDTINST M6240.4 (series)</a>	1	1	1	1
WATER SUPPLY AND WASTE WATER DISPOSAL MANUAL, COMDTINST M6240.5 (series)	1	1	1	1

Required Environmental Health References. (cont.)

The following NAVMED PUBS CAN BE VIEWED AND THE ELECTRONIC COPY SAVED AT THE FOLLOWING WEB SITE: <a href="http://navymedicine.med.navy.mil/default.cfm?selmod=706435D4-8C78-A781-8663C37197B239CD&amp;seltab=Directives&amp;type=P">http://navymedicine.med.navy.mil/default.cfm?selmod=706435D4-8C78-A781-8663C37197B239CD&amp;seltab=Directives&amp;type=P</a>				
PUBLICATION NAME	2A	2B	2C	2D
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-1, FOOD SANITATION CHAPTER 1	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-2, SANITATION OF LIVING SPACES & RELATED FACILITIES CHAPTER 2	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-3, VENTILATION AND THERMAL STRESS ASHORE AND AFLOAT CHAPTER 3	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-6, WATER SUPPLY AFLOAT CHAPTER 6	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-7, SEWAGE DISPOSAL ASHORE & AFLOAT CHAPTER 7	1	1	1	1
MANUAL OF NAVAL PREVENTIVE MEDICINE, NAVMED P-5010-8, MEDICAL ENTOMOLOGY & PEST CONTROL TECHNOLOGY CHAPTER 8	1	1	1	1
TREATMENT OF CHEMICAL AGENT CASUALTIES & CONVENTIONAL MILITARY CHEMICAL INJURIES, NAVMED P-5041	1	1	1	1
RODENT CONTROL, NAVMED P-5052-26, CHAPTER 26	1	1	1	1
“CDC Yellow Book” HEALTH INFORMATION FOR INTERNATIONAL TRAVEL <a href="HTTP://WWW.CDC.GOV/TRAVEL/YB/INDEX.HTM">HTTP://WWW.CDC.GOV/TRAVEL/YB/INDEX.HTM</a>	1	1	1	1

Required Environmental Health References. (cont.)

PUBLICATION NAME	2A	2B	2C	2D
CONTROL OF COMMUNICABLE DISEASES MANUAL American Public Health Association <a href="http://www.apha.org/">http://www.apha.org/</a>	1	1	1	1
HABIF "CLINICAL DERMATOLOGY" A COLOR GUIDE TO DIAGNOSIS AND THERAPY MOSBY 11830 Westline Industrial Drive St. Louis, MO 63146-9988 Phone: 1-800-545-2522 <a href="http://us.elsevierhealth.com/">http://us.elsevierhealth.com/</a>	1	1	1	1

Miscellaneous Publications. The following is a list of miscellaneous publications, which are to be maintained in the unit's Medical Library

PUBLICATION NAME	2A	2B	2C	2D
"DIVING AND SUBAQUATIC MANUAL", Current Edition Oxford University Press Inc. 198 Madison Avenue New York, New York 10016	1	0	0	1
Navy Diving Manual, (NAVSEA-0994-LP-019010 Vol.1) (For dive team equipped vessels only)	1	0	0	1
CHEMICAL, BIOLOGICAL, RADIOLOGICAL, AND NUCLEAR DEFENCE (CBRN-D) POLICY FOR COAST GUARD EXPEDITIONARY FORCES COMDTINST 3400.4 (FOUO)	1	1	1	1

D. Ordering Supplies and Equipment.

1. After initial outfitting, funding for expendable items listed in this Manual is the unit's responsibility. For items costing more than \$500.00, units should submit a U.S. Coast Guard Health Care Equipment Request (CG-5211), to the appropriate HSWL Field Office.
2. Units should procure expendable supplies via clinic designated by to the appropriate HSWL Field Office. General and specific information concerning open purchase procurement should be obtained from the CG's [Financial Resource Management Manual, COMDTINST M7100.3 \(series\)](#).
3. Comprehensive procurement information may be obtained from CG Accounting Manual, COMDTINST M7300.4 and [Medical Prime Vendor Program Implementation within the Coast Guard, COMDTINST M6740.2 \(series\)](#).

E. Ordering Health Care Equipment (HCE).

1. All HCE replacements should be requested in accordance with [Medical Manual, COMDTINST M6000.1 \(series\)](#).
2. The following items are considered HCE. Information may be found on the particular items in the designated chapter of this Manual.

Exam Table:	See Chapter 3
Refrigerator:	See Chapter 3
Portable Radiology Unit:	See Chapter 5 (Class 2A Only)
Water Test Kit, Bacteriological:	See Chapter 8
Meter, Electric Heat Stress (WGBT):	See Chapter 8

F. Instructions for Maintaining, Issuing, and Inventorying Health Care Supplies and Equipment.

1. Units shall maintain an inventory system (Cardex, SAMS, CM PLUS, other software, etc.) as is consistent with good inventory management. Minimally, this system shall maintain current inventories of “bulk” stock items noting purchases, receipt of goods, and issuance to working stock. In cases where, due to small quantities, working and bulk stock are the same, records shall be kept of initial receipt of the item.
2. Inventories shall be “rotated” with older items being used first to minimize loss due to expiration or deterioration.
3. Units shall conduct and document quarterly inventories of all expendable medical supplies. During this inventory any evidence of deterioration or contamination shall be noted and the item removed from service if required.
4. Units shall strictly adhere to expiration dating of items where applicable. Unless otherwise expiration dated, expendable medical supplies (bandaging materials, etc.) shall not be used after ten years from the date of manufacture.
5. To minimize waste due to drug expiration, units must monitor results of the Department of Defense (DOD) Shelf-Life program and modify expiration dates on tested items. Procedures for this program are contained in Chapter 10 of Medical Manual COMDTINST M6000.1 (series). An attempt should be made to trade any drugs that are within four months of expiration with the unit’s collateral duty pharmacy staff, thus avoiding waste due to expiration.
6. Methods used to remove or destroy expired items shall be in compliance with State and local regulations and the Medical Manual, COMDTINST M6000.1 (series), Chapter 8.
7. Units shall maintain electronic copies of all messages related to medical product recalls or quality assurance problems for three years from the date of issue. Those messages requiring action by the unit shall be printed, initialed and a note made as to any remedial action required by the message. Maintain a hard copy of these messages for three years. All IDHSs are required to have an active subscription to the DOD Medical Material Quality Control (<http://www.usamma.army.mil>).

## **Chapter 2. EMERGENCY MEDICAL AND MILITARY READINESS EQUIPMENT AND SUPPLIES**

### **A. General Information.**

1. General information in this section pertains to equipment and supplies required for both emergency medical care and military readiness.
2. All required items for military readiness (Battle Dressing Stations, Portable Medical Lockers, First Aid Kits, Poison Antidote Locker etc.) and emergency medical care (EMT Kits, Oxygen, etc.) shall be inspected monthly and inventoried quarterly for tampering, rust, cleanliness, deterioration, and expiration. A log shall be maintained within sickbay to document the findings of these inspections and the remedial action taken.
3. Whenever possible, all emergency medical and military readiness kits and equipment shall be secured away from weather decks.
4. Expired medical supplies (with the exception of pharmaceuticals) may be retained for training. These items should be maintained away from other usable supplies and be marked clearly: "TRAINING ONLY - NOT FOR MEDICAL USE."
5. Many of the required items are only available from commercial sources. Units procuring these items are encouraged to check several sources for the most cost-effective source.

### **B. Emergency Medical Equipment and Supplies.**

1. This section includes kits, equipment, and supplies required to provide emergency medical care. Certain equipment will also be applicable to section "E" (Military Readiness) of this chapter.
2. Emergency medical equipment not listed in this publication or [Rescue and Survival Systems Manual, COMDTINST M10470.10](#) (series), and costing in excess of \$500.00 is NOT authorized for local purchase. Units may request consideration for additional emergency medical equipment by submitting a USCG Health Care Equipment Request, CG-5211 to HSWL SUPACT via the unit's supporting HSWL clinic.

Required EMS Equipment and Supplies.

ITEM	U/I	2A	2B	2C	2D
Coast Guard EMT Pack with O2 Tank, Regulator and FROP valve. Use EMT Pack Allowance List is located at the CG EMT WEBSITE: <a href="http://cgweb.tcpet.uscg.mil/ems/Gear/EMT.Pack.Blue.htm">http://cgweb.tcpet.uscg.mil/ems/Gear/EMT.Pack.Blue.htm</a> .	EA	1	1	1	1
Automatic External Defibrillator (AED) Units shall check with the Aviation Logistics Center for authorized make and models to comply with aviation platforms. <a href="http://cgweb.arsc.uscg.mil/eisd/content/avionics_support/certifiedpeds.html">http://cgweb.arsc.uscg.mil/eisd/content/avionics_support/certifiedpeds.html</a>	EA	1	1	1	1
LEG TRACTION DEVICE Specific Type (HARE, REEL, SAGER, #S-304) Optional	EA	1	1	1	1
MASK, OXYGEN, NON-REBREATHER	EA	10	10	10	10
MEDEVAC RESCUE (SAR) LITTER	EA	3	5	2	2
PORTABLE SUCTION	EA	1	1	1	1
PRESSURE INFUSER	EA	1	1	1	1
SKED LITTER (with optional floatation and 75' 4:1 micro hauler rescue kit)	EA	1	1	1	1

EMS items listed in this chapter are inclusive of a ship's overall allowance.

C. Oxygen/Resuscitation Equipment.

1. Oxygen cylinders must never come in contact with organic lubricant (oil, grease, etc.). Cylinders shall be stored in a permanently mounted rack in an upright position at all times unless in use within a portable container. All oxygen delivery and resuscitation equipment will be inspected weekly; inspection shall be documented with the kit and in the medical department log. A three part tagging system (full, in use, empty), shall be utilized to indicate status of tank. All medical oxygen containers shall be labeled "MEDICAL USE ONLY." All cylinders shall be hydrostatically tested every five years. To clear dust particles, crack the tank valve slightly prior to applying a regulator to a new bottle. Make sure the tank valve is open before the oxygen delivery equipment (mask, etc.) is applied to the patient. Ensure that a non-ferrous wrench is used for tank manipulation.
2. A minimum of one "H" oxygen cylinder, containing a pressure regulator to deliver positive pressure oxygen, shall be mounted in all Class 2A-vessel sickbays.

Oxygen Requirements.

Portable Oxygen Requirements	2A	2B	2C	2D
Size “D” cylinder contains approx. 350 liters filled	24	18	12	12
OR				
Size “Super D” contains approx. 637 liters filled	14	10	7	7

3. Non-rebreather masks shall be used for patients in critical need of oxygen. Prior to placing non-rebreather masks on the patient, care should be taken to fully inflate the oxygen reservoir bag.
4. CG vessels (USCGC POLAR STAR, USCGC POLAR SEA, USCGC HEALY, USCGC KUKUI, USCGC SASSAFRAS, USCGC WALNUT) assigned dive teams are authorized the following additional emergency oxygen delivery equipment:
  - 1 - Oxygen Resuscitation Set (Life-saving Systems Product (LSP), (Commercial Purchase), with a minimum of two “D” size oxygen cylinders. (Note: A Divers Alert Network (DAN) Oxygen Delivery Kit Commercial source may be substituted for the LSP Kit.)
  - 1 - Bag Valve Resuscitator with minimum of four adult non-rebreather face masks, medium and large adult face mask for positive pressure delivery and bag valve mask unit.
  - 1 - Life Saver Airway Set.
  - 1 - Box of disposable gloves.

This equipment shall be for use by Dive Team Members only. The unit will be maintained in sickbay by the unit HS and used only during diving operations.

D. Litters and Stretchers.

1. Stokes Litter. The stokes litter (rigid or folding) is a versatile device designed to safely transport non-ambulatory personnel onboard ships and boats or for applications such as helicopter hoisting. The basic stokes litter design can be used for surface operations or reconfigured by adding the horizontal hoisting sling (National Stock Number, NSN, 1670-01-226-5300, Lifesaving Systems part number 190 only) for over the side or helicopter hoisting. Only stainless steel or titanium alloy litters are authorized. Aluminum litters are no longer authorized and shall not be used. A minimum of one stokes litter will be maintained and configured in accordance with the [Rescue and Survival Systems Manual M10470.10 \(series\)](#). This includes semi-annual load testing IAW Chapter 2, Rescue and Survival Systems Manual, COMDTINST M10470.10 (series).

- a. Authorized Helicopter Hoistable Litters. In accordance with Rescue and Survival Systems Manual, COMDTINST M10470.10 (series), the only authorized litter for helicopter hoisting is the stainless or titanium stokes litter (rigid or folding). All authorized stokes litters carried aboard shall be labeled/marked “Helicopter Hoistable” on the support slats in ½ inch white block letters and maintained in accordance with the Rescue and Survival Systems Manual, COMDTINST M10470.10 (series). **Rescue (SAR) Litters shall not be used for helicopter hoists.**

2. Medevac Rescue (SAR) Litter. Each cutter will be required to have onboard a full allowance of Medevac Rescue Litters. They are to be stored at or near the primary BDS, forward on the main deck, at or near after steering, and on the hangar deck (as applicable) and used by the stretcher bearer teams for use in in-water rescue operations such as ‘Man Overboard, Small Boat Recovery’ and shipboard/confined spaces operations requiring patient/victim transport. The IDHS is responsible for the care, maintenance and training in the use of the Medevac Rescue Litter. A Horizontal Hoisting Sling (Lifesaving Systems part number 190, NSN 1670-01-226-5300) and Trail Line Assembly must be purchased for over the side hoisting operations. A separate, detachable safety/handling line shall be made-up for each SAR litter on board, and is to be used IAW ‘Stretcher Bearer Team’ protocol in transporting patients between decks (ladderways, scuttles, hatches, or trunk spaces, etc) during rescue evolutions. This safety line shall be made of ¾” three strand nylon line at least 20 ft in length with a 4” steel carabineer ‘eye-spliced’ to one end (minimum of five tucks) and a ‘back-spliced’ bitter end. Attach the safety line for transport between decks ONLY. The safety line may be stowed in a ‘heaving line’ bag attached to the side of the litter when not in use.

E. Military Readiness.

1. First Aid Kit, Life Raft. Each Life Raft comes equipped with a first aid kit. The HS shall ensure one person in each raft is designated on the Watch Quarter Station Bill to bring an additional first aid kit (gun bag) to the life raft in case of emergency.
2. First Aid Kits, Gun Bag. These kits shall be placed throughout the vessel for emergency use. They shall also be available for all stretcher-bearer personnel. The kits shall be inspected monthly and inventoried quarterly or immediately after use. The date of the inspection and inventory shall be listed on a tag on the outside of the kit as well as noted in the HS log. The kits shall be sealed in a fashion which makes them water resistant and protects them from pilferage. The kit can be purchased through the stock system or commercially but it must remain consistent in shape size and color throughout the ship. The contents of these kits are listed in Figure (2-3). A minimum of one kit **shall** be placed in each of the following:
  - a. Each repair locker;
  - b. Each stretcher-bearer crew;
  - c. Bridge;
  - d. Main Control/Engine room;
  - e. Crew’s Mess Deck/Galley;
  - f. Radio, ET Shop and/or CIC;
  - g. Flight Deck/Avionics Shop (If applicable);

- h. Buoy Deck/Boson's Hole (If applicable);
- i. After Steering (If applicable);
- j. 76MM Magazine (If applicable);
- k. 50 cal Locker (If applicable);
- l. Auxiliary Space(s) (If applicable);
- m. DC Shop; and
- n. Armory

Note: A first aid kit should be made available for issue to deployable teams (AMIO, Law Enforcement or any other deployable teams). Supplies should be inspected monthly and inventoried quarterly or immediately after use. A separate gun bag can be used for these occasions. A list of all locations containing a first aid kit or gun bag shall be placed in the sickbay SOP. Members may be designated to provide a first aid kit or gun bag for certain evolutions as listed in the Watch Quarter Station Bill.

First Aid Kit, Gun Bag.

Item	U/I	QTY
INVENTORY LIST	EA	01
BANDAGE MUSLIN, COMPRESSED, 37" X 52"	EA	01
BANDAGE SCISSORS	EA	1
BANDAGE, COTTON ELASTIC, RUBBER WRAP THREADS, 3" X 4 ½ YDS	EA	03
BOLIN CHEST SEAL	PG	02
COMBAT APPLICATION TOURNIQUET (CAT)	EA	02
EMERGENCY TRAUMA DRESSING, "Abd 12x12"	EA	02
EMERGENCY TRAUMA DRESSING, 4"	EA	04
EMERGENCY TRAUMA DRESSING, 6"	EA	02
GAUZE ABSORBENT, "18 X 36", 2s	PG	04
GECKO GRIP TAPE 2" X 5YDS	RL	02

First Aid Kit, Gun Bag. (cont.)

Item	U/I	QTY
GLOVES, NITRILE	PR	04
NASAL TRUMPET, 28 FR	EA	02
POCKET MASK	EA	01
QUICK CLOT COMBAT GAUZE NSN: 6510-01-562-3325	PG	02
ROLLER GAUZE, KERLIX	EA	04
SAM SPLINT, UNIVERSAL	EA	02
SKIN MARKER	EA	01
SPONGE SURGICAL 4" X 4"	EA	20

3. Battle Dressing Stations (BDS).

- a. Although primarily designed for wartime use, the BDS may be used for any incident involving significant numbers of casualties. An inventory with expiration dates shall be compiled and posted at the BDS. Any equipment shall have operating instructions posted with the inventory list. Supplies and equipment shall be inventoried quarterly or immediately after use.
- b. Vessel BDS Requirements: (BDS Contents are listed in Figure 2-4)
 

Class 2A & 2B	Primary and Secondary (One Each)
Class 2C & 2D	Primary Only
- c. The BDS locations shall be determined by the commanding officer of the vessel, with regards to the ship's configuration and needs of the medical department. These areas shall be designated in writing and posted in the ships operational plan and sickbay operating plan. The BDS shall be large enough to support the medical care of larger numbers of casualties (i.e., crew's mess deck, wardroom, etc.).

BATTLE DRESSING STATION EQUIPMENT/SUPPLIES

PRIMARY BDS

SECONDARY BDS

Surgical Table

As installed in sickbay

Table, Mess

Surgical Lighting

As installed in Sickbay

Temporary Mounting

Water Source

Potable Water System, and emergency water piped in, or canned/bottled (Bottled minimum 15 gal.)

Separately piped in, separately canned, or bottled water. (Minimum 10 gal.)

Storage Locker

Built in cabinets or portable lockers

Built in cabinets or portable lockers

Emergency Lighting

Four (4) Battle Lanterns with swivel brackets and four (4) electrical relays installed around the surgical light. Not required if Surgical light (Sickbay light) remains lit when power goes out.

NOTE: For both Primary and Secondary BDS, a minimum of 4 battle lanterns shall be mounted above the surgical table or mess deck operating table with swivel brackets. Lighting sources, including those in the secondary BDS shall be checked weekly.

NOTE: Bottled water need not be stored in the BDS if space is limited. The HS must ensure the water is secure and not being used for other purposes.

NOTE: Stock for the BDS should be reserve stock only and marked for “WARTIME or BDS USE ONLY”. Permanently mounted emergency water supplies must be checked monthly. At least three disposable minor surgical (suture) sets shall be maintained ready for immediate use in all BDS. These surgical sets are inclusive of a ship’s overall allowance. In addition, the following emergency sets shall be immediately available for use:

BATTLE DRESSING STATION EQUIPMENT/SUPPLIES.

Item	U/I	QTY
INVENTORY LIST	EA	01
ACETAMINOPHEN, 325MG, 50 CT	BT	01
ADHESIVE TAPE SURGICAL, 12" X 10 YDS	RO	01
ANESTHESIA TRAY (1 per BDS) Contents: LARYNGOSCOPE HANDLE ADULT WITH AT LEAST FOUR SIZES OF MILLER OR MCINTOSH BLADES (INCLUDE BATTERIES) ENDOTRACHEAL TUBES (VARIOUS SIZES)	EA	01
BAG VALVE MASK LSP	EA	01
BANDAGE ADHESIVE SURGICAL, ¾" x 3" (Band-Aids)	BX	01
BANDAGE COTTON ELASTIC, 3" x 4 YDS	PG	01
BANDAGE GAUZE ELASTIC, 3" X 5 YDS	RO	12
BANDAGE MUSLIN, 37" X 52" (CRAVAT)	EA	12
BANDAGE SCISSORS, LG	EA	02
BASIN, WASH, CRE, 4 ¼ QT	EA	01
BOLIN CHEST SEAL	PG	2
BRUSH SURGICAL SCRUB	EA	12
BURN PACK, (DISPOSABLE) (per BDS)	EA	02
CATHETERIZATION SET, URETERAL, DISP, 16 FR W/ 10ML SYRINGE	SE	01
COMBAT CASUALTY RESPONSE BAG - MEDIC/TRAUMA SHEET	EA	02
COMPRESS AND BANDAGE FIELD, 18" X 22"	EA	04
EMERGENCY TRAUMA DRESSING 4in OR ISRAELI TRAUMA DRESSING 4in	EA	12

BATTLE DRESSING STATION EQUIPMENT/SUPPLIES. (cont.)

Item	U/I	QTY
EMERGENCY TRAUMA DRESSING 6in OR ISRAELI TRAUMA DRESSING 6in	EA	06
EMERGENCY TRAUMA DRESSING ABDOMINAL OR ISRAELI TRAUMA DRESSING ABDOMINAL	EA	12
EPINEPHRINE AUTO INJ, USP 1:1000 (EPIPEN)	EA	02
EXAM GLOVES NITRILE (LARGE) (ENSURE APPROPRIATE SIZE IS AVAILABLE FOR MEDICAL PERSONNEL)	BX	01
EXAM GLOVES NITRILE (MEDIUM)	BX	01
GAUZE COVERED 2 ½" X 2 1/8" 50s (EYE PADS)	PG	01
GLOVES, STERILE SURGEONS (STOCK WITH APPROPRIATE SIZES FOR MEDICAL PERSONNEL: IDHS, MO, or STRETCHER BEARERS) *4 PAIRS per each medical personnel	PR	04*
GOWN, OPERATING SURGICAL MEDIUM (DISPOSABLE)	EA	03
HYDROGEN PEROXIDE SOLUTION, 1 PT	BT	01
IV CATHETER 14 G	EA	04
IV CATHETER 16 G	EA	04
IV CATHETER 18 G	EA	04
IV CATHETER 20 G	EA	04
IV CATHETER 22 G	EA	04
IV SOLUTION ADMINISTRATION SET MINI-DRIP	EA	04
IV SOLUTION ADMINISTRATION SET,	EA	24
KING LT-D AIRWAY SIZE 4	EA	02
LIDOCAINE 1% WITH EPI, 20 ML	VI	01

## BATTLE DRESSING STATION EQUIPMENT/SUPPLIES. (cont.)

Item	U/I	QTY		
LIDOCAINE HCL INJ 1% PLAIN, 50 ML	BT	01		
LIFESAVER@ AIRWAY SET	EA	01		
LUBRICANT SURGICAL, 4OZ	TU	02		
MASK SURGICAL	BX	01		
MINOR SURGERY SET, DISPOSABLE	EA	03		
MORPHINE INJ 10 MG/ML, 1 ML, 10 per Box, (EXCEPT IN WARTIME THIS ITEM MUST BE MAINTAINED IN SICKBAY SAFE WITH OTHER CONTROLLED SUBSTANCES) Ensure proper delivery device is stored with the medication. (tubex).	2A	2B	2C	2D
	2 BX	1 BX	1 BX	1 BX
NEEDLE HYPODERMIC DISP 18G 1 ½"	PG	01		
NEEDLE HYPODERMIC DISP 23G ¾"	PG	01		
OXYGEN DELIVERY SET, (WITH REGULATOR AND CYLINDER)	EA	01		
PAD, ISOPROPYL ALCOHOL	PG	02		
PIN, SAFETY, CUR, ORTHO, LT 12'S	PG	01		
POVIDINE IODINE PREP SOLUTION , 16 OZ	BT	04		
QUICK CLOT COMBAT GAUZE NSN: 6510-01-562-3325	PG	02		
SCALPEL, DISPOSABLE, W/NO. 10 BLADE	PG	01		
SCALPEL, DISPOSABLE, W/NO. 11 BLADE	PG	01		
SCISSORS BANDAGE 5 ½"	EA	02		
SODIUM CHLORIDE INJ 0.9%, 1000 ML	EA	05		
SPONGE SURGICAL GAUZE COMPRESSED, 2" X 2", 200s	PG	02		
SPONGE SURGICAL GAUZE COMPRESSED, 4" X 4", 200s	PG	05		
STETHOSCOPE, COMBINATION TYPE	EA	01		

BATTLE DRESSING STATION EQUIPMENT/SUPPLIES. (cont.)

Item	U/I	QTY
STYLETTE	EA	01
SYPHGMOMANOMETER ANEROID	EA	01
SYRINGE 10CC	EA	02
SYRINGE HYPODERMIC DISP 5ML	EA	20
SYRINGE, CARTRIDGE SLIDE/LOADING	EA	01
TETRACAINE 0.5% OPHTH SOL, 15 ML	BT	01
TRIAGE TAGS	BX	01
TUBE, ENDOTRACHEAL (ASSORTED SIZES)	PG	01

4. Portable Medical Lockers (PML).

- a. Portable medical lockers contain enough medical supplies and equipment to support a large number of casualties remote from sickbay. Each PML shall be located, one forward and one aft, at or near Damage Control Party Lockers. They are to be sealed to prevent pilferage. An inventory should be posted with expiration dates outside the locker. PMLs shall be inspected monthly and inventoried quarterly. The date of the inspection and inventory shall be listed on a tag on the outside of the PML as well as noted in the HS log. Contents of PMLs are shown in Figure (2-5).
- b. PML Requirements: Class 2A, 2B, 2C: (2 each); Class 2D: (1 each).

PORTABLE MEDICAL LOCKERS (PML).

Item	U/I	QTY
ACE 3"	RO	20
ADHESIVE TAPE SURGICAL 12" X 10 YDS	RO	04
APPLICATOR, COTTON TIPPED 100s	PG	01
BANDAGE ADHESIVE ¾" X 3" (BANDAIDS) 300s	BX	01
BANDAGE GAUZE ELASTIC 6PLY 3" X 6 YDS	PG	01
BANDAGE MUSLIN 37" X 52" (CRAVATS)	EA	10

## PORTABLE MEDICAL LOCKERS (PML). (cont.)

Item	U/I	QTY
BLANKET, BED, WOOL or MYLAR SPACE BLANKET NSN:7210-00-935-6667	EA	01
BOLIN CHEST SEAL	BX	01
COMBAT APPLICATION TOURNIQUET nsn 6515-01-521-7976	EA	04
DRAPE, SURG, GREEN, STERILE, 24 X 24"	EA	04
EMERGENCY TRAUMA DRESSING 6in OR ISRAELI TRAUMA DRESSING 6in	EA	10
EMERGENCY TRAUMA DRESSING ABDOMINAL OR ISRAELI TRAUMA DRESSING ABDOMINAL	EA	10
EPINEPHRINE AUTO INJ, USP 1:1000	EA	02
EXAM GLOVES NITRILE DISPOSABLE (APPROPRIATE SIZE FOR MEDICAL PERSONNEL)	BX	01
GAUZE COVERED 2 ½" X 2 1/8" (EYE PADS)	PG	01
GLOVES, SURGEONS SIZE ( STOCK WITH APPROPRIATE SIZES FOR MEDICAL PERSONNEL: IDHS, MO, or STRETCHER BEARERS) *4 PAIRS per each medical personnel	PR	04*
HYDROGEN PEROXIDE SOLUTION, USP, PT	BT	01
IV CATHETER 14G, 3 ¼ INCH, FOR CHEST DECOMPRESSION	EA	02
IV CATHETER 14 G, 1 ¼ INCH	EA	04
IV CATHETER 16 G	EA	04
IV CATHETER 18 G	EA	04
IV CATHETER 20 G	EA	04
IV CATHETER 22 G	EA	04
IV SOLUTION ADMINISTRATION SET	EA	12

## PORTABLE MEDICAL LOCKERS (PML). (cont.)

Item	U/I	QTY
IV SOLUTION ADMINISTRATION SET MINI-DRIP	PG	04
LIDOCAINE HCL INJ 1% W/O EPI, 50 ML	EA	1
LIDOCAINE HCL INJ 1% WITH EPINEPHRINE, 20 ML	EA	1
LIFE SAVER AIRWAY SET	SE	01
MASK SURG DISPOSABLE	BX	01
MINOR SURGERY SET, DISPOSABLE	SE	03
NEEDLE, HYPO, DISP, STERILE, 21G, 1", 100S	PG	1
POCKET MASK	EA	02
PROVIDONE IODINE PREP SOLN 16 OZ	BT	02
QUICK CLOT COMBAT GUAZE NSN: 6510-01-562-3325	PG	02
SAM SPLINT, UNIVERSAL	RO	04
SCISSORS, BANDAGE 7 ¼"	EA	04
SKIN MARKER, SURG, PEN TYPE, DISPOSABLE	EA	01
SODIUM CHLORIDE 0.9%, 1000 ML	EA	12
SPONGE SURGICAL 2" X 2" INDIVIDUAL	PG	02
SPONGE SURGICAL 4" X 4" INDIVIDUAL	PG	02
SUTURE, ABSORB, SURG, SZ 4-0, VICRYL, 12S	PG	1
SUTURE, NONABSORB, NYLON, ARMED, SZ 5-0, 12S	PG	1
SYRINGE, HYPO, STERILE, DISP, 10CC,	EA	50
TRIAGE TAGS	BX	01

5. Decontamination Locker (For Class 2 Vessels with CBR Requirements Only).

- a. The decontamination lockers shall be maintained at or near each saltwater decontamination station as designated in the ships design. An inventory list (figure 2-6) shall be posted outside the locker. This inventory shall include as a minimum, Item, quantity, quality control data, and documented date of inspections. Decon lockers are to be inspected monthly and inventoried quarterly.
- b. Decontamination Locker Requirements: One or two per vessel as required by ships configuration.

DECONTAMINATION LOCKER\*\*  
(CARRY ON BOARD ONLY WHEN DIRECTED BY AREA COMMANDER)

DECON LOCKER.

Item	U/I	QTY
ALCOHOL, ISOPROPYL, 1 QT	BT	01
APPLICATOR, DISP. 100'S	PG	04
BATTERY, SIZE AA	EA	04
BRUSH, SURGICAL SCRUB	EA	12
CLIPPER, NAIL, 3 IN	EA	04
CLIPPERS, HAIR, AA BATTERY OPERATED	EA	01
GLOVES, VINYL, DISP, 100's	PG	01
HYDROGEN PEROXIDE	BT	02
NAVMED P-5041 TX OF CHEM/CHEM AGENTS & CONVENTIONAL MILITARY INJURIES	EA	01
NAVMED P-5046 MED MGMT OF CASUALTIES IN NUCLEAR WARFARE	EA	01
NEEDLE, HYPODERMIC, DISPOSABLE, 22 GA	EA	50
SCISSORS, BANDAGE, ANGULAR, 5 IN, LISTER	EA	06
SKIN MARKER, SURGICAL	UN	01
SOAP, 2.5 OZ ANTISEPTIC	PG	200

DECON LOCKER. (cont.)

Item	U/I	QTY
SPONGE, SURGICAL, GAUZE, COMPRESS, 4x4, 200s	PG	02
SYRINGE, HYPODERMIC, DISPOSABLE, 3 ML	EA	50
TOWEL, BATH, WHITE	EA	130
WATER FOR IRRIGATION, STERILE, 1000 ML	BT	02

The following medications shall be kept on board in a controlled access area in a separate water proof container, which shall be locked and a tamper resistant numbered seal attached. The following site contains examples of numbered seals:

<http://www.hcl-intl.com/mall/dynamic.asp?fmcategory=rb&Go=+Go%21>. The controlled medications in this container must be inventoried quarterly along with the other controlled substances. Contact your HSWL Field Office pharmacist for additional guidance.

DECON LOCKER MEDICATIONS.

ATROPINE SULF INJ. 2 MG/ML, 25 ML	VI	**
ATROPINE INJ. AUTOMATIC, 2 MG	EA	03*
CONVULSANT ANTIDOTE NERVE AGENT (CANA), (DIAZEPAM 5 MG/ML 2 ML AUTOINJECTOR SYRINGE)	EA	03*
(In replace of the Atropine Inj. Automatic and Pralidoxime Inj. Automatic, Units may purchase <a href="#">MARK I KITS</a> )	EA	03*
PRALIDOXIME INJ. AUTOMATIC	EA	03*

All vessels are required to have a hard copy of the Chemical, Biological, Radiological, and Nuclear Defense (CBRN-D) Policy For Coast Guard Expeditionary Forces, COMDINST 3400.4 (FOUO) when carrying decon supplies.

\* INDICATES REQUIREMENT PER CREW MEMBER.

\*\* INDICATES ONE VIAL PER 4 CREWMEMBERS.

This page intentionally left blank.

**CHAPTER 3. CLINICAL MEDICINE****A. General Information.**

1. This section contains a list of required health care materials (consumable supplies, minor and major equipment, sets, and outfits) necessary to provide initial outfitting and set minimum requirements for Coast Guard units.
2. Items that are added to this list from time-to-time shall not be requisitioned if a similar item on hand is functionally adequate to accomplish the intended purpose.
3. In some cases, items contained in this chapter are also mentioned in other chapters of this publication. **Required items need not be duplicated if they are listed in another section of the HSAL other than the BDS.**

**B. Required Clinical Medicine, Equipment and Supplies.**

1. The following is the minimum requirements for medical and surgical instruments, equipment and supplies, which shall be maintained onboard.

**MEDICAL SURGICAL SUPPLIES.**

Item	U/I	Class			
		2A	2B	2C	2D
ADHESIVE TAPE, SURG, 12" X 10 YDS, ASSORTED SIZE	RO	02	02	02	02
ADHESIVE TAPE, SURG, 12" X 5 YDS, MOLESKIN	RO	01	01	01	01
ADVANCED AIRWAY COMBI and/or KING LT-D	EA	02	02	02	02
AIRWAY, PHARYNGEAL SET	SE	03	03	03	03
APPLICATOR, DISPOSABLE, STERILE, WOOD 100S	PG	12	12	12	12
BAG, HOT WATER-ICE, STOPPERLESS, RUBBER, 2 QT	EA	02	02	02	02
BANDAGE, ADHESIVE, (BANDAIDS), 100S	BX	06	06	02	02
BURN DRESSING, 8" x 18"	EA	12	12	06	06
BANDAGE, COTTON, ELASTIC, RUBBER, 3" X 4 YDS, 12S	PG	12	12	06	06

## MEDICAL SURGICAL SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
BANDAGE, COTTON, ELASTIC, RUBBER, 6" X 4 YDS, 12S	PG	06	06	03	03
BANDAGE, GAUZE, ROLL, 1" X 6YDS, 12S	PG	20	20	12	12
BANDAGE, GAUZE, ROLL, 3" X 10YDS, 12S	PG	12	12	06	06
BANDAGE, GAUZE, ROLLED, 2-PLY, 3" X 5YDS, 12S	PG	03	03	03	03
BANDAGE, GAUZE, ROLLED, 6-PLY, 4" X 4YDS, 12S	PG	03	03	03	03
BANDAGE, GAUZE, TUBUL, LG FIN/TOES, 7/8 X 5 YD	RO	01	01	01	01
BANDAGE, GAUZE, TUBUL, SM FIN/TOES, 5/8 X 5 YD	RO	01	01	01	01
BANDAGE, MUSLIN, COMP, 37 X 37 X 52"	EA	48	48	24	12
BASIN, EMESIS, DISPOSABLE, KIDNEY SHAPED, 500ML	EA	12	12	12	12
BASIN, WASH, 9 QT DISPOSABLE	EA	12	12	12	12
BASIN, WASH, CRS, 4 QT, HAND BASIN	EA	02	02	01	01
BEDPAN, OVAL, DISPOSABLE	EA	02	02	01	01
BEDSPREAD, COTTON	EA	06	06	03	03
BLADE, FINGER-RING SAW, STEEL, CARBON	EA	01	01	01	01
BLANKET BED, SYNTHETIC	EA	12	12	12	12
BLANKET, BED, WOOL	EA	12	12	06	06
BLANKET, BURN RELIEF, STERILE, 50 X 72", 4S	PG	02	02	02	02
BOLIN CHEST SEAL	EA	02	02	02	02
BOWL, SURG, ALUM, 6" TOP DIAMETER	EA	03	03	01	01
BRUSH, SURG SCRUB, NYLON	EA	24	24	24	24

MEDICAL SURGICAL SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
CANE, WALKING, 36", CURV HANDLE, W/O TIP	EA	01	01	01	01
CATHETER & CONNECTOR, SUCTIONS, TRACHEAL	EA	01	01	01	01
CATHETERIZATION PACK, URETHRAL, DISP 16FR	PG	03	03	02	02
CATH-NEEDLE, IV, 16G, DISP, 50S	PG	01	01	01	01
CATH-NEEDLE, IV, 18G, DISP, 50S	PG	01	01	01	01
CATH-NEEDLE, IV, 20G, DISP, 50S	PG	01	01	01	01
CHART SET, VISUAL ACUITY, DIST VISION	SE	01	01	01	01
CHART SET, VISUAL ACUITY, NEAR VISION	SE	01	01	01	01
COMBAT APPLICATION TOURNIQUET	EA	02	02	02	02
COTTON, ROLLED, PURIF, USP, 1 OZ	PG	01	01	01	01
CRUTCH, ADJUST, WOOD, 48-59"	PR	02	02	01	01
CUSHION, CRUTCH, AUX, SPONGE-RUBBER, 2S	PR	06	06	03	03
CUSHION, RING, INFLAT, OVAL SHAPED, 18", 12S	PG	01	01	01	01
DEPRESSOR, TONGUE, 100S	PG	06	06	03	03
DERMABOND 0.5ML AMPULE	BX	01	01	01	01
ELECTROCARDIOGRAM, AUTO, PORTABLE, 115 V	EA	01	00	00	00
ELECTROSURGICAL APPAR, PORTABLE, 110V	EA	01	00	00	00
EMERGENCY TRAUMA DRESSING 4in OR ISRAELI TRAUMA DRESSING 4in	EA	100	100	50	50
EMERGENCY TRAUMA DRESSING 6in OR ISRAELI TRAUMA DRESSING 6in	EA	48	48	24	12

MEDICAL SURGICAL SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
EMERGENCY TRAUMA DRESSING ABDOMINAL OR ISRAELI TRAUMA DRESSING ABDOMINAL	EA	48	48	24	12
EXTENSION SET, IV ADMIN	PG	01	01	01	01
FINGER COT, SURG, DISP, LARGE, 144S	PG	01	01	01	01
FIRST AID KIT, GUN BAG	EA	20	20	20	15
GAUZE ABSORB W/O IODOFORM, ¼ X 5YDS	BT	01	01	01	01
GAUZE, ABSORB, IODOFORM IMPREG, “”¼ X 5 YDS, 12S	PG	01	01	01	01
GLOVES, SURGEON, PREPOWDERED, STERILE, APPROPRIATE SIZE FOR MEDICAL PERSONNEL	PR	24	24	24	24
HAMMER, REFLEX TESTING, TAYLOR, RUBBER, 8”	EA	01	01	01	01
HUMIDIFIER, OXYGEN, DIFFUSER, 400ML BT	EA	03	03	03	03
INSECT REPELLENT, CLOTH & SKIN, DEET, 20Z, 12S	BT	10	10	10	10
INTEGRATED SPLINT MATERIAL 2”	PG	04	04	02	02
INTEGRATED SPLINT MATERIAL 4”	PG	04	04	02	02
IV INJ SET, W/O NEEDLE, PLAS, DISP, 48S	PG	01	01	01	01
KNEE IMMOBILIZER, LARGE	EA	01	01	01	01
KNEE IMMOBILIZER, MEDIUM	EA	01	01	01	01
LARYNGOSCOPE, CHILD-ADULT, WISCONSIN	EA	01	01	01	01
MASK, ORONASAL, POCKET WITH OXYGEN INLET	EA	06	06	06	06
MASK, SURGICAL, NONWOVEN, CUPPED, DISP, 50S	PG	01	01	01	01
MASK. ORONASAL, PLAST, DISP, SEMI-RIGID, 50S	PG	01	01	01	01

MEDICAL SURGICAL SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
MEDEVAC RESCUE (SAR) LITTER	EA	04	06	03	02
MINOR SURGERY KITS (DISPOSABLE)	EA	20	20	10	10
MIRROR, LARYNGEAL, LONG HANDLE, SZ 3, 3/4" DIA	EA	01	01	01	01
N95 RESPIRATOR, 10 CT (FOR HS USE ONLY)	BX	01	01	01	01
NEEDLE, FILTER	EA	05	05	05	05
NEEDLE, HYPO, DISP, STERILE, 18G, 1", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 20G, 1", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 21G, 1", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 22G, 1", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 23G, 3/4", 100S	PG	01	01	01	01
NEEDLE, HYPO, DISP, STERILE, 26G, 1", 100S	PG	01	01	01	01
NIPPER, INGROWN TOENAIL, CONCAVE, 5"	EA	01	01	01	01
OTOSCOPE/OPHTHALMOSCOPE SET, BATTERY OPERATED	EA	01	01	01	01
OXYGEN, NASAL CANNULA, 50s	PG	01	01	01	01
PAD, ISOPROPYL ALCOHOL IMPREG, 100S	BX	06	06	04	04
PAD, NONADHERENT, 2 X 3", 100S	PG	06	06	04	04
PAD, POVIDONE-IODINE, IMPREG, 100S	PG	03	03	01	01
PAD, STERILE EYE PAD, 2 X 2", 50S	PG	01	01	01	01
PAIL, UTILITY, 12" HIGH, 12 QT	EA	01	01	01	01
PILLOW, BED, POLY, NONALLERG, 20 X 26"	EA	06	04	02	02
PILLOWCASE, COTTON or DISPOSABLE	EA	06	06	02	02

MEDICAL SURGICAL SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
PIN, SAFETY, CURV, ORTHO, LG, 12S	PG	01	01	01	01
PROVIDONE IODINE PREP SOLN 16 OZ	BT	06	06	06	06
QUICK CLOT COMBAT GUAZE NSN: 6510-01-562-3325	PG	06	06	06	06
REFRIGERATOR WITH HIGH/LOW TEMPERATURE RECORDER	EA	01	01	01	01
SALICYLIC ACID PLASTER, 3 X 2", 25S	PG	01	01	01	01
SAW, FINGER-RING WITH BLADE	EA	01	01	01	01
SCALE, PERSON, WEIGHT, 300LBS	EA	01	01	01	01
SCALPELS, SURG, DISPOSABLE, W/NO 10 BLADE	PG	06	06	06	06
SCALPELS, SURG, DISPOSABLE, W/NO 11 BLADE	PG	06	06	06	06
SCALPELS, SURG, DISPOSABLE, W/NO 15 BLADE	PG	06	06	06	06
SCISSORS, BANDAGE, 5", (1 SHARP, 1 BLUNT END)	EA	01	01	01	01
SCISSORS, BANDAGE, 7", ANGLE, LISTER	EA	01	01	01	01
SCISSORS, GEN SURG, CRVD, MAYO, BLUNT PT, 5"	EA	01	01	01	01
SCISSORS, GEN SURG, STR, MAYO, BLUNT PT, 6-3/4"	EA	01	01	01	01
SCISSORS, IRIS, CURVED, 4"	EA	01	01	01	01
SCISSORS, IRIS, STRAIGHT, 4"	EA	01	01	01	01
SCREWDRIVER SET, JEWELERS	SE	01	01	01	01
SEXUAL ASSAULT DETERM KIT (TO BE USED BY MO ONLY)	EA	01	00	00	00
SHEARS, PLASTER CUTTING, HAND, STILLE, 15"	EA	01	01	01	01

MEDICAL SURGICAL SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
SHEET, BED, COTTON-POLY or DISPOSABLE	EA	06	06	02	02
SKIN CLOSURE, ADHESIVE, SURG, 1/4" X 4"	EA	100	100	100	100
SKIN MARKER, SURG, PEN TYPE, 100S	PG	.01	.01	.01	.01
SKIN STAPLER (DISPOSABLE)	EA	02	02	02	02
SPECULUM, NASAL, VIENNA, 5-3/4"	EA	01	01	01	01
SPECULUM, VAGINAL, GRAVES, PIVOT BLADE, 5"	EA	02	00	00	00
SPHYGMOMANOMETER, ANEROID, 300MM	EA	01	01	01	01
SPLINT, FINGER, ALUMINUM, 3/4 X 18", 12S	PG	03	03	01	01
SPLINT, LEG, TRACTION	EA	02	02	02	02
SPONGE, SURG, 12-PLY, GAUZE, 2 X 2", 200S	PG	04	04	02	02
SPONGE, SURG, 8-PLY, GAUZE, 4 X 4", 200S	PG	12	12	12	12
SPREADER, PLASTER CAST, STRYKER, 1-1/8"	EA	01	01	01	01
STAND, ADJUST, SURG INSTRUMENT	EA	01	01	01	01
STETHOSCOPE, COMBO TYPE	EA	02	02	01	01
STIRRUP ANKLE SPLINT	PG	02	02	02	02
STOOL, FOOT, STRAIGHT, 18", REVOLVING SEAT	EA	01	01	01	01
STOPCOCK, IV THERAPY, PLAST, DISP, STER, 50S	PG	01	01	01	01
SUCTION APPARATUS, SURGICAL, 115 VOLT, AC/DC	EA	01	01	01	01
SUCTION APPART, OROPHARYNGEAL, PORTABLE	EA	01	01	01	01
SUTURE REMOVAL KITS (DISPOSABLE)	EA	06	06	06	06

MEDICAL SURGICAL SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
SUTURE STAPLE REMOVAL KIT DISPOSABLE	EA	02	02	02	02
SUTURE, ABSORB, POLY-ACID, ARMED, 4-0, 36S	EA	01	01	01	01
SUTURE, ABSORB, SURG, SZ 4-0, VICRYL, 12S	DZ	02	02	01	01
SUTURE, NONABSORB, NYLON, ARMED, SZ 5-0, 12S	PG	02	02	02	01
SYRINGE, EAR IRRIGATING, METAL, PISTON TYPE	EA	01	01	01	01
SYRINGE, HYPO, DISP, 3ML, 100S	EA	01	01	01	01
SYRINGE, HYPO, STERILE, DISP, 10CC, 100S	PG	01	01	01	01
SYRINGE, HYPO, STERILE, DISP, 20CC, 50S	PG	01	01	01	01
SYRINGE, HYPO, STERILE, DISP, 5CC, 100S	PG	01	01	01	01
SYRINGE, IRRIGATING, SURG, DISP, 60ML, 60S	PG	01	01	01	01
TAPE, ADHESIVE SURG, RAYON 1" X 10 YDS, 12S	PG	02	02	01	01
THERMOMETER, CLINICAL, HUMAN O/R 70°-100°F	EA	03	03	03	03
THERMOMETER, CLINICAL, HUMAN ORAL	EA	03	03	03	03
THERMOMETER, CLINICAL, HUMAN RECTAL	EA	01	01	01	01
TIP, CANE/CRUTCH, 12S	PG	01	01	01	01
TONOMETER, OPHTHAL, TONO PEN	EA	01	00	00	00
TOWEL PACK, SURGICAL, (DISPOSIBLE)	PG	01	01	01	01
TOWEL. HAND, COTTON, NONDISP, 36" X 17"	EA	12	12	12	12
TRAY, INSTRUMENT, CRS, W/O COVER	EA	03	03	01	01
TRIAGE TAGS	BK	04	04	04	02

MEDICAL SURGICAL SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
TUBE, DRAIN, SURG, DISP, 7/8" RUBBER, 12S	BX	01	01	01	01
TUBE, STOMACH, SURG, LAVAGE, 30 FR, FNL, 60"	EA	02	00	00	00
TUNING FORK, C-128 VIBRATIONS	EA	01	01	01	01
URINAL, MALE, 2 QT DISPOSABLE	EA	03	03	02	02
WOODS LAMP (w/spare bulbs)	EA	01	01	01	01
APLS Body Guard (Body Bag)	EA	06	06	06	06

This page intentionally left blank.

## CHAPTER 4. PHARMACEUTICALS

### A. General Information.

1. Point of contact for information related to pharmaceuticals, pharmacy supplies and references is:
  - a. Regional Pharmacy Executive (RPE), or
  - b. Commandant (CG-1122), Pharmacy Program Coordinator.
2. All medications shall be prescribed in accordance with the Coast Guard Medical Manual COMDTINST M6000.1 (series).
3. The IDHS shall make all reasonable attempts to contact their DMOA or the Flight Surgeon on call, through the closest Coast Guard Command Center; prior to the administration of medication not included in CIM 6570.1 (series), Standardized Health Services Technician Formulary. In the event of an emergency medical condition requiring immediate administration of medication (e.g., anaphylaxis), the IDHS shall contact their DMOA or the Flight Surgeon on call, through the closest Coast Guard Command Center as soon as possible.
4. HSs assigned to Class 2 units shall maintain drug formularies consisting of:
  - a. 90 day supply of products, based on HS preference, selected from the Standardized Health Services Technician Drug Formulary, COMDTINST 6570.1 (series).
  - b. HSAL medications required by this Manual.
  - c. A limited quantity of other medications for which crewmembers have prescriptions. These medications should only be used for the crewmember with a previous prescription unless medical officer consultation directs their use for another crewmember and/or patient. Upon discontinuance of the medication or PCS of the crewmember, the medication shall be returned immediately to the CG pharmacy responsible for the vessel.
  - d. Items authorized for distribution via the Coast Guard Nonprescription Medication Program.
  - e. Other medications authorized in writing by their Designated Medical Officer Advisor. The stocking of any other medications on Class 2 vessels is NOT authorized.
5. Pharmaceuticals are expiration dated and shall be rotated to avoid waste. It is the HS's responsibility to minimize waste by maximizing stock rotation through their collateral pharmacy officer.
6. Only the controlled substances listed are authorized for procurement by Class 2 units. Units should contact their RPE for obtaining the required controlled medications. All controlled substance transaction records shall be kept for three years.
7. All pharmaceuticals are RPE supplied items. Consult the RPE responsible for your unit for procurement request and information.
8. The "Notes" Section of this list uses the following codes:
  - "C" Controlled Substance
  - "R" Refrigerated Item

9. Also enclosed in this section is the list of items authorized for use in over-the-counter programs if the unit should opt to provide this service. Other information concerning this program can be found in Medical Manual, COMDTINST M6000.1 (series).

10. Manufacturer’s drug samples are not authorized and shall not be stored or used on Class 2 units.

B. Required Pharmaceuticals.

1. ANALGESICS.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
ACETAMINOPHEN & CODEINE 30 MG TABS, 100s	BT	01	01	01	01	C
IBUPROFEN 800 MG TABS, 500s	BT	02	01	01	01	
MORPHINE SULF INJ 10MG/ML, 1 ML, 10s	BX	01	01	01	01	C
OXYCODONE HCL AND ACETAMINOPHEN TABS, 100s	BT	01	01	01	01	C
PHENAZOPYRIDINE HCL 100 MG TAB, 100s	BT	01	01	01	01	

2. ANTIBIOTICS / ANTI-INFECTIVES.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
ACYCLOVIR 200 MG CAPS, 100s	BT	01	01	01	01	
AMOXICILLIN 250 MG CAPS, 100s	BT	12	12	12	06	
CEFAZOLIN SOD INJ 1 GM	EA	06	04	02	02	
CEFTRIAZONE SOD INJ 1 GM, 10s	PG	01	01	01	01	
CEPHALEXIN 500 MG CAP, 100s	BT	01	01	01	01	
CHLOROQUINE PHOS 500MG TAB, 25s	BT	*	*	*	*	

ANTIBIOTICS / ANTI-INFECTIVES. (cont.)

AMOXICILLIN / CLAVULANATE POTASSIUM (AUGMENTIN) 875MG, 30s	BT	02	02	01	01	
AZITHROMYCIN 250MG TABS 6's (Z-PACK)	EA	06	06	06	06	
CIPROFLOXACIN HCL 500 MG TABS, 100s	BT	06 **	06 **	04 **	01 **	
CLINDAMYCIN 150 MG, CAPS 100s	BT	01	01	01	01	
DOXYCYCLINE 100 MG TABS, 500s	BT	04 ***	04 ***	04 ***	04 ***	
METRONIDAZOLE 250 MG TABS, 250s	BT	01	01	01	01	
PENICILLIN VK TAB 250 MG, 100s	BT	06	06	06	03	
SULFAMETHOXAZOLE/TRIMETHOPRIM DS TAB, 250s	BT	01	01	01	01	

- \* ITEM TO BE PROCURED ONLY WHEN ADVISED OF DEPLOYMENT TO CHLOROQUINE-SENSITIVE MALARIA AREA.
- \*\* ALLOWANCE QUANTITY IS FOR NON-CBR PURPOSES ONLY. REQUIREMENT TO INCREASE QUANTITIES FOR CBR PURPOSES IS AT THE DIRECTION OF THE AREA COMMANDER. CURRENT QUANTITY REQUIREMENT IS THIRTY 500MG TABLETS PER CREWMEMBER WHEN DEPLOYED UNDER A POTENTIAL CBR ENVIRONMENT. CONTACT COGNIZANT MLC (K) PHARMACY OFFICER TO VERIFY THAT REQUIREMENTS ARE CURRENT/VALID FOR A SPECIFIC DEPLOYMENT.
- \*\*\* ADDITIONAL QUANTITIES WILL BE REQUIRED WHEN DEPLOYING TO CHLOROQUINE-RESISTANT MALARIA AREAS.

3. ANTI-INFLAMMATORY.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
DEXAMETHASONE SOD PHOS INJ 4 MG/ML, 5 ML	VI	02	02	01	01	
PREDNISONE 5 MG TAB, 100s	BT	05	05	03	01	

4. ASTHMA.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
ALBUTEROL MDI, 17 GM	PG	04	04	02	02	
EPINEPHRINE HCL INJ, 1:1000, 1 ML, 10s	PG	02	02	02	02	
FLUTICASONE INHALATION, 110 MG	EA	02	02	02	02	
EPINEPHRINE AUTO INJ, USP 1:1000	EA	02	02	02	02	

5. CARDIAC / ANTIHYPERTENSIVE.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
ASPIRIN, 325 MG, 100 CT, UNCOATED	BT	01	00	00	00	
CURRENT ACLS DRUGS	KT	01	00	00	00	
FUROSEMIDE 10 MG/ML INJ, 4 ML, 5s	BX	01	00	00	00	
NITROGLYCERIN TABS SL 0.4 MG, 25s	BT	04	04	04	04	

6. GYNECOLOGICAL.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
CLOTRIMAZOLE 1% VAGINAL CREAM/APP, 45 GM	PG	12	06	06	03	
FLUCONAZOLE 150 MG TABS	PG	8	8	4	4	

7. GASTROINTESTINAL.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
CHARCOAL 50 GM IN WATER, 240 ML	BT	02	02	02	02	
DOCUSATE SODIUM 100 MG CAPS, 100s	BT	03	03	01	01	
MILK OF MAGNESIA	BT	04	02	02	02	
PROMETHAZINE 25 MG SUPPOSITORIES, 12s	BX	04	04	02	01	
PROMETHAZINE 25 MG/ML INJ, 1 ML, 10s	BX	02	02	02	02	
PRILOSEC 20MG CAPS, 100	BT	02	01	01	01	
SODIUM PHOSPHATES ENEMA, DISPOSABLE, 133 ML	BT	06	06	02	02	

8. IMMUNIZATIONS.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
TETANUS, REDUCED DIPHTHERIA, and ACELLULAR PERTUSSIS (Adult & Adol), Adacel 5 ML	BT	03	03	02	02	R

## 9. MISCELLANEOUS.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
CODEINE PO4/GUIA SYRUP, 4 FL.OZ	BT	12	12	12	12	C
DIPHENHYDRAMINE 50 MG/ML INJ, 1 ML, 10s	BX	01	01	01	0.5	
GLUCOSE 40% GEL, 31 GM, 3s	PG	02	02	02	01	
LIDOCAINE 1% WITH EPINEPHRINE, 20 ML	BT	04	04	02	02	
LIDOCAINE HCL INJ 1% W/O EPI, 50 ML	BT	04	04	02	02	
NALOXONE HCL INJ 0.4 MG/ML, 10 ML	VI	02	02	01	01	
SODIUM CHLORIDE 0.9%, INJ, 1000 ML	EA	24	24	12	12	
WATER FOR INJECTION, STERILE, 5 ML, 25s	PG	01	01	01	01	

ITEMS LISTED BELOW ARE ONLY REQUIRED FOR UNITS HAVING A CBR WARFARE REQUIREMENT SEE REQUIREMENTS IN CHAPTER 2.

CBR WARFARE.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
ATROPINE INJ, AUTOMATIC, 2 MG/0.7 ML	EA					
ATROPINE SULF INJ USP 2 MG/ML, 25 ML, (1 VIAL PER EVERY 4 PERSONNEL)	BT					
CONVULSANT ANTIDOTE NERVE AGENT (CANA), (DIAZEPAM 5 MG/ML 2 ML AUTOINJECTOR SYRINGE)	EA					C
PRALIDOXIME INJ, AUTOMATIC, 300 MG/2 ML	EA					

10. OPHTHALMICS.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
ARTIFICIAL TEARS OPHTH SOL, 5ML	BT	02	02	02	02	
ARTIFICIAL TEARS OPHTH OINT, 3.5GM	TU	02	02	02	02	
FLUORESCEIN SODIUM OPHTH STRIPS, 1 MG, 150s	PG	01	01	01	01	
GATIFLOXICIN 0.3% OPHTH SOL, 5ML	BT	02	02	02	02	
SULFACETAMIDE 10% OPHTH SOL, 15ML (SULFAMETHOXIZOLE)	BT	03	03	03	03	
TETRACAINE 0.5% OPHTH SOL, 15 ML	BT	03	02	01	01	

11. OTICS.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
ANTIPYRINE / BENZOCAINE / GLYCERIN (AURALGAN) OTIC SOLN 10ML	BT	01	01	01	01	
CARBAMIDE PEROXIDE OTIC SOLN, 0.5 OZ	BT	03	03	01	01	
NEOMYCIN/POLYMYX/HYDROCORT OTIC SUSP, 10 ML	PG	06	06	03	03	

12. PSYCHOTROPICS / NEUROLOGICAL.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
DIAZEPAM 5 MG TAB, 100s (strip packed)	PG	01	01	01	01	C
DIAZEPAM INJ USP 5 MG/ML, 2 ML, 10s	PG	01	01	01	01	C
HALOPERIDOL INJ USP, 5 MG/ML, 1 ML, 10s	PG	01	01	01	01	

13. TOPICALS.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
BACITRACIN/POLYMXIN B (POLYSPORIN) 15 GM	TU	04	04	04	04	
BENZOIN TINCTURE CPD, 1 PT	CN	01	01	01	01	
MUPIROCIN 2% OINT, 15 GM	TU	04	04	04	04	
PERMETHRIN (ELIMITE) LOTION 60 ML	TU	06	06	03	03	
PERMETHRIN (NIX) SHAMPOO 60 ML	BT	08	06	04	04	
POVIDONE IODINE SKIN CLEANSER, 7.5%, 118 ML	BT	12	12	06	06	
SODIUM CHLORIDE FOR IRRIGATION, STERILE 1000 ML	BT	12	12	06	06	
SULFADIAZINE SILVER CR 1%, 85 GM	TU	06	06	03	03	
TRANSDERMAL SCOPALOMINE 1.5 MG PATCHES, 4s	PG	10	06	06	03	
TRIAMCINOLONE ACET CR, 0.1%, 15 GM	TU	12	12	06	06	
TRIAMCINOLONE ACET DENTAL PASTE 0.1%, 5 GM	TU	06	06	03	03	

14. ANTIVIRALS.

Item	U/I	Class				Notes
		2A	2B	2C	2D	
COMBIVIR CAPS	EA	10	10	10	10	
KALETRA CAPS	EA	10	10	10	10	

C - Controlled item

R - Refrigerate

**CHAPTER 5. RADIOLOGY EQUIPMENT AND SUPPLIES****A. General Information.**

1. This section applies to CLASS 2A vessels only (ICEBREAKERS)
2. The following is the minimum requirements for x-ray equipment and supplies which shall be maintained onboard class 2A vessels.

**B. Required Radiology Equipment and Supplies.****RADIOLOGY EQUIPMENT AND SUPPLIES.**

<b>ITEM</b>	<b>U/I</b>	<b>2A</b>
BLOCKER SET, X-RAY FILM IDENTIFICATION, RADIOPAQUE, CONSIST OF 4 BLOCKER SHIELDS	SE	01
CALIPER, X-RAY TECHNIQUE, 1 FIXED AND 1 SLIDING JAW, GRADUATED AT 1 CM INTERVALS FOR MEASURING THICKNESS OF BODY PARTS	EA	01
GONAD SHIELD	EA	01
ILLUMINATOR, X-RAY FILM, FLOURESCENT ILLUMINATED, 110V, 60 CYC, AC, 30W, FOR VIEWING RADIOGRAPHICS UP TO 14 X 17 IN, WALL MOUNTED OR FREE STANDING.	EA	01
POLAROID PROCESSOR, PORTABLE	EA	01
POLAROID TYPE 803 8" X 10" FILM	PG	01
STANDARD TECHNIQUE CHART (WITH PICTURES/TUBE TILT/ANATOMICAL POSITIONS)	EA	01

This page intentionally left blank.

## CHAPTER 6 - LABORATORY EQUIPMENT AND SUPPLIES

A. Testing. Routine laboratory testing will only be conducted within the scope of the IDHS's training and authorization by the DMOA. The IDHS can conduct 'waived tests' given the facility is registered with the Center's for Medicare and Medicaid (CMS) with the unit's cognizant clinic CLIA certificate. A copy of the CLIA certificate must be posted in or near the laboratory testing area. All testing will be done according to manufacturer's instructions that accompany the test. All vessels with laboratory capabilities must have a Laboratory SOP Manual as per Quality Improvement Implementation Guide (QIIG) 23 which can be found at:

[http://www.uscg.mil/hq/cg1/cg112/cg1122/docs/pdf/QIIG\\_23\\_MedLab%20Rev%20Dec08.doc](http://www.uscg.mil/hq/cg1/cg112/cg1122/docs/pdf/QIIG_23_MedLab%20Rev%20Dec08.doc)

The following 'waived' laboratory testing authorized:

1. Urine – Siemens Multistix 10 SG
2. Urine HCG – Osom Card Pregnancy
3. Fecal occult blood – Beckman Coulter Hemocult SENSA
4. Rapid Strep A Antigen – Osom Ultra Strep A
5. Mononucleosis – Osom Mono Test
6. Spun Hematocrit – Iris CritSpin with Digital Reader
7. Glucose monitoring – Lifescan One Touch Ultra
8. Rapid HIV Test – Clearview HIV 1/2 Stat Pac

The IDHS must perform and document quality controls (QC) as directed by the manufacturer. The following controls are authorized for use:

1. Urine HCG: Bio-Rad quantify Control Levels 1 & 2
2. Spun Hematocrit: Bio-Rad Meter Trax Control Level High

The following is the minimum requirements for clinical laboratory equipment and supplies, which shall be, maintained onboard CLASS 2 vessels.

B. Required Laboratory Equipment and Supplies.

LABORATORY EQUIPMENT AND SUPPLIES.

Item	U/I	Class			
		2A	2B	2C	2D
BAG, BIOHAZARD, DISP, 26" X 18", 200S	PG	01	01	01	01
CUP, SPECIMEN DISPOSABLE, 100S	PG	01	01	01	01
CLEARVIEW HIV 1/2 STAT PAK	EA	10	10	10	10
DISPOSABLE CONTAINER, HYPO NEEDLE & SYRINGE,	PG	01	01	01	01
GLUCOMETER	EA	01	01	01	01
GLUCOMETER TEST STRIPS	PG	01	01	01	01
HGB METER TEST CARDS and TRANSFER TUBES	PG	01	01	01	01
HOLDER, BLOOD COLLECTING TUBE, PLASTICS 10S	PG	01	01	01	01
NEEDLE, VACCUTAINER, STERILE, DISPOSABLE, 20 GA, 100S	PG	01	01	01	01
RACK, TEST TUBE, FOLDING ALUMINIUM, 20 TUBES	EA	01			
STAT SITE M HGB METER	EA	01	01	01	01
STREP TEST KIT	KT	01	01	01	01
TEST KIT, HUMAN CHORIONIC GONADOTROPIN, ANTIBODY DETERMINATION, 24s	EA	01	01	01	01
TEST KIT, MONONUCLEOSIS DETERMINATION, 20 TESTS	EA	01	01	01	01
TEST KIT, OCCULT BLOOD	E	01	01	01	01
TOURNIQUET, NONPNEUMATIC, RUBBER, 14" X 1"	EA	02	02	02	02
TUBE, BLOOD COLLECTING, NONSTERILE VACUUM, 7ML, W/O ANTICOAGULANT RED TOP, 100S	PG	01	01	01	01

LABORATORY EQUIPMENT AND SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
TUBE, BLOOD COLLECTING, VACUUM, 7ML, W/ EDTA, LAVENDER TOP, 100S	PG	01	01	01	01
TUBE, BLOOD COLLECTING, VACUUM, 7ML, W/ NaF, GRAY TOP, 100S	PG	01	01	01	01
URINE TEST STRIPS AND COLOR CHART,	BT	02	01	01	01

This page intentionally left blank.

**CHAPTER 7 - DENTAL SUPPLIES AND EQUIPMENT****A. General Information.**

1. The best way to deal with dental emergencies is to prevent them. HSs must pay close attention to the dental health status of their crewmembers, ensuring that required examinations and treatment are completed before getting underway.
2. Nevertheless, the nature of sea duty is such that dental emergencies will arise periodically. While rarely serious, these emergencies can be extremely painful and can serve to debilitate any sailor. A working knowledge of the drug locker, especially antibiotic and analgesic medications, is essential in the management of dental emergencies at sea.

**B. Required Dental Equipment and Supplies.**

The following are the minimum requirements for dental instruments, equipment, and supplies, which shall be maintained onboard vessels. Items needing sterilization shall be sterilized (as needed) by your supporting clinic. Disposable items are authorized and encouraged if available.

**DENTAL EQUIPMENT AND SUPPLIES.**

Item	U/I	Class			
		2A	2B	2C	2D
CARVER, DENTAL, AMALGAM & WAX, DOUBLE ENDED, WALLS (NO.3)	EA	01	01	01	01
EUGENOL USP 1 OZ	BT	01	01	01	01
EXCAVATOR, HATCHET SHAPED BLADE DENTAL, NO. 17 AND 18	EA	01	01	01	01
EXPLORER, DENTAL (NO. 23), DISPOSABLE	EA	06	06	03	03
FORCEPS, DRESSING, ANGULAR JAWS, TWEEZER TYPE, 6-7/4 IN (NO.17)	EA	02	02	01	01
GAUZE, ABSORB. IODOFORM IMPREGNATED 25" X 5YD 12S	PG	01	01	01	01
IRM OR FUJI IX	PG	01	01	01	01
MIXING PAD, PAPER, DENTAL POLYM. 6" X 6" 10s	EA	01	01	01	01
MOUTH EXAMINING MIRROR (DISPOSABLE)	EA	06	06	03	03
ORAL PROTECTIVE PASTE (ORABASE)	TU	01	01	01	01

DENTAL EQUIPMENT AND SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
PLUGGER, PLASTIC FILLING, DENTAL, SINGLE ENDED (WOODSON NO.3)	Ea	01	01	01	01
SCISSORS, IRIS, CURVE	EA	01	01	01	01
SPATULA, DNTL (NO. 324)	EA	01	01	01	01

**CHAPTER 8. ENVIRONMENTAL HEALTH**

**A. General Information.**

1. Point of contact for comments/information related to environmental health equipment and supplies is Commandant (CG-1132), Environmental Health Program Manager.
2. The commanding officer is responsible for the health and readiness of the command IAW Medical Manual, COMDTINST M6000.1 (Series), Chapter 1. The health services department is charged with advising the commanding officer of conditions existing that may be detrimental to the health of personnel and for making appropriate recommendations for correcting such conditions. Meticulous attention to all details and aspects of preventing disease must be a continuing program. It is imperative that shipboard and station sanitation and preventive health practices be reviewed constantly in order that any disease-promoting situation may be discovered immediately and promptly eradicated.
3. Environmental health includes the following program areas:
  - a. Food service sanitation
  - b. Potable water supply
  - c. Pest control
  - d. Habitability
  - e. Wastewater treatment and disposal
  - f. Disease control
  - g. Exposure to chemical, physical, or biological agents

**B. Required Environmental Health Equipment and Supplies.**

1. The following are the minimum requirements for environmental health equipment, and supplies, which shall be, maintained onboard vessels. All listed items are standard stock.

**ENVIRONMENTAL HEALTH EQUIPMENT AND SUPPLIES.**

Item	U/I	Class			
		2A	2B	2C	2D
COLILERT, BACTERIOLOGICAL WATER TEST STARTER KIT (CAT. # WP600), IDEXX LABORATORIES INC., ONE IDEXX DRIVE, WESTBROOK, ME 04092 (800) 321-0207	EA	01	01	01	01
COMPARATOR SET, COLOR CHLORINE - BROMINE & PH DETERMINATION, DPD METHOD	SE	01	01	01	01

ENVIRONMENTAL HEALTH EQUIPMENT AND SUPPLIES. (cont.)

Item	U/I	Class			
		2A	2B	2C	2D
EYE WASH SOLUTION ADDITIVE (BACTERIACIDE, FUNGICIDE, ALGICIDE) 236.6ML *(1 BOTTLE PER EYE WASH STATION)	EA	01*	01*	01*	01*
QUESTEMP HEAT STRESS MONITOR (WBGT METER) QUEST ELECTRONICS 510 S. WORTHINGTON OCONOMOWOC, WI 53066 (414) 567-4047 *(SECOND UNIT TO BE USED AS BACKUP WHILE PRIMARY UNIT IS BEING CALIBRATED OR REPAIRED)	EA	02	02	02	02
RAT TRAP	EA	8	8	4	4
SMART II COLORIMETER	SE	01	01	01	01
TABLE TOP INCUBATER FOR WATER TESTING (CONTACT MLC FOR PURCHASING GUIDANCE)	EA	01	01	01	01
THERMOMETER, POCKET MAX-REGISTERING (PART #07293) ADAMS-BURCH, INC. 5556 TUXEDO RD. 20781 (800) 347-8093	EA	01	01	01	01
THERMOMETER, STICK TYPE (PART #06017) ADAMS-BURCH, INC. 5556 TUXEDO ROAD TUXEDO, MD 20781 (800) 347-8093	EA	01	01	01	01