
MARITIME SAFETY COMMITTEE
90th session
Agenda item 28

MSC 90/28/Add.4
21 June 2012
Original: ENGLISH

**REPORT OF THE MARITIME SAFETY COMMITTEE ON ITS
NINETIETH SESSION**

Attached is the third part of annex 4 (Annex 3, Amendments to the International Maritime Dangerous Goods (IMDG) Code (amendment 36-12), Index) to the report of the Maritime Safety Committee on its ninetieth session (MSC 90/28).

ANNEX 4

**RESOLUTION MSC.328(90) – ADOPTION OF AMENDMENTS TO THE
INTERNATIONAL MARITIME DANGEROUS GOODS (IMDG) CODE
(amendment 36-12)**

Annex 3

Index

Index

In this Index, the word "see", after the name in the substance, material or article column, means that it is a synonym and for details regarding the transport provisions reference shall be made to the entry in the Dangerous Goods List (chapter 3.2) which is relevant to the UN Number/Proper Shipping Name stated against the synonym.

Method of indexing

Substances, materials and articles have been listed in the alphabetical order of their names. For the purpose of determining the alphabetical order, numbers and roman numerals (I), (II) etc. and the prefixes listed below have been disregarded, although they form an integral part of the name:

| | |
|---------------------------|---------------------|
| <i>N-</i> | <i>sym-</i> |
| <i>n- or normal-</i> | <i>uns-</i> |
| <i>sec- or secondary-</i> | <i>cis-</i> |
| <i>tert- or tertiary-</i> | <i>trans-</i> |
| <i>o- or ortho-</i> | <i>d-</i> |
| <i>m- or meta-</i> | <i>α- or alpha-</i> |
| <i>p- or para-</i> | <i>β- or beta-</i> |
| | <i>γ- or gamma-</i> |

Note 1

Certain marine pollutants are identified only in the Index. These marine pollutants have not been assigned to an N.O.S. or generic entry. These marine pollutants may possess properties of classes 1 to 8 and should be classified accordingly. A substance which does not fall within the criteria of these classes should be offered for transport as an ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., UN 3077, or as an ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., UN 3082, under these entries in class 9.

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| ACETAL | – | 3 | 1088 |
| ACETALDEHYDE | – | 3 | 1089 |
| ACETALDEHYDE AMMONIA | – | 9 | 1841 |
| Acetaldehyde diethyl acetal, see | – | 3 | 1088 |
| ACETALDEHYDE OXIME | – | 3 | 2332 |
| Acetaldol, see | – | 6.1 | 2839 |
| <i>beta</i> -Acetaldoxime, see | – | 3 | 2332 |
| ACETIC ACID, GLACIAL | – | 8 | 2789 |
| ACETIC ACID SOLUTION more than 10% and less than 50% acid, by mass | – | 8 | 2790 |
| ACETIC ACID SOLUTION not less than 50% but no more than 80% acid, by mass | – | 8 | 2790 |
| ACETIC ACID SOLUTION more than 80% acid, by mass | – | 8 | 2789 |
| Acetic aldehyde, see | – | 3 | 1089 |
| ACETIC ANHYDRIDE | – | 8 | 1715 |
| Acetic oxide, see | – | 8 | 1715 |
| Acetoin, see | – | 3 | 2621 |
| ACETONE | – | 3 | 1090 |
| ACETONE CYANOHYDRIN, STABILIZED | P | 6.1 | 1541 |
| Acetone hexafluoride, see | – | 2.3 | 2420 |
| ACETONE OILS | – | 3 | 1091 |
| Acetone-pyrogallol copolymer 2-diazo-1-naphthol-5-sulphonate | – | 4.1 | 3228 |
| ACETONE SOLUTIONS | – | 3 | 1090 |
| ACETONITRILE | – | 3 | 1648 |
| 3-Acetoxypropene, see | – | 3 | 2333 |
| Acetylacetone, see | – | 3 | 2310 |
| Acetyl acetone peroxide (concentration \leq 32%, as a paste), see | – | 5.2 | 3106 |
| Acetyl acetone peroxide (concentration \leq 42%, with diluent Type A, and water, available oxygen \leq 4.7%), see | – | 5.2 | 3105 |
| ACETYL BROMIDE | – | 8 | 1716 |
| ACETYL CHLORIDE | – | 3 | 1717 |
| Acetyl cyclohexanesulphonyl peroxide (concentration \leq 32%, with diluent Type B), see | – | 5.2 | 3115 |
| Acetyl cyclohexanesulphonyl peroxide (concentration \leq 82%, with water), see | – | 5.2 | 3112 |
| Acetylene dichloride, see | – | 3 | 1150 |
| ACETYLENE, DISSOLVED | – | 2.1 | 1001 |
| Acetylene, ethylene and propylene mixtures, refrigerated liquid, see | – | 2.1 | 3138 |
| ACETYLENE, SOLVENT FREE | – | 2.1 | 3374 |
| Acetylene tetrabromide, see | P | 6.1 | 2504 |
| Acetylene tetrachloride, see | P | 6.1 | 1702 |
| ACETYL IODIDE | – | 8 | 1898 |
| Acetyl ketene, stabilized, see | – | 6.1 | 2521 |
| ACETYL METHYL CARBINOL | – | 3 | 2621 |
| Acid butyl phosphate, see | – | 8 | 1718 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| Acid mixture, hydrofluoric and sulphuric, see | — | 8 | 1786 |
| Acid mixture, nitrating acid, see | — | 8 | 1796 |
| Acid mixture, spent, nitrating acid, see | — | 8 | 1826 |
| Acraldehyde, stabilized, see | P | 6.1 | 1092 |
| ACRIDINE | — | 6.1 | 2713 |
| Acroleic acid, stabilized, see | — | 8 | 2218 |
| Acrolein diethyl acetal, see | — | 3 | 2374 |
| ACROLEIN DIMER, STABILIZED | — | 3 | 2607 |
| ACROLEIN, STABILIZED | P | 6.1 | 1092 |
| ACRYLAMIDE, SOLID | — | 6.1 | 2074 |
| ACRYLAMIDE SOLUTION | — | 6.1 | 3426 |
| Acrylic acid isobutyl ester, stabilized, see | — | 3 | 2527 |
| ACRYLIC ACID, STABILIZED | — | 8 | 2218 |
| Acrylic aldehyde, stabilized, see | P | 6.1 | 1092 |
| ACRYLONITRILE, STABILIZED | — | 3 | 1093 |
| Actinolite, see | — | 9 | 2590 |
| Activated carbon, see | — | 4.2 | 1362 |
| Activated charcoal, see | — | 4.2 | 1362 |
| ADHESIVES containing flammable liquid | — | 3 | 1133 |
| ADIPONITRILE | — | 6.1 | 2205 |
| Aeroplane flares, see FLARES, AERIAL | — | — | — |
| AEROSOLS | — | 2 | 1950 |
| AGENT, BLASTING, TYPE B | — | 1.5D | 0331 |
| AGENT, BLASTING, TYPE E | — | 1.5D | 0332 |
| AIR BAG INFLATORS | — | 1.4G | 0503 |
| AIR BAG INFLATORS | — | 9 | 3268 |
| AIR BAG MODULES | — | 1.4G | 0503 |
| AIR BAG MODULES | — | 9 | 3268 |
| AIR, COMPRESSED | — | 2.2 | 1002 |
| AIRCRAFT HYDRAULIC POWER UNIT FUEL TANK (containing a mixture of anhydrous hydrazine and methylhydrazine) | — | 3 | 3165 |
| AIR, REFRIGERATED LIQUID | — | 2.2 | 1003 |
| ALCOHOLATES SOLUTION, N.O.S. in alcohol | — | 3 | 3274 |
| Alcohol C ₁₂ –C ₁₆ poly(1–6)ethoxylate, see | P | 9 | 3082 |
| Alcohol C ₆ –C ₁₇ (secondary) poly(3–6)ethoxylate, see | P | 9 | 3082 |
| ALCOHOLIC BEVERAGES, with more than 24% but not more than 70% alcohol by volume | — | 3 | 3065 |
| ALCOHOLIC BEVERAGES, with more than 70% alcohol by volume | — | 3 | 3065 |
| ALCOHOLS, FLAMMABLE, TOXIC, N.O.S. | — | 3 | 1986 |
| ALCOHOLS, N.O.S. | — | 3 | 1987 |
| ALDEHYDES, FLAMMABLE, TOXIC, N.O.S. | — | 3 | 1988 |
| ALDEHYDES, N.O.S. | — | 3 | 1989 |
| Aldicarb, see CARBAMATE PESTICIDE | P | — | — |
| ALDOL | — | 6.1 | 2839 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Aldrin, see ORGANOCHLORINE PESTICIDE | P | — | — |
| ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S. | — | 4.2 | 3206 |
| ALKALI METAL ALLOY, LIQUID, N.O.S. | — | 4.3 | 1421 |
| ALKALI METAL AMALGAM, LIQUID | — | 4.3 | 1389 |
| ALKALI METAL AMALGAM, SOLID | — | 4.3 | 3401 |
| ALKALI METAL AMIDE | — | 4.3 | 1390 |
| ALKALI METAL DISPERSION | — | 4.3 | 1391 |
| ALKALI METAL DISPERSION, FLAMMABLE | — | 4.3 | 3482 |
| Alkaline caustic liquid, N.O.S., see | — | 8 | 1719 |
| ALKALINE EARTH METAL ALCOHOLATES, N.O.S. | — | 4.2 | 3205 |
| ALKALINE EARTH METAL ALLOY, N.O.S. | — | 4.3 | 1393 |
| ALKALINE EARTH METAL AMALGAM, LIQUID | — | 4.3 | 1392 |
| ALKALINE EARTH METAL AMALGAM, SOLID | — | 4.3 | 3402 |
| ALKALINE EARTH METAL DISPERSION | — | 4.3 | 1391 |
| ALKALINE EARTH METAL DISPERSION, FLAMMABLE | — | 4.3 | 3482 |
| ALKALOIDS, LIQUID, N.O.S. | — | 6.1 | 3140 |
| ALKALOIDS SALTS, LIQUID, N.O.S. | — | 6.1 | 3140 |
| ALKALOIDS SALTS, SOLID, N.O.S. | — | 6.1 | 1544 |
| ALKALOIDS, SOLID, N.O.S. | — | 6.1 | 1544 |
| Alkyl benzenesulphonates, branched and straight-chain (excluding C ₁₁ –C ₁₃ branched and straight-chain homologues), see | P | 9 | 3082 |
| Alkyl(C ₁₂ –C ₁₄)dimethylamine, see Note 1 | P | — | — |
| Alkyl (C ₇ –C ₉) nitrates, see Note 1 | P | — | — |
| ALKYLPHENOLS, LIQUID, N.O.S. (including C ₂ –C ₁₂ homologues) | — | 8 | 3145 |
| ALKYLPHENOLS, SOLID, N.O.S. (including C ₂ –C ₁₂ homologues) | — | 8 | 2430 |
| ALKYLSULPHONIC ACIDS, LIQUID with more than 5% free sulphuric acid | — | 8 | 2584 |
| ALKYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid | — | 8 | 2586 |
| ALKYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid | — | 8 | 2583 |
| ALKYLSULPHONIC ACIDS, SOLID with not more than 5% free sulphuric acid | — | 8 | 2585 |
| ALKYLSULPHURIC ACIDS | — | 8 | 2571 |
| Allene, stabilized, see | — | 2.1 | 2200 |
| ALLYL ACETATE | — | 3 | 2333 |
| ALLYL ALCOHOL | — | 6.1 | 1098 |
| ALLYLAMINE | — | 6.1 | 2334 |
| ALLYL BROMIDE | P | 3 | 1099 |
| ALLYL CHLORIDE | — | 3 | 1100 |
| Allyl chlorocarbonate, see | — | 6.1 | 1722 |
| ALLYL CHLOROFORMATE | — | 6.1 | 1722 |
| ALLYL ETHYL ETHER | — | 3 | 2335 |
| ALLYL FORMATE | — | 3 | 2336 |
| ALLYL GLYCIDYL ETHER | — | 3 | 2219 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| ALLYL IODIDE | - | 3 | 1723 |
| ALLYL ISOTHIOCYANATE, STABILIZED | - | 6.1 | 1545 |
| Allyl mustard oil, stabilized, see | - | 6.1 | 1545 |
| ALLYLTRICHLOROSILANE, STABILIZED | - | 8 | 1724 |
| Aluminium alkyls, see | - | 4.2 | 3394 |
| Aluminium alkyl halides, liquid, see | - | 4.2 | 3394 |
| Aluminium alkyl halides, solid, see | - | 4.2 | 3393 |
| Aluminium alkyl hydrides, see | - | 4.2 | 3394 |
| ALUMINIUM BOROHYDRIDE | - | 4.2 | 2870 |
| ALUMINIUM BOROHYDRIDE IN DEVICES | - | 4.2 | 2870 |
| ALUMINIUM BROMIDE, ANHYDROUS | - | 8 | 1725 |
| ALUMINIUM BROMIDE SOLUTION | - | 8 | 2580 |
| ALUMINIUM CARBIDE | - | 4.3 | 1394 |
| ALUMINIUM CHLORIDE, ANHYDROUS | - | 8 | 1726 |
| ALUMINIUM CHLORIDE SOLUTION | - | 8 | 2581 |
| Aluminium dross, see | - | 4.3 | 3170 |
| ALUMINIUM FERROSILICON POWDER | - | 4.3 | 1395 |
| ALUMINIUM HYDRIDE | - | 4.3 | 2463 |
| ALUMINIUM NITRATE | - | 5.1 | 1438 |
| ALUMINIUM PHOSPHIDE | - | 4.3 | 1397 |
| ALUMINIUM PHOSPHIDE PESTICIDE | - | 6.1 | 3048 |
| ALUMINIUM POWDER, COATED | - | 4.1 | 1309 |
| Aluminium powder, pyrophoric, see | - | 4.2 | 1383 |
| ALUMINIUM POWDER, UNCOATED | - | 4.3 | 1396 |
| ALUMINIUM REMELTING BY-PRODUCTS | - | 4.3 | 3170 |
| Aluminium residues, see | - | 4.3 | 3170 |
| ALUMINIUM RESINATE | - | 4.1 | 2715 |
| ALUMINIUM SILICON POWDER, UNCOATED | - | 4.3 | 1398 |
| Aluminium skimmings, see | - | 4.3 | 3170 |
| ALUMINIUM SMELTING BY-PRODUCTS | - | 4.3 | 3170 |
| Amatols, see EXPLOSIVE, BLASTING, TYPE B | - | - | - |
| AMINES, FLAMMABLE, CORROSIVE, N.O.S. | - | 3 | 2733 |
| AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. | - | 8 | 2734 |
| AMINES, LIQUID, CORROSIVE, N.O.S. | - | 8 | 2735 |
| AMINES, SOLID, CORROSIVE, N.O.S. | - | 8 | 3259 |
| 1-Amino-3-aminomethyl-3,5,5-trimethylcyclohexane, see | - | 8 | 2289 |
| <i>ortho</i> -Aminoanisole, see | - | 6.1 | 2431 |
| Aminobenzene, see | - | 6.1 | 1547 |
| 2-Aminobenzotrifluoride, see | - | 6.1 | 2942 |
| 3-Aminobenzotrifluoride, see | - | 6.1 | 2948 |
| 1-Aminobutane, see | - | 3 | 1125 |
| Aminocarb, see CARBAMATE PESTICIDE | P | - | - |
| 2-AMINO-4-CHLOROPHENOL | - | 6.1 | 2673 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Aminocyclohexane, see | – | 8 | 2357 |
| 2-AMINO-5-DIETHYLAMINOPENTANE | – | 6.1 | 2946 |
| Aminodimethylbenzenes, liquid, see | – | 6.1 | 1711 |
| Aminodimethylbenzenes, solid, see | – | 6.1 | 3452 |
| 2-AMINO-4,6-DINITROPHENOL, WETTED with not less than 20% water by mass | – | 4.1 | 3317 |
| Aminoethane, see | – | 2.1 | 1036 |
| Aminoethane, aqueous solution, see | – | 3 | 2270 |
| 1-Aminoethanol, see | – | 9 | 1841 |
| 2-Aminoethanol, see | – | 8 | 2491 |
| 2-(2-AMINOETHOXY)ETHANOL | – | 8 | 3055 |
| N-AMINOETHYLPIPERAZINE | – | 8 | 2815 |
| Aminomethane, anhydrous, see | – | 2.1 | 1061 |
| Aminomethane, aqueous solution, see | – | 3 | 1235 |
| 1-Amino-2-methylpropane, see | – | 3 | 1214 |
| 3-Aminomethyl-3,5,5-trimethylcyclohexylamine, see | – | 8 | 2289 |
| 1-Amino-2-nitrobenzene, see | – | 6.1 | 1661 |
| 1-Amino-3-nitrobenzene, see | – | 6.1 | 1661 |
| 1-Amino-4-nitrobenzene, see | – | 6.1 | 1661 |
| Aminophenoles, see | – | 6.1 | 2311 |
| AMINOPHENOLS (<i>o</i> -, <i>m</i> -, <i>p</i> -) | – | 6.1 | 2512 |
| 1-Aminopropane, see | – | 3 | 1277 |
| 2-Aminopropane, see | – | 3 | 1221 |
| 3-Aminopropene, see | – | 6.1 | 2334 |
| AMINOPYRIDINES (<i>o</i> -, <i>m</i> -, <i>p</i> -) | – | 6.1 | 2671 |
| Aminosulphonic acid, see | – | 8 | 2967 |
| AMMONIA, ANHYDROUS | – | 2.3 | 1005 |
| AMMONIA SOLUTION relative density between 0.880 and 0.957 at 15°C in water, with more than 10% but not more than 35% ammonia, by mass | – | 8 | 2672 |
| AMMONIA SOLUTION relative density less than 0.880 at 15°C in water, with more than 35% but not more than 50% ammonia | – | 2.2 | 2073 |
| AMMONIA SOLUTION relative density less than 0.880 at 15°C in water, with more than 50% ammonia | – | 2.3 | 3318 |
| Ammonium acid fluoride, solid, see | – | 8 | 1727 |
| Ammonium acid fluoride solution, see | – | 8 | 2817 |
| AMMONIUM ARSENATE | – | 6.1 | 1546 |
| Ammonium bichromate, see | – | 5.1 | 1439 |
| Ammonium bifluoride, solid, see | – | 8 | 1727 |
| Ammonium bifluoride solution, see | – | 8 | 2817 |
| Ammonium bisulphate, see | – | 8 | 2506 |
| Ammonium bisulphite solution, see | – | 8 | 2693 |
| Ammonium bromate (transport prohibited) | – | – | – |
| Ammonium bromate solution (transport prohibited) | – | – | – |
| Ammonium chlorate (transport prohibited) | – | – | – |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Ammonium chlorate solution (<i>transport prohibited</i>) | – | – | – |
| Ammonium chlorite (<i>transport prohibited</i>) | – | – | – |
| AMMONIUM DICHROMATE | – | 5.1 | 1439 |
| AMMONIUM DINITRO-o-CRESOLATE, SOLID | P | 6.1 | 1843 |
| AMMONIUM DINITRO-o-CRESOLATE SOLUTION | P | 6.1 | 3424 |
| AMMONIUM FLUORIDE | – | 6.1 | 2505 |
| AMMONIUM FLUOROSILICATE | – | 6.1 | 2854 |
| Ammonium hexafluorosilicate, see | – | 6.1 | 2854 |
| AMMONIUM HYDROGENDIFLUORIDE, SOLID | – | 8 | 1727 |
| AMMONIUM HYDROGENDIFLUORIDE SOLUTION | – | 8 | 2817 |
| AMMONIUM HYDROGEN SULPHATE | – | 8 | 2506 |
| Ammonium hypochlorite (<i>transport prohibited</i>) | – | – | – |
| AMMONIUM METAVANADATE | – | 6.1 | 2859 |
| AMMONIUM NITRATE BASED FERTILIZER | – | 5.1 | 2067 |
| AMMONIUM NITRATE BASED FERTILIZER | – | 9 | 2071 |
| AMMONIUM NITRATE EMULSION intermediate for blasting explosives | – | 5.1 | 3375 |
| AMMONIUM NITRATE GEL intermediate for blasting explosives | – | 5.1 | 3375 |
| AMMONIUM NITRATE liable to self-heating sufficient to initiate decomposition (<i>transport prohibited</i>) | – | – | – |
| AMMONIUM NITRATE, LIQUID (hot concentrated solution) | – | 5.1 | 2426 |
| AMMONIUM NITRATE SUSPENSION intermediate for blasting explosives | – | 5.1 | 3375 |
| AMMONIUM NITRATE with more than 0.2% combustible substances, including any organic substance calculated as carbon to the exclusion of any other added substance | – | 1.1D | 0222 |
| AMMONIUM NITRATE with not more than 0.2% total combustible material, including any organic substance calculated as carbon to the exclusion of any other added substance | – | 5.1 | 1942 |
| Ammonium nitrite (<i>transport prohibited</i>) | – | – | – |
| AMMONIUM PERCHLORATE | – | 1.1D | 0402 |
| AMMONIUM PERCHLORATE | – | 5.1 | 1442 |
| Ammonium permanganate (<i>transport prohibited</i>) | – | – | – |
| Ammonium permanganate solution (<i>transport prohibited</i>) | – | – | – |
| AMMONIUM PERSULPHATE | – | 5.1 | 1444 |
| AMMONIUM PICRATE dry or wetted with less than 10% water, by mass | – | 1.1D | 0004 |
| AMMONIUM PICRATE, WETTED with not less than 10% water, by mass | – | 4.1 | 1310 |
| AMMONIUM POLYSULPHIDE SOLUTION | – | 8 | 2818 |
| AMMONIUM POLYVANADATE | – | 6.1 | 2861 |
| Ammonium silicofluoride, see | – | 6.1 | 2854 |
| AMMONIUM SULPHIDE SOLUTION | – | 8 | 2683 |
| Ammonium vanadate, see | – | 6.1 | 2859 |
| Ammunition, blank, see CARTRIDGES FOR WEAPONS, BLANK | – | – | – |
| Ammunition, fixed, semi-fixed or separate loading, see CARTRIDGES FOR WEAPONS, with bursting charge | – | – | – |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge | – | 1.2G | 0171 |
| AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge | – | 1.3G | 0254 |
| AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge | – | 1.4G | 0297 |
| AMMUNITION, INCENDIARY liquid or gel, with burster, expelling charge or propelling charge | – | 1.3J | 0247 |
| Ammunition, incendiary (water-activated contrivances) with burster, expelling charge or propelling charge, see CONTRIVANCES, WATER-ACTIVATED | – | – | – |
| AMMUNITION, INCENDIARY, WHITE PHOSPHORUS with burster, expelling charge or propelling charge | – | 1.2H | 0243 |
| AMMUNITION, INCENDIARY, WHITE PHOSPHORUS with burster, expelling charge or propelling charge | – | 1.3H | 0244 |
| AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge | – | 1.2G | 0009 |
| AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge | – | 1.3G | 0010 |
| AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge | – | 1.4G | 0300 |
| Ammunition, industrial, see CARTRIDGES, OIL WELL and CARTRIDGES, POWER DEVICE | – | – | – |
| Ammunition, lachrymatory, see AMMUNITION, TEAR-PRODUCING | – | – | – |
| AMMUNITION, PRACTICE | – | 1.3G | 0488 |
| AMMUNITION, PRACTICE | – | 1.4G | 0362 |
| AMMUNITION, PROOF | – | 1.4G | 0363 |
| Ammunition, smoke (water-activated contrivances), see CONTRIVANCES, WATER-ACTIVATED | – | – | – |
| AMMUNITION, SMOKE, WHITE PHOSPHORUS with burster, expelling charge or propelling charge | – | 1.2H | 0245 |
| AMMUNITION, SMOKE, WHITE PHOSPHORUS with burster, expelling charge or propelling charge | – | 1.3H | 0246 |
| AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge | – | 1.2G | 0015 |
| AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge | – | 1.3G | 0016 |
| AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge | – | 1.4G | 0303 |
| Ammunition, sporting, see CARTRIDGES FOR WEAPONS, INERT PROJECTILE | – | – | – |
| AMMUNITION, TEAR-PRODUCING, NON-EXPLOSIVE without burster or expelling charge, non-fuzed | – | 6.1 | 2017 |
| AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge | – | 1.2G | 0018 |
| AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge | – | 1.3G | 0019 |
| AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge | – | 1.4G | 0301 |
| AMMUNITION, TOXIC, NON-EXPLOSIVE without burster or expelling charge, non-fuzed | – | 6.1 | 2016 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| AMMUNITION, TOXIC with burster, expelling charge or propelling charge | – | 1.2K | 0020 |
| AMMUNITION, TOXIC with burster, expelling charge or propelling charge | – | 1.3K | 0021 |
| Amorces, see FIREWORKS | – | – | – |
| Amosite, see | – | 9 | 2212 |
| AMYL ACETATES | – | 3 | 1104 |
| AMYL ACID PHOSPHATE | – | 8 | 2819 |
| Amyl alcohols, see | – | 3 | 1105 |
| Amyl aldehyde, see | – | 3 | 2058 |
| AMYLAMINE | – | 3 | 1106 |
| <i>n</i> -Amylbenzene, see Note 1 | P | – | – |
| <i>secondary</i> -Amyl bromide, see | – | 3 | 2343 |
| AMYL BUTYRATES | – | 3 | 2620 |
| Amyl carbinol, see | – | 3 | 2282 |
| AMYL CHLORIDE | – | 3 | 1107 |
| <i>n</i> -AMYLENE | – | 3 | 1108 |
| AMYL FORMATES | – | 3 | 1109 |
| <i>tert</i> -Amyl hydroperoxide (concentration ≤88%, with diluent Type A and water), see | – | 5.2 | 3107 |
| <i>normal</i> -Amyl mercaptan, see | – | 3 | 1111 |
| AMYL MERCAPTAN | – | 3 | 1111 |
| <i>n</i> -AMYL METHYL KETONE | – | 3 | 1110 |
| AMYL NITRATE | – | 3 | 1112 |
| AMYL NITRITE | – | 3 | 1113 |
| <i>normal</i> -Amyl nitrite, see | – | 3 | 1113 |
| <i>tert</i> -Amyl peroxy-2-ethylhexanoate (concentration ≤100%), see | – | 5.2 | 3115 |
| <i>tert</i> -Amyl peroxy-2-ethylhexyl carbonate (concentration ≤100%), see | – | 5.2 | 3105 |
| <i>tert</i> -Amyl peroxy-3,5,5-trimethylhexanoate (concentration ≤100%), see | – | 5.2 | 3105 |
| <i>tert</i> -Amyl peroxyacetate (concentration ≤62%, with diluent Type A), see | – | 5.2 | 3105 |
| <i>tert</i> -Amyl peroxybenzoate (concentration ≤100%), see | – | 5.2 | 3103 |
| <i>tert</i> -Amyl peroxyisopropyl carbonate (concentration ≤77%, with diluent Type A), see | – | 5.2 | 3103 |
| <i>tert</i> -Amyl peroxyneodecanoate (concentration ≤47%, with diluent Type A) see | – | 5.2 | 3119 |
| <i>tert</i> -Amyl peroxyneodecanoate (concentration ≤77%, with diluent Type B), see | – | 5.2 | 3115 |
| <i>tert</i> -Amyl peroxyipivalate (concentration ≤77%, with diluent Type B), see | – | 5.2 | 3113 |
| AMYLTRICHLOROSILANE | – | 8 | 1728 |
| ANILINE | – | 6.1 | 1547 |
| Aniline chloride, see | – | 6.1 | 1548 |
| ANILINE HYDROCHLORIDE | – | 6.1 | 1548 |
| Aniline oil, see | – | 6.1 | 1547 |
| Aniline salt, see | – | 6.1 | 1548 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Animal fabrics, oily, see | – | 4.2 | 1373 |
| Animal fibres, burnt, see | – | 4.2 | 1372 |
| Animal fibres, damp, see | – | 4.2 | 1372 |
| Animal fibres, oily, see | – | 4.2 | 1373 |
| Animal fibres, wet, see | – | 4.2 | 1372 |
| <i>ortho</i> -ANISIDINE | – | 6.1 | 2431 |
| ANISOLE | – | 3 | 2222 |
| ANISOYL CHLORIDE | – | 8 | 1729 |
| Anthophyllite, see | – | 9 | 2590 |
| ANTIMONY CHLORIDE | – | 8 | 1733 |
| Antimony chloride, solid, see | – | 8 | 1733 |
| ANTIMONY COMPOUND, INORGANIC, LIQUID, N.O.S. | – | 6.1 | 3141 |
| ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S. | – | 6.1 | 1549 |
| Antimony hydride, see | – | 2.3 | 2676 |
| ANTIMONY LACTATE | – | 6.1 | 1550 |
| Antimony(III) lactate, see | – | 6.1 | 1550 |
| ANTIMONY PENTACHLORIDE, LIQUID | – | 8 | 1730 |
| ANTIMONY PENTACHLORIDE SOLUTION | – | 8 | 1731 |
| ANTIMONY PENTAFLUORIDE | – | 8 | 1732 |
| Antimony perchloride, liquid, see | – | 8 | 1730 |
| Antimony perchloride solution, see | – | 8 | 1731 |
| ANTIMONY POTASSIUM TARTRATE | – | 6.1 | 1551 |
| ANTIMONY POWDER | – | 6.1 | 2871 |
| ANTIMONY TRICHLORIDE | – | 8 | 1733 |
| Antimony trihydride, see | – | 2.3 | 2676 |
| A.n.t.u, see also PESTICIDE, N.O.S. | – | 6.1 | 1651 |
| Aqua regia, see | – | 8 | 1798 |
| ARGON, COMPRESSED | – | 2.2 | 1006 |
| ARGON, REFRIGERATED LIQUID | – | 2.2 | 1951 |
| Arsenates, liquid, N.O.S., inorganic, see | – | 6.1 | 1556 |
| Arsenates, solid, N.O.S., inorganic, see | – | 6.1 | 1557 |
| ARSENIC | – | 6.1 | 1558 |
| ARSENIC ACID, LIQUID | – | 6.1 | 1553 |
| ARSENIC ACID, SOLID | – | 6.1 | 1554 |
| ARSENICAL DUST | – | 6.1 | 1562 |
| Arsenical flue dust, see | – | 6.1 | 1562 |
| ARSENICAL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | – | 3 | 2760 |
| ARSENICAL PESTICIDE, LIQUID, TOXIC | – | 6.1 | 2994 |
| ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | – | 6.1 | 2993 |
| ARSENICAL PESTICIDE, SOLID, TOXIC | – | 6.1 | 2759 |
| ARSENIC BROMIDE | – | 6.1 | 1555 |
| Arsenic(III) bromide, see | – | 6.1 | 1555 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Arsenic chloride, see | – | 6.1 | 1560 |
| ARSENIC COMPOUND, LIQUID, N.O.S. inorganic, including: | – | 6.1 | 1556 |
| Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s. | – | | |
| ARSENIC COMPOUND, SOLID, N.O.S. inorganic, including: | – | 6.1 | 1557 |
| Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s. | – | | |
| Arsenic compounds (pesticides), see ARSENICAL PESTICIDE | – | – | – |
| Arsenic hydride, see | – | 2.3 | 2188 |
| Arsenic(III) oxide, see | – | 6.1 | 1561 |
| Arsenic(V) oxide, see | – | 6.1 | 1559 |
| ARSENIC PENTOXIDE | – | 6.1 | 1559 |
| Arsenic sulphides, liquid, N.O.S., inorganic, see | – | 6.1 | 1556 |
| Arsenic sulphides, solid, N.O.S., inorganic, see | – | 6.1 | 1557 |
| Arsenic tribromide, see | – | 6.1 | 1555 |
| ARSENIC TRICHLORIDE | – | 6.1 | 1560 |
| ARSENIC TRIOXIDE | – | 6.1 | 1561 |
| Arsenious chloride, see | – | 6.1 | 1560 |
| Arsenites, liquid, N.O.S., inorganic, see | – | 6.1 | 1556 |
| Arsenites, solid, N.O.S., inorganic, see | – | 6.1 | 1557 |
| Arsenous bromide, see | – | 6.1 | 1555 |
| Arsenous chloride, see | – | 6.1 | 1560 |
| ARSINE | – | 2.3 | 2188 |
| ARTICLES, EEI | – | 1.6N | 0486 |
| ARTICLES, EXPLOSIVE, EXTREMELY INSENSITIVE | – | 1.6N | 0486 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.1C | 0462 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.1D | 0463 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.1E | 0464 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.1F | 0465 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.1L | 0354 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.2C | 0466 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.2D | 0467 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.2E | 0468 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.2F | 0469 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.2L | 0355 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.3C | 0470 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.3L | 0356 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.4B | 0350 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.4C | 0351 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.4D | 0352 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.4E | 0471 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.4F | 0472 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.4G | 0353 |
| ARTICLES, EXPLOSIVE, N.O.S. | – | 1.4S | 0349 |
| ARTICLES, PRESSURIZED, HYDRAULIC (containing non-flammable gas) | – | 2.2 | 3164 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| ARTICLES, PRESSURIZED, PNEUMATIC (containing non-flammable gas) | - | 2.2 | 3164 |
| ARTICLES, PYROPHORIC | - | 1.2L | 0380 |
| ARTICLES, PYROTECHNIC for technical purposes | - | 1.1G | 0428 |
| ARTICLES, PYROTECHNIC for technical purposes | - | 1.2G | 0429 |
| ARTICLES, PYROTECHNIC for technical purposes | - | 1.3G | 0430 |
| ARTICLES, PYROTECHNIC for technical purposes | - | 1.4G | 0431 |
| ARTICLES, PYROTECHNIC for technical purposes | - | 1.4S | 0432 |
| ARYLSULPHONIC ACIDS, LIQUID with more than 5% free sulphuric acid | - | 8 | 2584 |
| ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid | - | 8 | 2586 |
| ARYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid | - | 8 | 2583 |
| ARYLSULPHONIC ACIDS, SOLID with not more than 5% free sulphuric acid | - | 8 | 2585 |
| Asbestos, see BLUE ASBESTOS | - | 9 | 2212 |
| Asbestos, see BROWN ASBESTOS | - | 9 | 2212 |
| Asbestos, see WHITE ASBESTOS | - | 9 | 2590 |
| Asphalt, see | - | 3 | 1999 |
| AVIATION REGULATED LIQUID, N.O.S. | - | 9 | 3334 |
| AVIATION REGULATED SOLID, N.O.S. | - | 9 | 3335 |
| Azinphos-ethyl, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Azinphos-methyl, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Aziridine, stabilized, see | - | 6.1 | 1185 |
| AZODICARBONAMIDE | - | 4.1 | 3242 |
| Azodicarbonamide formulation Type B (concentration <100%, temperature controlled), see | - | 4.1 | 3232 |
| Azodicarbonamide formulation Type C (concentration <100%), see | - | 4.1 | 3224 |
| Azodicarbonamide formulation Type C (concentration <100%, temperature controlled), see | - | 4.1 | 3234 |
| Azodicarbonamide formulation Type D (concentration <100%), see | - | 4.1 | 3226 |
| Azodicarbonamide formulation Type D (concentration <100%, temperature controlled), see | - | 4.1 | 3236 |
| 2,2'-Azodi(2,4-dimethyl-4-methoxyvaleronitrile) (concentration 100%), see | - | 4.1 | 3236 |
| 2,2'-Azodi(2,4-dimethylvaleronitrile) (concentration 100%), see | - | 4.1 | 3236 |
| 2,2'-Azodi(ethyl 2-methylpropionate) (concentration 100%), see | - | 4.1 | 3235 |
| 1,1'-Azodi(hexahydrobenzonitrile) (concentration 100%), see | - | 4.1 | 3226 |
| 2,2'-Azodi(isobutyronitrile), as a water-based paste (concentration ≤50%), see | - | 4.1 | 3224 |
| 2,2'-Azodi(isobutyronitrile) (concentration 100%), see | - | 4.1 | 3234 |
| 2,2'-Azodi(2-methylbutyronitrile) (concentration 100%), see | - | 4.1 | 3236 |
| Bag charges, see CHARGES, PROPELLING, FOR CANNON | - | - | - |
| Ballistite, see POWDER, SMOKELESS | - | - | - |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| Bangalore torpedoes, see MINES, WITH BURSTING CHARGE | — | — | — |
| BARIUM | — | 4.3 | 1400 |
| Barium alloys, non-pyrophoric, see | — | 4.3 | 1393 |
| BARIUM ALLOYS, PYROPHORIC | — | 4.2 | 1854 |
| Barium amalgams, liquid, see | — | 4.3 | 1392 |
| Barium amalgams, solid, see | — | 4.3 | 3402 |
| BARIUM AZIDE , dry or wetted with less than 50% water, by mass | — | 1.1A | 0224 |
| BARIUM AZIDE , WETTED with not less than 50% water, by mass | — | 4.1 | 1571 |
| BARIUM BROMATE | — | 5.1 | 2719 |
| BARIUM CHLORATE, SOLID | — | 5.1 | 1445 |
| BARIUM CHLORATE SOLUTION | — | 5.1 | 3405 |
| BARIUM COMPOUND, N.O.S. | — | 6.1 | 1564 |
| BARIUM CYANIDE | P | 6.1 | 1565 |
| Barium dispersions, see | — | 4.3 | 1391 |
| BARIUM HYPOCHLORITE with more than 22% available chlorine | — | 5.1 | 2741 |
| Barium monoxide, see | — | 6.1 | 1884 |
| BARIUM NITRATE | — | 5.1 | 1446 |
| BARIUM OXIDE | — | 6.1 | 1884 |
| BARIUM PERCHLORATE, SOLID | — | 5.1 | 1447 |
| BARIUM PERCHLORATE SOLUTION | — | 5.1 | 3406 |
| BARIUM PERMANGANATE | — | 5.1 | 1448 |
| BARIUM PEROXIDE | — | 5.1 | 1449 |
| Barium powder, pyrophoric, see | — | 4.2 | 1383 |
| Batteries, containing lithium, see | — | 9 | 3090 |
| BATTERIES, CONTAINING SODIUM | — | 4.3 | 3292 |
| BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE, SOLID electric storage | — | 8 | 3028 |
| BATTERIES, NICKEL-METAL HYDRIDE | — | 9 | 3496 |
| BATTERIES, WET, FILLED WITH ACID electric storage | — | 8 | 2794 |
| BATTERIES, WET, FILLED WITH ALKALI electric storage | — | 8 | 2795 |
| BATTERIES, WET, NON-SPILLABLE electric storage | — | 8 | 2800 |
| Battery acid, see | — | 8 | 2796 |
| BATTERY FLUID, ACID | — | 8 | 2796 |
| BATTERY FLUID, ALKALI | — | 8 | 2797 |
| Battery, lithium, see | — | 9 | 3090 |
| BATTERY-POWERED EQUIPMENT | — | 9 | 3171 |
| BATTERY-POWERED VEHICLE | — | 9 | 3171 |
| Bendiocarb, see CARBAMATE PESTICIDE | P | — | — |
| Benfuracarb, see CARBAMATE PESTICIDE | — | — | — |
| Benomyl, see Note 1 | P | — | — |
| Benquinox, see PESTICIDE, N.O.S. | P | — | — |
| Benzal chloride, see | — | 6.1 | 1886 |
| BENZALDEHYDE | — | 9 | 1990 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| BENZENE | – | 3 | 1114 |
| 1,3-Benzenediol, see | – | 6.1 | 2876 |
| Benzene-1,3-disulphonyl hydrazide, as a paste (concentration 52%), see | – | 4.1 | 3226 |
| Benzene phosphorus dichloride, see | – | 8 | 2798 |
| Benzene phosphorus thiochloride, see | – | 8 | 2799 |
| BENZENESULPHONYL CHLORIDE | – | 8 | 2225 |
| Benzene sulphonylhydrazide (concentration 100%), see | – | 4.1 | 3226 |
| Benzenethiol, see | – | 6.1 | 2337 |
| Benzhydryl bromide, see | – | 8 | 1770 |
| BENZIDINE | – | 6.1 | 1885 |
| Benzol, see | – | 3 | 1114 |
| Benzolene, see | – | 3 | 1268 |
| BENZONITRILE | – | 6.1 | 2224 |
| BENZOQUINONE | – | 6.1 | 2587 |
| Benzosulphochloride, see | – | 8 | 2225 |
| BENZOTRICHLORIDE | – | 8 | 2226 |
| BENZOTRIFLUORIDE | – | 3 | 2338 |
| BENZOYL CHLORIDE | – | 8 | 1736 |
| BENZYL BROMIDE | – | 6.1 | 1737 |
| BENZYL CHLORIDE | – | 6.1 | 1738 |
| Benzyl chlorocarbonate, see | P | 8 | 1739 |
| BENZYL CHLOROFORMATE | P | 8 | 1739 |
| Benzyl cyanide, see | – | 6.1 | 2470 |
| Benzyl dichloride, see | – | 6.1 | 1886 |
| BENZYLDIMETHYLAMINE | – | 8 | 2619 |
| 4-(Benzyl(ethyl)amino)-3-ethoxybenzenediazonium zinc chloride (concentration 100%), see | – | 4.1 | 3226 |
| BENZYLIDENE CHLORIDE | – | 6.1 | 1886 |
| BENZYL IODIDE | – | 6.1 | 2653 |
| 4-(Benzyl(methyl)amino)-3-ethoxybenzenediazonium zinc chloride (concentration 100%), see | – | 4.1 | 3236 |
| BERYLLIUM COMPOUND, N.O.S. | – | 6.1 | 1566 |
| BERYLLIUM NITRATE | – | 5.1 | 2464 |
| BERYLLIUM POWDER | – | 6.1 | 1567 |
| gamma-Bhc, see ORGANOCHLORINE PESTICIDE | P | – | – |
| BHUSA | – | 4.1 | 1327 |
| Bichloroacetic acid, see | – | 8 | 1764 |
| BICYCLO[2.2.1]HEPTA-2,5-DIENE, STABILIZED | – | 3 | 2251 |
| Bifluorides, N.O.S., see | – | 8 | 1740 |
| Binapacryl, see SUBSTITUTED NITROPHENOL PESTICIDE | P | – | – |
| BIOLOGICAL SUBSTANCE, CATEGORY B | – | 6.2 | 3373 |
| BIOMEDICAL WASTE, N.O.S. | – | 6.2 | 3291 |
| (BIO)MEDICAL WASTE, N.O.S. | – | 6.2 | 3291 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| BIPYRIDILIUM PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | - | 3 | 2782 |
| BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC | - | 6.1 | 3016 |
| BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | - | 6.1 | 3015 |
| BIPYRIDILIUM PESTICIDE, SOLID, TOXIC | - | 6.1 | 2781 |
| Bis-, see Di- | - | - | - |
| <i>N,N</i> -Bis(2-hydroxyethyl)oleamide (loa), see Note 1 | P | - | - |
| BISULPHATES, AQUEOUS SOLUTION | - | 8 | 2837 |
| BISULPHITES, AQUEOUS SOLUTION, N.O.S. | - | 8 | 2693 |
| Bitumen, see | - | 3 | 1999 |
| BLACK POWDER, COMPRESSED | - | 1.1D | 0028 |
| BLACK POWDER granular, or as a meal | - | 1.1D | 0027 |
| BLACK POWDER IN PELLETS | - | 1.1D | 0028 |
| Blasticidin-S-3, see PESTICIDE, N.O.S. | - | - | - |
| Bleaching powder, see | - | 5.1 | 2208 |
| Bleach liquor, see | - | 8 | 1791 |
| BLUE ASBESTOS | - | 9 | 2212 |
| Bombs, illuminating, see AMMUNITION, ILLUMINATING | - | - | - |
| BOMBS, PHOTO-FLASH | - | 1.1D | 0038 |
| BOMBS, PHOTO-FLASH | - | 1.1F | 0037 |
| BOMBS, PHOTO-FLASH | - | 1.2G | 0039 |
| BOMBS, PHOTO-FLASH | - | 1.3G | 0299 |
| BOMBS, SMOKE, NON-EXPLOSIVE with corrosive liquid, without initiating device | - | 8 | 2028 |
| Bombs, target identification, see AMMUNITION, ILLUMINATING | - | - | - |
| BOMBS with bursting charge | - | 1.1D | 0034 |
| BOMBS with bursting charge | - | 1.1F | 0033 |
| BOMBS with bursting charge | - | 1.2D | 0035 |
| BOMBS with bursting charge | - | 1.2F | 0291 |
| BOMBS WITH FLAMMABLE LIQUID with bursting charge | - | 1.1J | 0399 |
| BOMBS WITH FLAMMABLE LIQUID with bursting charge | - | 1.2J | 0400 |
| BOOSTERS WITH DETONATOR | - | 1.1B | 0225 |
| BOOSTERS WITH DETONATOR | - | 1.2B | 0268 |
| BOOSTERS without detonator | - | 1.1D | 0042 |
| BOOSTERS without detonator | - | 1.2D | 0283 |
| Borate and chlorate mixture, see | - | 5.1 | 1458 |
| BORNEOL | - | 4.1 | 1312 |
| Bornyl alcohol, see | - | 4.1 | 1312 |
| Boroethane, compressed, see | - | 2.3 | 1911 |
| Boron bromide, see | - | 8 | 2692 |
| Boron fluoride, compressed, see | - | 2.3 | 1008 |
| BORON TRIBROMIDE | - | 8 | 2692 |
| BORON TRICHLORIDE | - | 2.3 | 1741 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| BORON TRIFLUORIDE | — | 2.3 | 1008 |
| BORON TRIFLUORIDE ACETIC ACID COMPLEX, LIQUID | — | 8 | 1742 |
| BORON TRIFLUORIDE ACETIC ACID COMPLEX, SOLID | — | 8 | 3419 |
| BORON TRIFLUORIDE DIETHYL ETHERATE | — | 8 | 2604 |
| BORON TRIFLUORIDE DIHYDRATE | — | 8 | 2851 |
| BORON TRIFLUORIDE DIMETHYL ETHERATE | — | 4.3 | 2965 |
| BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, LIQUID | — | 8 | 1743 |
| BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, SOLID | — | 8 | 3420 |
| Brodifacoum, see COUMARIN DERIVATIVE PESTICIDE | P | — | — |
| BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S. | — | 5.1 | 3213 |
| BROMATES, INORGANIC, N.O.S. | — | 5.1 | 1450 |
| BROMINE | — | 8 | 1744 |
| BROMINE CHLORIDE | — | 2.3 | 2901 |
| Bromine cyanide, see | P | 6.1 | 1889 |
| BROMINE PENTAFLUORIDE | — | 5.1 | 1745 |
| BROMINE SOLUTION | — | 8 | 1744 |
| BROMINE TRIFLUORIDE | — | 5.1 | 1746 |
| BROMOACETIC ACID, SOLID | — | 8 | 3425 |
| BROMOACETIC ACID SOLUTION | — | 8 | 1938 |
| BROMOACETONE | P | 6.1 | 1569 |
| <i>omega</i> -Bromoacetone, see | — | 6.1 | 2645 |
| BROMOACETYL BROMIDE | — | 8 | 2513 |
| Bromoallylene, see | P | 3 | 1099 |
| BROMOBENZENE | P | 3 | 2514 |
| BROMOBENZYL CYANIDES, LIQUID | — | 6.1 | 1694 |
| BROMOBENZYL CYANIDES, SOLID | — | 6.1 | 3449 |
| 1-BROMOBUTANE | — | 3 | 1126 |
| 2-BROMOBUTANE | — | 3 | 2339 |
| Bromochlorodifluoromethane, see | — | 2.2 | 1974 |
| BROMOCHLOROMETHANE | — | 6.1 | 1887 |
| 1-BR0MO-3-CHLOROPROPANE | — | 6.1 | 2688 |
| Bromocylene, see | P | 6.1 | 1889 |
| Bromodiphenylmethane, see | — | 8 | 1770 |
| 1-Bromo-2,3-epoxypropane, see | P | 6.1 | 2558 |
| Bromoethane, see | — | 6.1 | 1891 |
| 2-BROMOETHYL ETHYL ETHER | — | 3 | 2340 |
| BROMOFORM | P | 6.1 | 2515 |
| Bromomethane, see | — | 2.3 | 1062 |
| 1-BR0MO-3-METHYLBUTANE | — | 3 | 2341 |
| BROMOMETHYLPROPANES | — | 3 | 2342 |
| Bromonitrobenzenes, liquid, see | — | 6.1 | 2732 |
| Bromonitrobenzenes, solid, see | — | 6.1 | 3459 |
| 2-BR0MO-2-NITROPROPANE-1,3-DIOL | — | 4.1 | 3241 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| 2-BROMOPENTANE | - | 3 | 2343 |
| Bromophos-ethyl, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| BROMOPROPANES | - | 3 | 2344 |
| 3-Bromopropene, see | P | 3 | 1099 |
| 3-BROMOPROPYNE | - | 3 | 2345 |
| 3-Bromo-1-propyne, see | - | 3 | 2345 |
| <i>alpha</i> -Bromotoluene, see | - | 6.1 | 1737 |
| BROMOTRIFLUOROETHYLENE | - | 2.1 | 2419 |
| BROMOTRIFLUOROMETHANE | - | 2.2 | 1009 |
| Bromoxynil, see PESTICIDE, N.O.S. | P | - | - |
| Bronopol, see | - | 4.1 | 3241 |
| BROWN ASBESTOS | - | 9 | 2212 |
| BRUCINE | - | 6.1 | 1570 |
| BURSTERS explosive | - | 1.1D | 0043 |
| But-1-yne, stabilized, see | - | 2.1 | 2452 |
| BUTADIENES AND HYDROCARBON MIXTURE, STABILIZED containing more than 40% butadienes, stabilized | - | 2.1 | 1010 |
| BUTADIENES, STABILIZED | - | 2.1 | 1010 |
| Butanal, see | - | 3 | 1129 |
| Butanal oxime, see | - | 3 | 2840 |
| BUTANE | - | 2.1 | 1011 |
| BUTANEDIONE | - | 3 | 2346 |
| Butane-1-thiol, see | - | 3 | 2347 |
| Butanoic acid, see | - | 8 | 2820 |
| Butanoic anhydride, see | - | 8 | 2739 |
| Butan-2-ol, see | - | 3 | 1120 |
| 1-Butanol, see | - | 3 | 1120 |
| Butanol, secondary, see | - | 3 | 1120 |
| Butanol, tertiary, see | - | 3 | 1120 |
| 3-Butanol, see | - | 6.1 | 2839 |
| BUTANOLS | - | 3 | 1120 |
| 2-Butanone, see | - | 3 | 1193 |
| Butanoyl chloride, see | - | 3 | 2353 |
| 2-Butenal, stabilized, see | P | 6.1 | 1143 |
| Butene, see | - | 2.1 | 1012 |
| But-1-ene-3-one, stabilized, see | - | 6.1 | 1251 |
| 1,2-Butene oxide, stabilized, see | - | 3 | 3022 |
| 2-Butenoic acid, liquid, see | - | 8 | 3472 |
| 2-Butenoic acid, solid, see | - | 8 | 2823 |
| 2-Buten-1-ol, see | - | 3 | 2614 |
| Butocarboxim, see CARBAMATE PESTICIDE | - | - | - |
| BUTYL ACETATES | - | 3 | 1123 |
| Butyl acetate, secondary, see | - | 3 | 1123 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| BUTYL ACID PHOSPHATE | – | 8 | 1718 |
| BUTYL ACRYLATES, STABILIZED | – | 3 | 2348 |
| Butyl alcohols, see | – | 3 | 1120 |
| Butyl aldehyde, see | – | 3 | 1129 |
| <i>n</i> -BUTYLAmine | – | 3 | 1125 |
| N-BUTYLANILINE | – | 6.1 | 2738 |
| BUTYLBENZENES | – | 3 | 2709 |
| Butyl benzyl phthalate, see | P | 9 | 3082 |
| <i>n</i> -Butyl bromide, see | – | 3 | 1126 |
| secondary-Butyl bromide, see | – | 3 | 2339 |
| <i>tertiary</i> -Butyl bromide, see | – | 3 | 2342 |
| Butyl butyrate, see | – | 3 | 3272 |
| <i>n</i> -Butyl chloride, see | – | 3 | 1127 |
| secondary-Butyl chloride, see | – | 3 | 1127 |
| <i>tertiary</i> -Butyl chloride, see | – | 3 | 1127 |
| <i>n</i> -BUTYL CHLOROFORMATE | – | 6.1 | 2743 |
| <i>tert</i> -Butyl cumyl peroxide (concentration >42–100%), see | – | 5.2 | 3107 |
| <i>tert</i> -Butyl cumyl peroxide (concentration ≤52%, with inert solid), see | – | 5.2 | 3108 |
| <i>tert</i> -BUTYLCYCLOHEXYL CHLOROFORMATE | – | 6.1 | 2747 |
| <i>N</i> ² - <i>tert</i> -Butyl- <i>N</i> ⁴ -cyclopropyl-6-methylthio-1,3,5-triazine-2,4-diamine, see | P | 9 | 3077 |
| <i>n</i> -Butyl 4,4-di-(<i>tert</i> -butylperoxy)valerate (concentration ≤52%, with inert solid), see | – | 5.2 | 3108 |
| <i>n</i> -Butyl 4,4-di-(<i>tert</i> -butylperoxy)valerate (concentration >52–100%), see | – | 5.2 | 3103 |
| BUTYLENE | – | 2.1 | 1012 |
| 1,2-BUTYLENE OXIDE, STABILIZED | – | 3 | 3022 |
| Butyl ethers, see | – | 3 | 1149 |
| Butyl ethyl ether, see | – | 3 | 1179 |
| <i>n</i> -BUTYL FORMATE | – | 3 | 1128 |
| <i>tert</i> -Butyl hydroperoxide (concentration ≤72%, with water), see | – | 5.2 | 3109 |
| <i>tert</i> -Butyl hydroperoxide (concentration ≤79%, with water), see | – | 5.2 | 3107 |
| <i>tert</i> -Butyl hydroperoxide (concentration >79–90%, with water), see | – | 5.2 | 3103 |
| <i>tert</i> -Butyl hydroperoxide (concentration ≤80%, with diluent Type A), see | – | 5.2 | 3105 |
| <i>tert</i> -Butyl hydroperoxide (concentration <82%) + di- <i>tert</i> -butyl peroxide (concentration >9%), with water, see | – | 5.2 | 3103 |
| <i>tert</i> -BUTYL HYPOCHLORITE | – | 4.2 | 3255 |
| N- <i>n</i> -BUTYlimidazole | – | 6.1 | 2690 |
| <i>N</i> , <i>n</i> -Butylimidazole, see | – | 6.1 | 2690 |
| secondary-Butyl iodide, see | – | 3 | 2390 |
| <i>tertiary</i> -Butyl iodide, see | – | 3 | 2391 |
| <i>tert</i> -BUTYL ISOCYANATE | – | 6.1 | 2484 |
| <i>n</i> -BUTYL ISOCYANATE | – | 6.1 | 2485 |
| BUTYL MERCAPTAN | – | 3 | 2347 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| <i>n</i> -BUTYL METHACRYLATE, STABILIZED | – | 3 | 2227 |
| Butyl 2-methylacrylate, stabilized, see | – | 3 | 2227 |
| BUTYL METHYL ETHER | – | 3 | 2350 |
| <i>tert</i> -Butyl monoperoxymaleate (concentration ≤52%, as a paste), see | – | 5.2 | 3108 |
| <i>tert</i> -Butyl monoperoxymaleate (concentration ≤52%, with diluent Type A), see | – | 5.2 | 3103 |
| <i>tert</i> -Butyl monoperoxymaleate (concentration ≤52%, with inert solid), see | – | 5.2 | 3108 |
| <i>tert</i> -Butyl monoperoxymaleate (concentration >52–100%), see | – | 5.2 | 3102 |
| BUTYL NITRITES | – | 3 | 2351 |
| <i>tert</i> -Butyl peroxyacetate (concentration ≤32%, with diluent Type B), see | – | 5.2 | 3109 |
| <i>tert</i> -Butyl peroxyacetate (concentration >32–52%, with diluent Type A), see | – | 5.2 | 3103 |
| <i>tert</i> -Butyl peroxyacetate (concentration >52–77%, with diluent Type A), see | – | 5.2 | 3101 |
| <i>tert</i> -Butyl peroxybenzoate (concentration ≤52%, with inert solid), see | – | 5.2 | 3106 |
| <i>tert</i> -Butyl peroxybenzoate (concentration >52–77%, with diluent Type A), see | – | 5.2 | 3105 |
| <i>tert</i> -Butyl peroxybenzoate (concentration >77–100%, with diluent Type A), see | – | 5.2 | 3103 |
| <i>tert</i> -Butyl peroxybutyl fumarate (concentration ≤52%, with diluent Type A), see | – | 5.2 | 3105 |
| <i>tert</i> -Butyl peroxycrotonate (concentration ≤77%, with diluent Type A), see | – | 5.2 | 3105 |
| <i>tert</i> -Butyl peroxydiethylacetate (concentration ≤100%), see | – | 5.2 | 3113 |
| <i>tert</i> -Butyl peroxy-2-ethylhexanoate (concentration ≤12%) + 2,2-di(<i>tert</i> -butylperoxy)butane (concentration ≤14%), with diluent Type A and inert solid, see | – | 5.2 | 3106 |
| <i>tert</i> -Butyl peroxy-2-ethylhexanoate (concentration ≤31%) + 2,2-di(<i>tert</i> -butylperoxy)butane (concentration ≤36%), with diluent Type B, see | – | 5.2 | 3115 |
| <i>tert</i> -Butyl peroxy-2-ethylhexanoate (concentration ≤32%, with diluent Type B), see | – | 5.2 | 3119 |
| <i>tert</i> -Butyl peroxy-2-ethylhexanoate (concentration >32–52%, with diluent Type B), see | – | 5.2 | 3117 |
| <i>tert</i> -Butyl peroxy-2-ethylhexanoate (concentration ≤52%, with inert solid), see | – | 5.2 | 3118 |
| <i>tert</i> -Butyl peroxy-2-ethylhexanoate (concentration >52–100%), see | – | 5.2 | 3113 |
| <i>tert</i> -Butyl peroxy-2-ethylhexylcarbonate (concentration ≤100%), see | – | 5.2 | 3105 |
| <i>tert</i> -Butyl peroxyisobutyrate (concentration ≤52%, with diluent Type B), see | – | 5.2 | 3115 |
| <i>tert</i> -Butyl peroxyisobutyrate (concentration >52–77%, with diluent Type B), see | – | 5.2 | 3111 |
| <i>tert</i> -Butyl peroxy isopropyl carbonate (concentration ≤77%, with diluent Type A), see | – | 5.2 | 3103 |
| 1-(2- <i>tert</i> -Butylperoxyisopropyl)-3-isopropenylbenzene (concentration ≤42%, with inert solid), see | – | 5.2 | 3108 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| 1-(2- <i>tert</i> -Butylperoxy isopropyl)-3-isopropenylbenzene (concentration \leq 77%, with diluent Type A), see | – | 5.2 | 3105 |
| <i>tert</i> -Butyl peroxy-2-methylbenzoate (concentration \leq 100%), see | – | 5.2 | 3103 |
| <i>tert</i> -Butyl peroxyneodecanoate (concentration \leq 32%, with diluent Type A), see | – | 5.2 | 3119 |
| <i>tert</i> -Butyl peroxyneodecanoate (concentration \leq 42%, as a stable dispersion in water (frozen)), see | – | 5.2 | 3118 |
| <i>tert</i> -Butyl peroxyneodecanoate (concentration \leq 52%, as a stable dispersion in water), see | – | 5.2 | 3119 |
| <i>tert</i> -Butyl peroxyneodecanoate (concentration \leq 77%, with diluent Type B), see | – | 5.2 | 3115 |
| <i>tert</i> -Butyl peroxyneodecanoate (concentration >77–100%), see | – | 5.2 | 3115 |
| <i>tert</i> -Butyl peroxyneohexanoate (concentration \leq 42%, as a stable dispersion in water), see | – | 5.2 | 3117 |
| <i>tert</i> -Butyl peroxyneohexanoate (concentration \leq 77%, with diluent Type A), see | – | 5.2 | 3115 |
| <i>tert</i> -Butyl peroxypropionate (concentration \leq 27%, with diluent Type B), see | – | 5.2 | 3119 |
| <i>tert</i> -Butyl peroxypropionate (concentration >27–67%, with diluent Type B), see | – | 5.2 | 3115 |
| <i>tert</i> -Butyl peroxypropionate (concentration >67–77%, with diluent Type A), see | – | 5.2 | 3113 |
| <i>tert</i> -Butyl peroxystearylcarbonate (concentration \leq 100%), see | – | 5.2 | 3106 |
| <i>tert</i> -Butyl peroxy-3,5,5-trimethylhexanoate (concentration \leq 32%, with diluent Type B), see | – | 5.2 | 3109 |
| <i>tert</i> -Butyl peroxy-3,5,5-trimethylhexanoate (concentration >32–100%), see | – | 5.2 | 3105 |
| <i>tert</i> -Butyl peroxy-3,5,5-trimethylhexanoate (concentration \leq 42%, with inert solid) | – | 5.2 | 3106 |
| Butylphenols, liquid, N.O.S., see | – | 8 | 3145 |
| Butylphenols, solid, N.O.S., see | – | 8 | 2430 |
| Butylphosphoric acid, see | – | 8 | 1718 |
| BUTYL PROPIONATES | – | 3 | 1914 |
| Butyl thioalcohols, see | – | 3 | 2347 |
| BUTYL TOLUENES | – | 6.1 | 2667 |
| BUTYLTRICHLOROSILANE | – | 8 | 1747 |
| 5- <i>tert</i> -BUTYL-2,4,6-TRINITRO- <i>m</i> -XYLENE | – | 4.1 | 2956 |
| BUTYL VINYL ETHER, STABILIZED | – | 3 | 2352 |
| 1-Butyne, stabilized, see | – | 2.1 | 2452 |
| 2-Butyne, see | – | 3 | 1144 |
| 1,4-BUTYNEDIOL | – | 6.1 | 2716 |
| 2-Butyne-1,4-diol, see | – | 6.1 | 2716 |
| BUTYRALDEHYDE | – | 3 | 1129 |
| BUTYRALDOXIME | – | 3 | 2840 |
| BUTYRIC ACID | – | 8 | 2820 |
| BUTYRIC ANHYDRIDE | – | 8 | 2739 |
| Butyronone, see | – | 3 | 2710 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| BUTYRONITRILE | – | 3 | 2411 |
| Butyroyl chloride, see | – | 3 | 2353 |
| BUTYRYL CHLORIDE | – | 3 | 2353 |
| Cable cutters, explosive, see | – | 1.4S | 0070 |
| CACODYLIC ACID | – | 6.1 | 1572 |
| CADMIUM COMPOUND | – | 6.1 | 2570 |
| Cadmium selenide, see | – | 6.1 | 2570 |
| Cadmium sulphide, see | P | 6.1 | 2570 |
| CAESIUM | – | 4.3 | 1407 |
| Caesium alloy, liquid, see | – | 4.3 | 1421 |
| Caesium amalgams, liquid, see | – | 4.3 | 1389 |
| Caesium amalgams, solid, see | – | 4.3 | 3401 |
| Caesium amide, see | – | 4.3 | 1390 |
| Caesium dispersions, see | – | 4.3 | 1391 |
| CAESIUM HYDROXIDE | – | 8 | 2682 |
| CAESIUM HYDROXIDE SOLUTION | – | 8 | 2681 |
| CAESIUM NITRATE | – | 5.1 | 1451 |
| Caesium powder, pyrophoric, see | – | 4.2 | 1383 |
| Caffeine, see | – | 6.1 | 1544 |
| Cajeputene, see | P | 3 | 2052 |
| CALCIUM | – | 4.3 | 1401 |
| Calcium alloy, non-pyrophoric, solid, see | – | 4.3 | 1393 |
| CALCIUM ALLOYS, PYROPHORIC | – | 4.2 | 1855 |
| Calcium amalgams, liquid, see | – | 4.3 | 1389 |
| Calcium amalgams, solid, see | – | 4.3 | 3402 |
| CALCIUM ARSENATE | P | 6.1 | 1573 |
| CALCIUM ARSENATE AND CALCIUM ARSENITE MIXTURE, SOLID | P | 6.1 | 1574 |
| Calcium bisulphite solution, see | – | 8 | 2693 |
| CALCIUM CARBIDE | – | 4.3 | 1402 |
| CALCIUM CHLORATE | – | 5.1 | 1452 |
| CALCIUM CHLORATE, AQUEOUS SOLUTION | – | 5.1 | 2429 |
| CALCIUM CHLORITE | – | 5.1 | 1453 |
| CALCIUM CYANAMIDE with more than 0.1% calcium carbide | – | 4.3 | 1403 |
| CALCIUM CYANIDE | P | 6.1 | 1575 |
| Calcium dispersions, see | – | 4.3 | 1391 |
| CALCIUM DITHIONITE | – | 4.2 | 1923 |
| CALCIUM HYDRIDE | – | 4.3 | 1404 |
| Calcium hydrogen sulphite solution, see | – | 8 | 2693 |
| CALCIUM HYDROSULPHITE | – | 4.2 | 1923 |
| CALCIUM HYPOCHLORITE, DRY with more than 39% available chlorine (8.8% available oxygen) | – | 5.1 | 1748 |
| CALCIUM HYPOCHLORITE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen) | – | 5.1 | 3485 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| CALCIUM HYPOCHLORITE, HYDRATED with not less than 5.5% but no more than 16% water | – | 5.1 | 2880 |
| CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water | – | 5.1 | 3487 |
| CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE with not less than 5.5% but no more than 16% water | – | 5.1 | 3487 |
| CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water | – | 5.1 | 2880 |
| CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 10% but not more than 39% available chlorine | – | 5.1 | 3486 |
| CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen) | – | 5.1 | 3485 |
| CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 10% but not more than 39% available chlorine | – | 5.1 | 2208 |
| CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen) | – | 5.1 | 1748 |
| CALCIUM MANGANESE SILICON | – | 4.3 | 2844 |
| Calcium naphthenate in solution, see | P | 9 | 3082 |
| CALCIUM NITRATE | – | 5.1 | 1454 |
| CALCIUM OXIDE | – | 8 | 1910 |
| CALCIUM PERCHLORATE | – | 5.1 | 1455 |
| CALCIUM PERMANGANATE | – | 5.1 | 1456 |
| CALCIUM PEROXIDE | – | 5.1 | 1457 |
| CALCIUM PHOSPHIDE | – | 4.3 | 1360 |
| CALCIUM, PYROPHORIC | – | 4.2 | 1855 |
| CALCIUM RESINATE | – | 4.1 | 1313 |
| CALCIUM RESINATE, FUSED | – | 4.1 | 1314 |
| Calcium selenate, see | – | 6.1 | 2630 |
| CALCIUM SILICIDE | – | 4.3 | 1405 |
| Calcium silicon, see | – | 4.3 | 1405 |
| Calcium superoxide, see | – | 5.1 | 1457 |
| 2-Camphanol, see | – | 4.1 | 1312 |
| 2-Camphanone, see | – | 4.1 | 2717 |
| Camphechlor, see ORGANOCHLORINE PESTICIDE | P | – | – |
| CAMPHOR OIL | – | 3 | 1130 |
| CAMPHOR, synthetic | – | 4.1 | 2717 |
| CAPACITOR, electric double layer (with an energy storage capacity greater than 0.3 Wh) | – | 9 | 3499 |
| CAPROIC ACID | – | 8 | 2829 |
| Caproic aldehyde, see | – | 3 | 1207 |
| Caprylyl chloride, see | – | 8 | 3265 |
| CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | – | 3 | 2758 |
| CARBAMATE PESTICIDE, LIQUID, TOXIC | – | 6.1 | 2992 |
| CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | – | 6.1 | 2991 |
| CARBAMATE PESTICIDE, SOLID, TOXIC | – | 6.1 | 2757 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Carbanil, see | — | 6.1 | 2487 |
| Carbaryl, see CARBAMATE PESTICIDE | P | — | — |
| Carbendazim, see Note 1 | P | — | — |
| Carbofuran, see CARBAMATE PESTICIDE | P | — | — |
| Carbolic acid, molten, see | — | 6.1 | 2312 |
| Carbolic acid, solid, see | — | 6.1 | 1671 |
| Carbolic acid solution, see | — | 6.1 | 2821 |
| CARBON, ACTIVATED | — | 4.2 | 1362 |
| CARBON animal origin | — | 4.2 | 1361 |
| Carbon bisulphide, see | — | 3 | 1131 |
| Carbon black, see | — | 4.2 | 1361 |
| CARBON DIOXIDE | — | 2.2 | 1013 |
| Carbon dioxide and ethylene oxide mixture, see ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE | — | — | — |
| CARBON DIOXIDE, REFRIGERATED LIQUID | — | 2.2 | 2187 |
| CARBON DIOXIDE, SOLID | — | 9 | 1845 |
| CARBON DISULPHIDE | — | 3 | 1131 |
| Carbonic anhydride, see | — | 2.2 | 1013 |
| Carbonic anhydride, refrigerated liquid, see | — | 2.2 | 2187 |
| Carbonic anhydride, solid | — | 9 | 1845 |
| CARBON MONOXIDE, COMPRESSED | — | 2.3 | 1016 |
| Carbon oxisulphide, see | — | 2.3 | 2204 |
| Carbon oxyfluoride, see | — | 2.3 | 2417 |
| Carbon oxyfluoride, compressed, see | — | 2.3 | 2417 |
| Carbon oxysulphide, see | — | 2.3 | 2204 |
| Carbon paper, see | — | 4.2 | 1379 |
| CARBON TETRABROMIDE | P | 6.1 | 2516 |
| CARBON TETRACHLORIDE | P | 6.1 | 1846 |
| CARBON vegetable origin | — | 4.2 | 1361 |
| Carbonyl chloride, see | — | 2.3 | 1076 |
| CARBONYL FLUORIDE | — | 2.3 | 2417 |
| CARBONYL SULPHIDE | — | 2.3 | 2204 |
| Carbophenothion, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Cargo transport unit under fumigation, see | — | 9 | 3359 |
| Cartap hydrochloride, see CARBAMATE PESTICIDE | P | — | — |
| Cartridge cases, see CASES, CARTRIDGE | — | — | — |
| Cartridges, actuating, for fire extinguisher or apparatus valve, see CARTRIDGES, POWER DEVICE | — | — | — |
| Cartridges, explosive, see | — | 1.1D | 0048 |
| CARTRIDGES, FLASH | — | 1.1G | 0049 |
| CARTRIDGES, FLASH | — | 1.3G | 0050 |
| CARTRIDGES FOR TOOLS, BLANK | — | 1.4S | 0014 |
| CARTRIDGES FOR WEAPONS, BLANK | — | 1.1C | 0326 |
| CARTRIDGES FOR WEAPONS, BLANK | — | 1.2C | 0413 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| CARTRIDGES FOR WEAPONS, BLANK | - | 1.3C | 0327 |
| CARTRIDGES FOR WEAPONS, BLANK | - | 1.4C | 0338 |
| CARTRIDGES FOR WEAPONS, BLANK | - | 1.4S | 0014 |
| CARTRIDGES FOR WEAPONS, INERT PROJECTILE | - | 1.2C | 0328 |
| CARTRIDGES FOR WEAPONS, INERT PROJECTILE | - | 1.3C | 0417 |
| CARTRIDGES FOR WEAPONS, INERT PROJECTILE | - | 1.4C | 0339 |
| CARTRIDGES FOR WEAPONS, INERT PROJECTILE | - | 1.4S | 0012 |
| CARTRIDGES FOR WEAPONS with bursting charge | - | 1.1E | 0006 |
| CARTRIDGES FOR WEAPONS with bursting charge | - | 1.1F | 0005 |
| CARTRIDGES FOR WEAPONS with bursting charge | - | 1.2E | 0321 |
| CARTRIDGES FOR WEAPONS with bursting charge | - | 1.2F | 0007 |
| CARTRIDGES FOR WEAPONS with bursting charge | - | 1.4E | 0412 |
| CARTRIDGES FOR WEAPONS with bursting charge | - | 1.4F | 0348 |
| Cartridges, illuminating, see AMMUNITION, ILLUMINATING | - | - | - |
| CARTRIDGES, OIL WELL | - | 1.3C | 0277 |
| CARTRIDGES, OIL WELL | - | 1.4C | 0278 |
| CARTRIDGES, POWER DEVICE | - | 1.2C | 0381 |
| CARTRIDGES, POWER DEVICE | - | 1.3C | 0275 |
| CARTRIDGES, POWER DEVICE | - | 1.4C | 0276 |
| CARTRIDGES, POWER DEVICE | - | 1.4S | 0323 |
| CARTRIDGES, SIGNAL | - | 1.3G | 0054 |
| CARTRIDGES, SIGNAL | - | 1.4G | 0312 |
| CARTRIDGES, SIGNAL | - | 1.4S | 0405 |
| CARTRIDGES, SMALL ARMS | - | 1.3C | 0417 |
| CARTRIDGES, SMALL ARMS | - | 1.4C | 0339 |
| CARTRIDGES, SMALL ARMS | - | 1.4S | 0012 |
| CARTRIDGES, SMALL ARMS, BLANK | - | 1.3C | 0327 |
| CARTRIDGES, SMALL ARMS, BLANK | - | 1.4C | 0338 |
| CARTRIDGES, SMALL ARMS, BLANK | - | 1.4S | 0014 |
| Cartridges, starter, jet engine, see CARTRIDGES, POWER DEVICE | - | - | - |
| CASES, CARTRIDGE, EMPTY, WITH PRIMER | - | 1.4C | 0379 |
| CASES, CARTRIDGE, EMPTY, WITH PRIMER | - | 1.4S | 0055 |
| CASES, COMBUSTIBLE, EMPTY, WITHOUT PRIMER | - | 1.3C | 0447 |
| CASES, COMBUSTIBLE, EMPTY, WITHOUT PRIMER | - | 1.4C | 0446 |
| Casinghead gasoline, see | P | 3 | 1203 |
| CASTOR BEANS | - | 9 | 2969 |
| CASTOR FLAKE | - | 9 | 2969 |
| CASTOR MEAL | - | 9 | 2969 |
| CASTOR POMACE | - | 9 | 2969 |
| CAUSTIC ALKALI LIQUID, N.O.S. | - | 8 | 1719 |
| Caustic potash solution, see | - | 8 | 1814 |
| Caustic potash, solid, see | - | 8 | 1813 |
| Caustic soda liquor, see | - | 8 | 1824 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Caustic soda, solid, see | - | 8 | 1823 |
| Caustic soda solution, see | - | 8 | 1824 |
| CELLS, CONTAINING SODIUM | - | 4.3 | 3292 |
| CELLULOID in block, rods, rolls, sheets, tubes, etc., except scrap | - | 4.1 | 2000 |
| CELLULOID, SCRAP | - | 4.2 | 2002 |
| Cellulose nitrate solution, see | - | 3 | 2059 |
| Cellulose nitrate with alcohol, see | - | 4.1 | 2556 |
| Cellulose nitrate with plasticizing substance, see | - | 4.1 | 2557 |
| Cellulose nitrate with water, see | - | 4.1 | 2555 |
| Cement, liquid, see | - | 3 | 1133 |
| CERIUM gritty powder | - | 4.3 | 3078 |
| CERIUM ingots | - | 4.1 | 1333 |
| Cerium powder, pyrophoric, see | - | 4.2 | 1383 |
| CERIUM rods | - | 4.1 | 1333 |
| CERIUM slabs | - | 4.1 | 1333 |
| CERIUM turnings | - | 4.3 | 3078 |
| Cer Mischmetall, see | - | 4.1 | 1323 |
| Cesium, see CAESIUM | - | - | - |
| Charcoal, activated, see | - | 4.2 | 1362 |
| Charcoal, non-activated, see | - | 4.2 | 1361 |
| CHARGES, BURSTING, PLASTICS BONDED | - | 1.1D | 0457 |
| CHARGES, BURSTING, PLASTICS BONDED | - | 1.2D | 0458 |
| CHARGES, BURSTING, PLASTICS BONDED | - | 1.4D | 0459 |
| CHARGES, BURSTING, PLASTICS BONDED | - | 1.4S | 0460 |
| CHARGES, DEMOLITION | - | 1.1D | 0048 |
| CHARGES, DEPTH | - | 1.1D | 0056 |
| Charges, expelling, explosive, for fire extinguishers, see CARTRIDGES, POWER DEVICE | - | - | - |
| CHARGES, EXPLOSIVE, COMMERCIAL without detonator | - | 1.1D | 0442 |
| CHARGES, EXPLOSIVE, COMMERCIAL without detonator | - | 1.2D | 0443 |
| CHARGES, EXPLOSIVE, COMMERCIAL without detonator | - | 1.4D | 0444 |
| CHARGES, EXPLOSIVE, COMMERCIAL without detonator | - | 1.4S | 0445 |
| CHARGES, PROPELLING | - | 1.1C | 0271 |
| CHARGES, PROPELLING | - | 1.2C | 0415 |
| CHARGES, PROPELLING | - | 1.3C | 0272 |
| CHARGES, PROPELLING | - | 1.4C | 0491 |
| CHARGES, PROPELLING, FOR CANNON | - | 1.1C | 0279 |
| CHARGES, PROPELLING, FOR CANNON | - | 1.2C | 0414 |
| CHARGES, PROPELLING, FOR CANNON | - | 1.3C | 0242 |
| CHARGES, SHAPED, FLEXIBLE, LINEAR | - | 1.1D | 0288 |
| CHARGES, SHAPED, FLEXIBLE, LINEAR | - | 1.4D | 0237 |
| CHARGES, SHAPED without detonator | - | 1.1D | 0059 |
| CHARGES, SHAPED without detonator | - | 1.2D | 0439 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| CHARGES, SHAPED without detonator | – | 1.4D | 0440 |
| CHARGES, SHAPED without detonator | – | 1.4S | 0441 |
| CHARGES, SUPPLEMENTARY, EXPLOSIVE | – | 1.1D | 0060 |
| CHEMICAL KIT | – | 9 | 3316 |
| CHEMICAL SAMPLE, TOXIC | – | 6.1 | 3315 |
| CHEMICAL UNDER PRESSURE, N.O.S. | – | 2.2 | 3500 |
| CHEMICAL UNDER PRESSURE, CORROSIVE, N.O.S. | – | 2.2 | 3503 |
| CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S. | – | 2.1 | 3501 |
| CHEMICAL UNDER PRESSURE, FLAMMABLE, CORROSIVE, N.O.S. | – | 2.1 | 3505 |
| CHEMICAL UNDER PRESSURE, FLAMMABLE, TOXIC, N.O.S. | – | 2.1 | 3504 |
| CHEMICAL UNDER PRESSURE, TOXIC, N.O.S. | – | 2.2 | 3502 |
| Chile saltpetre, see | – | 5.1 | 1498 |
| Chinomethionat, see PESTICIDE, N.O.S. | – | – | – |
| CHLORAL, ANHYDROUS, STABILIZED | – | 6.1 | 2075 |
| CHLORATE AND BORATE MIXTURE | – | 5.1 | 1458 |
| CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID | – | 5.1 | 1459 |
| CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION | – | 5.1 | 3407 |
| CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S. | – | 5.1 | 3210 |
| CHLORATES, INORGANIC, N.O.S. | – | 5.1 | 1461 |
| Chlordane, see ORGANOCHLORINE PESTICIDE | P | – | – |
| Chlordimeform, see ORGANOCHLORINE PESTICIDE | – | – | – |
| Chlordimeform hydrochloride, see ORGANOCHLORINE PESTICIDE | – | – | – |
| Chlofenvinphos, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| CHLORIC ACID, AQUEOUS SOLUTION with a concentration exceeding 10% (transport prohibited) | – | – | – |
| CHLORIC ACID, AQUEOUS SOLUTION with not more than 10% chloric acid | – | 5.1 | 2626 |
| Chlorinated paraffins (C ₁₀ –C ₁₃), see | P | 9 | 3082 |
| Chlorinated paraffins (C ₁₄ –C ₁₇) with more than 1% shorter chain length, see | P | 9 | 3082 |
| CHLORINE | P | 2.3 | 1017 |
| Chlorine bromide, see | – | 2.3 | 2901 |
| Chlorine cyanide, stabilized, see | P | 2.3 | 1589 |
| CHLORINE PENTAFLUORIDE | – | 2.3 | 2548 |
| CHLORINE TRIFLUORIDE | – | 2.3 | 1749 |
| CHLORITES, INORGANIC, N.O.S. | – | 5.1 | 1462 |
| CHLORITE SOLUTION | – | 8 | 1908 |
| Chlormephos, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Chloroacetaldehyde, see | – | 6.1 | 2232 |
| CHLOROACETIC ACID, MOLTEN | – | 6.1 | 3250 |
| CHLOROACETIC ACID, SOLID | – | 6.1 | 1751 |
| CHLOROACETIC ACID SOLUTION | – | 6.1 | 1750 |
| CHLOROACETONE, STABILIZED | P | 6.1 | 1695 |
| CHLOROACETONITRILE | – | 6.1 | 2668 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| CHLOROACETOPHENONE, LIQUID | - | 6.1 | 3416 |
| CHLOROACETOPHENONE, SOLID | - | 6.1 | 1697 |
| CHLOROACETYL CHLORIDE | - | 6.1 | 1752 |
| <i>para</i> -Chloro- <i>ortho</i> -aminophenol, see | - | 6.1 | 2673 |
| 2-Chloroaniline, see | - | 6.1 | 2019 |
| 3-Chloroaniline, see | - | 6.1 | 2019 |
| 4-Chloroaniline, see | - | 6.1 | 2018 |
| <i>meta</i> -Chloroaniline, see | - | 6.1 | 2019 |
| <i>ortho</i> -Chloroaniline, see | - | 6.1 | 2019 |
| <i>para</i> -Chloroaniline, see | - | 6.1 | 2018 |
| CHLOROANILINES, LIQUID | - | 6.1 | 2019 |
| CHLOROANILINES, SOLID | - | 6.1 | 2018 |
| CHLOROANISIDINES | - | 6.1 | 2233 |
| CHLOROBENZENE | - | 3 | 1134 |
| CHLOROBENZOTRIFLUORIDES | - | 3 | 2234 |
| CHLOROBENZYL CHLORIDES, LIQUID | P | 6.1 | 2235 |
| CHLOROBENZYL CHLORIDES, SOLID | P | 6.1 | 3427 |
| 1-Chloro-3-bromopropane, see | - | 6.1 | 2688 |
| 2-Chlorobutadiene-1,3, stabilized, see | - | 3 | 1991 |
| 1-Chlorobutane, see | - | 3 | 1127 |
| 2-Chlorobutane, see | - | 3 | 1127 |
| CHLOROBUTANES | - | 3 | 1127 |
| Chlorocarbonates, toxic, corrosive, flammable, n.o.s., see | - | 6.1 | 2742 |
| Chlorocarbonates, toxic, corrosive, n.o.s., see | - | 6.1 | 3277 |
| CHLOROCRESOLS, SOLID | - | 6.1 | 3437 |
| CHLOROCRESOLS SOLUTION | - | 6.1 | 2669 |
| 3-Chloro-4-diethylaminobenzenediazonium zinc chloride (concentration 100%), see | - | 4.1 | 3226 |
| CHLORODIFLUOROBROMOMETHANE | - | 2.2 | 1974 |
| 1-CHLORO-1,1-DIFLUOROETHANE | - | 2.1 | 2517 |
| CHLORODIFLUOROMETHANE | - | 2.2 | 1018 |
| CHLORODIFLUOROMETHANE AND CHLOROPENTAFLUOROETHANE MIXTURE with a fixed boiling point, with approximately 49% chlorodifluoromethane | - | 2.2 | 1973 |
| 3-Chloro-1,2-dihydroxypropane, see | - | 6.1 | 2689 |
| Chlorodimethyl ether, see | - | 6.1 | 1239 |
| CHLORODINITROBENZENES, LIQUID | P | 6.1 | 1577 |
| CHLORODINITROBENZENES, SOLID | P | 6.1 | 3441 |
| 2-CHLOROETHANAL | - | 6.1 | 2232 |
| Chloroethane, see | - | 2.1 | 1037 |
| Chloroethane nitrile, see | - | 6.1 | 2668 |
| 2-Chloroethanol, see | - | 6.1 | 1135 |
| 2-Chloroethyl alcohol, see | - | 6.1 | 1135 |
| CHLOROFORM | - | 6.1 | 1888 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S. | – | 6.1 | 2742 |
| CHLOROFORMATES, TOXIC, CORROSIVE, N.O.S. | – | 6.1 | 3277 |
| Chloromethane, see | – | 2.1 | 1063 |
| 1-Chloro-3-methylbutane, see | – | 3 | 1107 |
| 2-Chloro-2-methylbutane, see | – | 3 | 1107 |
| CHLOROMETHYL CHLOROFORMATE | – | 6.1 | 2745 |
| Chloromethyl cyanide, see | – | 6.1 | 2668 |
| CHLOROMETHYL ETHYL ETHER | – | 3 | 2354 |
| Chloromethyl methyl ether, see | – | 6.1 | 1239 |
| Chloromethylphenols, solution, see | – | 6.1 | 2669 |
| Chloromethylphenols, solid, see | – | 6.1 | 3437 |
| 3-CHLORO-4-METHYLPHENYL ISOCYANATE, LIQUID | – | 6.1 | 2236 |
| 3-CHLORO-4-METHYLPHENYL ISOCYANATE, SOLID | – | 6.1 | 3428 |
| Chloromethylpropanes, see | – | 3 | 1127 |
| 3-Chloro-2-methylprop-1-ene, see | – | 3 | 2554 |
| CHLORONITROANILINES | P | 6.1 | 2237 |
| CHLORONITROBENZENES, LIQUID | – | 6.1 | 3409 |
| CHLORONITROBENZENES, SOLID | – | 6.1 | 1578 |
| 2-Chloro-6-nitrotoluene, see Note 1 | P | – | – |
| CHLORONITROTOLUENES, LIQUID | P | 6.1 | 2433 |
| CHLORONITROTOLUENES, SOLID | P | 6.1 | 3457 |
| 1-Chlorooctane, see | P | 9 | 3082 |
| CHLOROPENTAFLUOROETHANE | – | 2.2 | 1020 |
| Chloropentanes, see | – | 3 | 1107 |
| 3-Chloroperoxybenzoic acid (concentration ≤57%, with inert solid and water), see | – | 5.2 | 3106 |
| 3-Chloroperoxybenzoic acid (concentration >57–86%, with inert solid), see | – | 5.2 | 3102 |
| 3-Chloroperoxybenzoic acid (concentration ≤77% with inert solid and water), see | – | 5.2 | 3106 |
| Chlorophacinone, see ORGANOCHLORINE PESTICIDE | – | – | – |
| CHLOROPHENOLATES, LIQUID | – | 8 | 2904 |
| CHLOROPHENOLATES, SOLID | – | 8 | 2905 |
| CHLOROPHENOLS, LIQUID | – | 6.1 | 2021 |
| CHLOROPHENOLS, SOLID | – | 6.1 | 2020 |
| CHLOROPHENYLTRICHLOROSILANE | P | 8 | 1753 |
| CHLOROPICRIN | P | 6.1 | 1580 |
| CHLOROPICRIN AND METHYL BROMIDE MIXTURE with more than 2% chloropicrin | – | 2.3 | 1581 |
| CHLOROPICRIN AND METHYL CHLORIDE MIXTURE | – | 2.3 | 1582 |
| CHLOROPICRIN MIXTURE, N.O.S. | – | 6.1 | 1583 |
| CHLOROPLATINIC ACID, SOLID | – | 8 | 2507 |
| CHLOROPRENE, STABILIZED | – | 3 | 1991 |
| 1-CHLOROPROPANE | – | 3 | 1278 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| 2-CHLOROPROPANE | - | 3 | 2356 |
| 3-Chloropropanediol-1,2, see | - | 6.1 | 2689 |
| 1-Chloro-2-propanol, see | - | 6.1 | 2611 |
| 3-CHLOROPROPANOL-1 | - | 6.1 | 2849 |
| 2-CHLOROPROPENE | - | 3 | 2456 |
| 3-Chloropropene, see | - | 3 | 1100 |
| 3-Chloroprop-1-ene, see | - | 3 | 1100 |
| 2-CHLOROPROPIONIC ACID | - | 8 | 2511 |
| <i>alpha</i> -Chloropropionic acid, see | - | 8 | 2511 |
| 2-Chloropropylene, see | - | 3 | 2456 |
| <i>alpha</i> -Chloropropylene, see | - | 3 | 1100 |
| 2-CHLOROPYRIDINE | - | 6.1 | 2822 |
| CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S. | - | 8 | 2986 |
| CHLOROSILANES, CORROSIVE, N.O.S. | - | 8 | 2987 |
| CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S. | - | 3 | 2985 |
| CHLOROSILANES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S. | - | 6.1 | 3362 |
| CHLOROSILANES, TOXIC, CORROSIVE, N.O.S. | - | 6.1 | 3361 |
| CHLOROSILANES, WATER-REACTIVE, FLAMMABLE, CORROSIVE, N.O.S. | - | 4.3 | 2988 |
| CHLOROSULPHONIC ACID (with or without sulphur trioxide) | - | 8 | 1754 |
| Chlorosulphuric acid, see | - | 6.1 | 1834 |
| 1-CHLORO-1,2,2,2-TETRAFLUOROETHANE | - | 2.2 | 1021 |
| <i>meta</i> -Chlorotoluene, see | P | 3 | 2238 |
| <i>ortho</i> -Chlorotoluene, see | - | 3 | 2238 |
| <i>para</i> -Chlorotoluene, see | P | 3 | 2238 |
| CHLOROTOLUENES | - | 3 | 2238 |
| 4-CHLORO- <i>o</i> -TOLUIDINE HYDROCHLORIDE, SOLID | - | 6.1 | 1579 |
| 4-CHLORO- <i>o</i> -TOLUIDINE HYDROCHLORIDE SOLUTION | - | 6.1 | 3410 |
| CHLOROTOLUIDINES, LIQUID | - | 6.1 | 3429 |
| CHLOROTOLUIDINES, SOLID | - | 6.1 | 2239 |
| 1-CHLORO-2,2,2-TRIFLUOROETHANE | - | 2.2 | 1983 |
| Chlorotrifluoroethylene, stabilized, see | - | 2.3 | 1082 |
| CHLOROTRIFLUOROMETHANE | - | 2.2 | 1022 |
| CHLOROTRIFLUOROMETHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE with approximately 60% chlorotrifluoromethane | - | 2.2 | 2599 |
| 2-Chloro-5-trifluoromethylnitrobenzene, see | P | 6.1 | 2307 |
| Chlorovinyl acetate, see | - | 6.1 | 2589 |
| Chlorphacinone, see ORGANOCHLORINE PESTICIDE | - | - | - |
| Chlorpyriphos, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Chlorthiophos, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Chromic acid, solid, see | - | 5.1 | 1463 |
| CHROMIC ACID SOLUTION | - | 8 | 1755 |
| Chromic anhydride, see | - | 5.1 | 1463 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| CHROMIC FLUORIDE, SOLID | – | 8 | 1756 |
| CHROMIC FLUORIDE SOLUTION | – | 8 | 1757 |
| Chromic nitrate, see | – | 5.1 | 2720 |
| Chromium(VI) dichloride dioxide, see | – | 8 | 1758 |
| Chromium(III) fluoride, solid, see | – | 8 | 1756 |
| Chromium fluoride, solid, see | – | 8 | 1756 |
| Chromium fluoride solution, see | – | 8 | 1757 |
| CHROMIUM NITRATE | – | 5.1 | 2720 |
| Chromium(III) nitrate, see | – | 5.1 | 2720 |
| CHROMIUM OXYCHLORIDE | – | 8 | 1758 |
| CHROMIUM TRIOXIDE, ANHYDROUS | – | 5.1 | 1463 |
| CHROMOSULPHURIC ACID | – | 8 | 2240 |
| Chromyl chloride, see | – | 8 | 1758 |
| Chrysotile, see | – | 9 | 2590 |
| Cinene, see | P | 3 | 2052 |
| Cinnamene, see | – | 3 | 2055 |
| Cinnamol, see | – | 3 | 2055 |
| CLINICAL WASTE, UNSPECIFIED, N.O.S. | – | 6.2 | 3291 |
| COAL GAS, COMPRESSED | – | 2.3 | 1023 |
| Coal tar, see | P | 9 | 3082 |
| COAL TAR DISTILLATES, FLAMMABLE | – | 3 | 1136 |
| Coal tar naphtha, see | – | 3 | 1268 |
| Coal tar oil, see | – | 3 | 1136 |
| COATING SOLUTION (includes surface treatments or coatings used for industrial purposes such as vehicle under-coating, drum or barrel lining) | – | 3 | 1139 |
| COBALT NAPHTHENATES, POWDER | – | 4.1 | 2001 |
| COBALT RESINATE, PRECIPITATED | – | 4.1 | 1318 |
| Cocculus, see | P | 6.1 | 3172 |
| Coconitrile, see | P | 9 | 3082 |
| Collodion cottons (class 1), see NITROCELLULOSE | – | – | – |
| Collodion cotton with alcohol, see | – | 4.1 | 2556 |
| Collodion cotton with plasticizing substance, see | – | 4.1 | 2557 |
| Collodion cotton with water, see | – | 4.1 | 2555 |
| Collodion solution, see | – | 3 | 2059 |
| COMPONENTS, EXPLOSIVE TRAIN, N.O.S. | – | 1.1B | 0461 |
| COMPONENTS, EXPLOSIVE TRAIN, N.O.S. | – | 1.2B | 0382 |
| COMPONENTS, EXPLOSIVE TRAIN, N.O.S. | – | 1.4B | 0383 |
| COMPONENTS, EXPLOSIVE TRAIN, N.O.S. | – | 1.4S | 0384 |
| Composition B, see | – | 1.1D | 0118 |
| COMPRESSED GAS, FLAMMABLE, N.O.S. | – | 2.1 | 1954 |
| COMPRESSED GAS, N.O.S. | – | 2.2 | 1956 |
| COMPRESSED GAS, OXIDIZING, N.O.S. | – | 2.2 | 3156 |
| COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S. | – | 2.3 | 3304 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S. | – | 2.3 | 3305 |
| COMPRESSED GAS, TOXIC, FLAMMABLE, N.O.S. | – | 2.3 | 1953 |
| COMPRESSED GAS, TOXIC, N.O.S. | – | 2.3 | 1955 |
| COMPRESSED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S. | – | 2.3 | 3306 |
| COMPRESSED GAS, TOXIC, OXIDIZING, N.O.S. | – | 2.3 | 3303 |
| Container under fumigation, see | – | 9 | 3359 |
| CONTRIVANCES, WATER-ACTIVATED with burster, expelling charge or propelling charge | – | 1.2L | 0248 |
| CONTRIVANCES, WATER-ACTIVATED with burster, expelling charge or propelling charge | – | 1.3L | 0249 |
| COPPER ACETOARSENITE | P | 6.1 | 1585 |
| Copper arsenate, see | – | 6.1 | 1557 |
| COPPER ARSENITE | P | 6.1 | 1586 |
| Copper(II) arsenite, see | – | 6.1 | 1586 |
| COPPER BASED PESTICIDE, LIQUID, TOXIC | – | 6.1 | 3010 |
| COPPER BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | – | 3 | 2776 |
| COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | – | 6.1 | 3009 |
| COPPER BASED PESTICIDE, SOLID, TOXIC | – | 6.1 | 2775 |
| COPPER CHLORATE | – | 5.1 | 2721 |
| Copper(II) chlorate, see | – | 5.1 | 2721 |
| COPPER CHLORIDE | P | 8 | 2802 |
| Copper compounds, see COPPER BASED PESTICIDE | – | – | – |
| COPPER CYANIDE | P | 6.1 | 1587 |
| Copper metal powder, see Note 1 | P | – | – |
| Copper sulphate, anhydrous, hydrates and solutions, see Note 1 | P | – | – |
| COPRA | – | 4.2 | 1363 |
| CORD, DETONATING flexible | – | 1.1D | 0065 |
| CORD, DETONATING flexible | – | 1.4D | 0289 |
| CORD, DETONATING metal-clad | – | 1.1D | 0290 |
| CORD, DETONATING metal-clad | – | 1.2D | 0102 |
| CORD, DETONATING, MILD EFFECT metal-clad | – | 1.4D | 0104 |
| CORD, IGNITER | – | 1.4G | 0066 |
| Cordite, see POWDER, SMOKELESS | – | – | – |
| CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. | – | 8 | 3264 |
| CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. | – | 8 | 3265 |
| CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. | – | 8 | 3266 |
| CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. | – | 8 | 3267 |
| CORROSIVE LIQUID, FLAMMABLE, N.O.S. | – | 8 | 2920 |
| CORROSIVE LIQUID, N.O.S. | – | 8 | 1760 |
| CORROSIVE LIQUID, OXIDIZING, N.O.S. | – | 8 | 3093 |
| CORROSIVE LIQUID, SELF-HEATING, N.O.S. | – | 8 | 3301 |
| CORROSIVE LIQUID, TOXIC, N.O.S. | – | 8 | 2922 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| CORROSIVE LIQUID, WATER-REACTIVE, N.O.S. | – | 8 | 3094 |
| CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. | – | 8 | 3260 |
| CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. | – | 8 | 3261 |
| CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. | – | 8 | 3262 |
| CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. | – | 8 | 3263 |
| CORROSIVE SOLID, FLAMMABLE, N.O.S. | – | 8 | 2921 |
| CORROSIVE SOLID, N.O.S. | – | 8 | 1759 |
| CORROSIVE SOLID, OXIDIZING, N.O.S. | – | 8 | 3084 |
| CORROSIVE SOLID, SELF-HEATING, N.O.S. | – | 8 | 3095 |
| CORROSIVE SOLID, TOXIC, N.O.S. | – | 8 | 2923 |
| CORROSIVE SOLID, WATER-REACTIVE, N.O.S. | – | 8 | 3096 |
| Cosmetics, see | – | 3 | 1266 |
| Cotton, dry, see | – | 4.1 | 3360 |
| COTTON WASTE, OILY | – | 4.2 | 1364 |
| COTTON, WET | – | 4.2 | 1365 |
| Coumachlor, see COUMARIN DERIVATIVE PESTICIDE | P | – | – |
| Coumafuryl, see COUMARIN DERIVATIVE PESTICIDE | – | – | – |
| Coumaphos, see COUMARIN DERIVATIVE PESTICIDE | P | – | – |
| COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint less than 23°C | – | 3 | 3024 |
| COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC | – | 6.1 | 3026 |
| COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint not less than 23°C | – | 6.1 | 3025 |
| COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC | – | 6.1 | 3027 |
| Coumatetralyl, see COUMARIN DERIVATIVE PESTICIDE | – | – | – |
| Creosote, see | P | 9 | 3082 |
| Creosote salts, see | – | 4.1 | 1334 |
| CRESOLS, LIQUID | – | 6.1 | 2076 |
| CRESOLS, SOLID | – | 6.1 | 3455 |
| Cresyl diphenyl phosphate, see | P | 9 | 3082 |
| CRESYLIC ACID | – | 6.1 | 2022 |
| Crimidine, see ORGANOCHLORINE PESTICIDE | – | – | – |
| Crocidolite, see | – | 9 | 2212 |
| CROTONALDEHYDE | – | 6.1 | 1143 |
| CROTONALDEHYDE, STABILIZED | P | 6.1 | 1143 |
| CROTONIC ACID, LIQUID | – | 8 | 3472 |
| CROTONIC ACID, SOLID | – | 8 | 2823 |
| Crotonic aldehyde, stabilized, see | P | 6.1 | 1143 |
| CROTONYLENE | – | 3 | 1144 |
| Crotoxyphos, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Crude naphtha, see | – | 3 | 1268 |
| Crufomate, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Cumene, see | – | 3 | 1918 |
| Cumyl hydroperoxide (concentration ≤90%, with diluent Type A), see | – | 5.2 | 3109 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| Cumyl hydroperoxide (concentration >90–98%, with diluent Type A), see | – | 5.2 | 3107 |
| Cumyl peroxyneodecanoate (concentration ≤52% as a stable dispersion in water), see | – | 5.2 | 3119 |
| Cumyl peroxyneodecanoate (concentration ≤77%, with diluent Type B), see | – | 5.2 | 3115 |
| Cumyl peroxyneodecanoate (concentration ≤87%, with diluent Type A), see | – | 5.2 | 3115 |
| Cumyl peroxyneohheptanoate (concentration ≤77%, with diluent Type A), see | – | 5.2 | 3115 |
| Cumyl peroxypivalate (concentration ≤77%, with diluent Type B), see | – | 5.2 | 3115 |
| Cupric arsenite, see | P | 6.1 | 1586 |
| Cupric chlorate, see | – | 5.1 | 2721 |
| Cupric chloride, see | P | 8 | 2802 |
| Cupric cyanide, see | P | 6.1 | 1587 |
| Cupric sulphate, see Note 1 | P | – | – |
| CUPRIETHYLENEDIAMINE SOLUTION | P | 8 | 1761 |
| Cuprous chloride, see | P | 8 | 2802 |
| Cut-backs, see | – | 3 | 1999 |
| CUTTERS, CABLE, EXPLOSIVE | – | 1.4S | 0070 |
| Cyanazine, see TRIAZINE PESTICIDE | – | – | – |
| Cyanide mixture, inorganic, solid, N.O.S., see | P | 6.1 | 1588 |
| CYANIDES, INORGANIC, SOLID, N.O.S. | P | 6.1 | 1588 |
| CYANIDE SOLUTION, N.O.S. | P | 6.1 | 1935 |
| Cyanides, organic, flammable, toxic, N.O.S., see | – | 3 | 3273 |
| Cyanides, organic, toxic, flammable, N.O.S., see | – | 6.1 | 3275 |
| Cyanides, organic, toxic, N.O.S., see | – | 6.1 | 3276 |
| Cyanoacetonitrile, see | – | 6.1 | 2647 |
| CYANOGEN | – | 2.3 | 1026 |
| CYANOGEN BROMIDE | P | 6.1 | 1889 |
| CYANOGEN CHLORIDE, STABILIZED | P | 2.3 | 1589 |
| Cyanophos, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| CYANURIC CHLORIDE | – | 8 | 2670 |
| CYCLOBUTANE | – | 2.1 | 2601 |
| CYCLOBUTYL CHLOROFORMATE | – | 6.1 | 2744 |
| 1,5,9-CYCLODODECATRIENE | P | 6.1 | 2518 |
| CYCLOHEPTANE | – | 3 | 2241 |
| CYCLOHEPTATRIENE | – | 3 | 2603 |
| 1,3,5-Cycloheptatriene, see | – | 3 | 2603 |
| CYCLOHEPTENE | – | 3 | 2242 |
| 1,4-Cyclohexadienedione, see | – | 6.1 | 2587 |
| CYCLOHEXANE | – | 3 | 1145 |
| CYCLOHEXANETHIOL | – | 3 | 3054 |
| CYCLOHEXANONE | – | 3 | 1915 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Cyclohexanone peroxide(s) (concentration \leq 32%, with inert solid) (exempt) | – | – | – |
| Cyclohexanone peroxide(s) (concentration \leq 72%, as a paste, with diluent Type A, with or without water, available oxygen \leq 9%), see | – | 5.2 | 3106 |
| Cyclohexanone peroxide(s) (concentration \leq 72%, with diluent Type A, available oxygen \leq 9%), see | – | 5.2 | 3105 |
| Cyclohexanone peroxide(s) (concentration \leq 91%, with water), see | – | 5.2 | 3104 |
| CYCLOHEXENE | – | 3 | 2256 |
| CYCLOHEXYLTRICHLOROSILANE | – | 8 | 1762 |
| Cycloheximide, see PESTICIDE, N.O.S. | – | – | – |
| CYCLOHEXYL ACETATE | – | 3 | 2243 |
| CYCLOHEXYLAMINE | – | 8 | 2357 |
| CYCLOHEXYL ISOCYANATE | – | 6.1 | 2488 |
| CYCLOHEXYL MERCAPTAN | – | 3 | 3054 |
| CYCLOHEXYLTRICHLOROSILANE | – | 8 | 1763 |
| CYCLONITE AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | – | 1.1D | 0391 |
| CYCLONITE AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, WETTED with not less than 15% water, by mass | – | 1.1D | 0391 |
| CYCLONITE AND HMX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | – | 1.1D | 0391 |
| CYCLONITE AND HMX MIXTURE, WETTED with not less than 15% water, by mass | – | 1.1D | 0391 |
| CYCLONITE AND OCTOGEN MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | – | 1.1D | 0391 |
| CYCLONITE AND OCTOGEN MIXTURE, WETTED with not less than 15% water, by mass | – | 1.1D | 0391 |
| CYCLONITE, DESENSITIZED | – | 1.1D | 0483 |
| CYCLONITE, WETTED with not less than 15% water, by mass | – | 1.1D | 0072 |
| CYCLOOCTADIENEPHOSPHINES | – | 4.2 | 2940 |
| CYCLOOCTADIENES | – | 3 | 2520 |
| CYCLOOCTATETRAENE | – | 3 | 2358 |
| CYCLOPENTANE | – | 3 | 1146 |
| CYCLOPENTANOL | – | 3 | 2244 |
| CYCLOPENTANONE | – | 3 | 2245 |
| CYCLOPENTENE | – | 3 | 2246 |
| CYCLOPROPANE | – | 2.1 | 1027 |
| CYCLOTETRAMETHYLENETETRANITRAMINE, DESENSITIZED | – | 1.1D | 0484 |
| CYCLOTETRAMETHYLENETETRANITRAMINE, WETTED with not less than 15% water, by mass | – | 1.1D | 0226 |
| CYCLOTRIMETHYLENETRINITRAMINE AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | – | 1.1D | 0391 |
| CYCLOTRIMETHYLENETRINITRAMINE AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, WETTED with not less than 15% water, by mass | – | 1.1D | 0391 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| CYCLOTRIMETHYLENETRINITRAMINE AND HMX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | – | 1.1D | 0391 |
| CYCLOTRIMETHYLENETRINITRAMINE AND HMX MIXTURE, WETTED with not less than 15% water, by mass | – | 1.1D | 0391 |
| CYCLOTRIMETHYLENETRINITRAMINE AND OCTOGEN MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | – | 1.1D | 0391 |
| CYCLOTRIMETHYLENETRINITRAMINE AND OCTOGEN MIXTURE, WETTED with not less than 15% water, by mass | – | 1.1D | 0391 |
| CYCLOTRIMETHYLENETRINITRAMINE, DESENSITIZED | – | 1.1D | 0483 |
| CYCLOTRIMETHYLENETRINITRAMINE, WETTED with not less than 15% water, by mass | – | 1.1D | 0072 |
| Cyhexatin, see ORGANOTIN PESTICIDE, | P | – | – |
| CYMENES | P | 3 | 2046 |
| Cymol, see | P | 3 | 2046 |
| Cypermethrin, see PYRETHROID PESTICIDE | P | – | – |
| 2,4-D, see PHENOXYACETIC ACID DERIVATIVE PESTICIDE | – | – | – |
| DANGEROUS GOODS IN APPARATUS | – | 9 | 3363 |
| DANGEROUS GOODS IN MACHINERY | – | 9 | 3363 |
| Dazomet, see PESTICIDE, N.O.S. | – | – | – |
| 2,4-DB, see PHENOXYACETIC ACID DERIVATIVE PESTICIDE | – | – | – |
| DDT, see ORGANOCHLORINE PESTICIDE | P | – | – |
| Deanol, see | – | 8 | 2051 |
| DECABORANE | – | 4.1 | 1868 |
| DECAHYDRONAPHTHALENES | – | 3 | 1147 |
| Decaldehyde, see | P | 9 | 3082 |
| Decalin, see | – | 3 | 1147 |
| (3R-3R,5aS,6S,8aS,9R,10R,12S,12aR**)-DECAHYDRO-10-METHOXY-3,6,9-TRIMETHYL-3,12-EPOXY-12H-PYRANO 4,3-j-1,2-BENZODIOXEPIN) | – | 5.2 | 3106 |
| <i>n</i> -DECANE | – | 3 | 2247 |
| Decyl acrylate, see | P | 9 | 3082 |
| Decyloxytetrahydrothiophene dioxide , see Note 1 | P | – | – |
| DEF, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| DEFLAGRATING METAL SALTS OF AROMATIC NITRO-DERIVATIVES, N.O.S. | – | 1.3C | 0132 |
| Demephion, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Demeton, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Demeton-O, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Demeton-O-methyl, thiono isomer, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Demeton-S-methyl, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Demeton-S-methylsulphoxyd, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Depth charges, see | – | 1.1D | 0056 |
| DESENSITIZED EXPLOSIVE, LIQUID, N.O.S. | – | 3 | 3379 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| DESENSITIZED EXPLOSIVE, SOLID, N.O.S. | — | 4.1 | 3380 |
| Desmediphan, see Note 1 | P | — | — |
| Detonating relays, see DETONATOR ASSEMBLIES, NON-ELECTRIC, for blasting or see DETONATORS, NON-ELECTRIC for blasting | — | — | — |
| DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting | — | 1.1B | 0360 |
| DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting | — | 1.4B | 0361 |
| DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting | — | 1.4S | 0500 |
| DETONATORS, ELECTRIC for blasting | — | 1.1B | 0030 |
| DETONATORS, ELECTRIC for blasting | — | 1.4B | 0255 |
| DETONATORS, ELECTRIC for blasting | — | 1.4S | 0456 |
| DETONATORS FOR AMMUNITION | — | 1.1B | 0073 |
| DETONATORS FOR AMMUNITION | — | 1.2B | 0364 |
| DETONATORS FOR AMMUNITION | — | 1.4B | 0365 |
| DETONATORS FOR AMMUNITION | — | 1.4S | 0366 |
| DETONATORS, NON-ELECTRIC for blasting | — | 1.1B | 0029 |
| DETONATORS, NON-ELECTRIC for blasting | — | 1.4B | 0267 |
| DETONATORS, NON-ELECTRIC for blasting | — | 1.4S | 0455 |
| DEUTERIUM, COMPRESSED | — | 2.1 | 1957 |
| DEVICES, SMALL, HYDROCARBON GAS POWERED | — | 2.1 | 3150 |
| Diacetone, see | — | 3 | 1148 |
| DIACETONE ALCOHOL | — | 3 | 1148 |
| Diacetone alcohol peroxides (concentration \leq 57%, with diluent Type B and water, hydrogen peroxide \leq 9%, available oxygen \leq 10%), see | — | 5.2 | 3115 |
| Diacetyl, see | — | 3 | 2346 |
| Diacetyl peroxide (concentration \leq 27%, with diluent Type B), see | — | 5.2 | 3115 |
| Dialifos, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Diallate, see PESTICIDE, N.O.S. | P | — | — |
| DIALYLAMINE | — | 3 | 2359 |
| DIALYL ETHER | — | 3 | 2360 |
| Diamine, aqueous solution, see | — | 6.1 | 3293 |
| Diaminobenzenes (<i>ortho</i> -; <i>meta</i> -; <i>para</i> -), see | — | 6.1 | 1673 |
| 4,4'-DIAMINODIPHENYLMETHANE | P | 6.1 | 2651 |
| 1,2-Diaminoethane, see | — | 8 | 1604 |
| 1,6-Diaminohexane, solid, see | — | 8 | 2280 |
| 1,6-Diaminohexane solution, see | — | 8 | 1783 |
| Diaminopropylamine, see | — | 8 | 2269 |
| DI-n-AMYLAMINE | — | 3 | 2841 |
| Di- <i>tert</i> -amyl peroxide (concentration \leq 100%), see | — | 5.2 | 3107 |
| 2,2-Di-(<i>tert</i> -amylperoxy)butane (concentration \leq 57%, with diluent Type A) | — | 5.2 | 3105 |
| 1,1-Di-(<i>tert</i> -amylperoxy)cyclohexane (concentration \leq 82%, with diluent Type A), see | — | 5.2 | 3103 |
| Diazinon, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| DIAZODINITROPHENOL, WETTED with not less than 40% water or mixture of alcohol and water, by mass | – | 1.1A | 0074 |
| 2-Diazo-1-naphthol-4-sulphonic acid ester (concentration 100%), see | – | 4.1 | 3226 |
| 2-Diazo-1-naphthol-5-sulphonic acid ester (concentration 100%), see | – | 4.1 | 3226 |
| 2-Diazo-1-naphthol-4-sulphonyl chloride (concentration 100%), see | – | 4.1 | 3222 |
| 2-Diazo-1-naphthol-5-sulphonyl chloride (concentration 100%), see | – | 4.1 | 3222 |
| Dibenzopyridine, see | – | 6.1 | 2713 |
| Dibenzoyl peroxide (concentration \leq 35%, with inert solid) (exempt) | – | – | – |
| Dibenzoyl peroxide (concentration >35–52%, with inert solid), see | – | 5.2 | 3106 |
| Dibenzoyl peroxide (concentration >36–42%, with diluent Type A and water), see | – | 5.2 | 3107 |
| Dibenzoyl peroxide (concentration \leq 42% as a stable dispersion in water), see | – | 5.2 | 3109 |
| Dibenzoyl peroxide (concentration >51–100%, with inert solid), see | – | 5.2 | 3102 |
| Dibenzoyl peroxide (concentration \leq 52%, as a paste, with diluent Type A, with or without water), see | – | 5.2 | 3108 |
| Dibenzoyl peroxide (concentration >52–62%, as a paste, with diluent Type A, with or without water), see | – | 5.2 | 3106 |
| Dibenzoyl peroxide (concentration \leq 56.5% as a paste, with water), see | – | 5.2 | 3108 |
| Dibenzoyl peroxide (concentration \leq 62%, with inert solid and water), see | – | 5.2 | 3106 |
| Dibenzoyl peroxide (concentration \leq 77%, with water), see | – | 5.2 | 3104 |
| Dibenzoyl peroxide (concentration >77–94%, with water), see | – | 5.2 | 3102 |
| DIBENZYLIDCHLOROSILANE | – | 8 | 2434 |
| DIBORANE | – | 2.3 | 1911 |
| 1,3-Dibromobenzene, see | P | 9 | 3082 |
| 1,2-DIBROMOBUTAN-3-ONE | – | 6.1 | 2648 |
| 1,2-Dibromo-3-chloropropane (pesticides), see | – | 6.1 | 2872 |
| DIBROMOCHLOROPROPANES | – | 6.1 | 2872 |
| DIBROMODIFLUOROMETHANE | – | 9 | 1941 |
| 1,2-Dibromoethane, see | – | 6.1 | 1605 |
| DIBROMOMETHANE | – | 6.1 | 2664 |
| 2,5-Dibutoxy-4-(4-morpholinyl)benzenediazonium tetrachlorozincate (2:1) (concentration 100%), see | – | 4.1 | 3228 |
| DI- <i>n</i> -BUTYLAMINE | – | 8 | 2248 |
| Dibutylaminoethanol, see | – | 6.1 | 2873 |
| 2-Dibutylaminoethanol, see | – | 6.1 | 2873 |
| DI-BUTYLAMINOETHANOL | – | 6.1 | 2873 |
| 1,4-Di- <i>tert</i> -butylbenzene, see | P | 9 | 3077 |
| Di-(4- <i>tert</i> -butylcyclohexyl) peroxydicarbonate (concentration \leq 42%, as a stable dispersion in water), see | – | 5.2 | 3119 |
| Di-(4- <i>tert</i> -butylcyclohexyl) peroxydicarbonate (concentration \leq 100%), see | – | 5.2 | 3114 |
| DIBUTYL ETHERS | – | 3 | 1149 |
| Di- <i>normal</i> -butyl ketone, see | P | 3 | 1224 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Di- <i>tert</i> -butyl peroxide (concentration ≤52%, with diluent Type B), see | – | 5.2 | 3109 |
| Di- <i>tert</i> -butyl peroxide (concentration >52–100%), see | – | 5.2 | 3107 |
| Di- <i>tert</i> -butyl peroxyazelate (concentration ≤52%, with diluent Type A), see | – | 5.2 | 3105 |
| 2,2-Di-(<i>tert</i> -butylperoxy)butane (concentration ≤52%, with diluent Type A), see | – | 5.2 | 3103 |
| 1,6-Di-(<i>tert</i> -butylperoxycarbonyloxy)hexane (concentration ≤72%, with diluent Type A), see | – | 5.2 | 3103 |
| 1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration ≤13%, with diluents Type A and B), see | – | 5.2 | 3109 |
| 1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration ≤27%, with diluent Type A), see | – | 5.2 | 3107 |
| 1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration ≤42%, with diluent Type A), see | – | 5.2 | 3109 |
| 1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration ≤42%, with diluent Type A and inert solid), see | – | 5.2 | 3106 |
| 1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration >42–52%, with diluent Type A) | – | 5.2 | 3105 |
| 1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration >52–80%, with diluent Type A), see | – | 5.2 | 3103 |
| 1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration ≤72%, with diluent Type B) | – | 5.2 | 3103 |
| 1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration >80–100%), see | – | 5.2 | 3101 |
| 1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane + <i>tert</i> -butyl peroxy-2-ethylhexanoate (concentration ≤43% + ≤16%, with diluent Type A) | – | 5.2 | 3105 |
| Di- <i>n</i> -butyl peroxydicarbonate (concentration ≤27%, with diluent Type B), see | – | 5.2 | 3117 |
| Di- <i>n</i> -butyl peroxydicarbonate (concentration >27–52%, with diluent Type B), see | – | 5.2 | 3115 |
| Di- <i>n</i> -butyl peroxydicarbonate (concentration ≤42% as a stable dispersion in water (frozen)), see | – | 5.2 | 3118 |
| Di- <i>sec</i> -butyl peroxydicarbonate (concentration ≤52%, with diluent Type B), see | – | 5.2 | 3115 |
| Di- <i>sec</i> -butyl peroxydicarbonate (concentration >52–100%), see | – | 5.2 | 3113 |
| Di-(2- <i>tert</i> -butylperoxyisopropyl)benzene(s) (concentration ≤42%, with inert solid) (exempt) | – | – | – |
| Di-(<i>tert</i> -butylperoxyisopropyl)benzene(s) (concentration >42–100%, with inert solid), see | – | 5.2 | 3106 |
| Di-(<i>tert</i> -butylperoxy) phthalate (concentration ≤42%, with diluent Type A), see | – | 5.2 | 3107 |
| Di-(<i>tert</i> -butylperoxy) phthalate (concentration >42–52%, with diluent Type A), see | – | 5.2 | 3105 |
| Di-(<i>tert</i> -butylperoxy) phthalate (concentration ≤52%, as a paste with diluent Type A, with or without water), see | – | 5.2 | 3106 |
| 2,2-Di-(<i>tert</i> -butylperoxy)propane (concentration ≤42%, with diluent Type A, with inert solid), see | – | 5.2 | 3106 |
| 2,2-Di-(<i>tert</i> -butylperoxy)propane (concentration ≤52% with diluent Type A), see | – | 5.2 | 3105 |
| 1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration ≤32%, with diluents Type A and B), see | – | 5.2 | 3107 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| 1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration ≤57%, with diluent Type A), see | – | 5.2 | 3107 |
| 1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration ≤57%, with inert solid), see | – | 5.2 | 3110 |
| 1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration >57–90%, with diluent Type A), see | – | 5.2 | 3103 |
| 1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration ≤77%, with diluent Type B), see | – | 5.2 | 3103 |
| 1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration ≤90%, with diluent Type B) | – | 5.2 | 3103 |
| 1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration >90–100%), see | – | 5.2 | 3101 |
| 2,4-Di- <i>tert</i> -butylphenol, see Note 1 | – | – | – |
| 2,6-Di- <i>tert</i> -butylphenol, see Note 1 | – | – | – |
| Di- <i>n</i> -butyl phthalate, see | P | 9 | 3082 |
| Dicetyl peroxydicarbonate (concentration ≤42% as a stable dispersion in water), see | – | 5.2 | 3119 |
| Dicetyl peroxydicarbonate (concentration ≤100%), see | – | 5.2 | 3116 |
| Dichlofenthion, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| 1,1-DICHLORO-1-NITROETHANE | – | 6.1 | 2650 |
| DICHLOROACETIC ACID | – | 8 | 1764 |
| 1,3-DICHLOROACETONE | – | 6.1 | 2649 |
| DICHLOROACETYL CHLORIDE | – | 8 | 1765 |
| DICHLOROANILINES, LIQUID | P | 6.1 | 1590 |
| DICHLOROANILINES, SOLID | P | 6.1 | 3442 |
| 1,2-Dichlorobenzene, see | – | 6.1 | 1591 |
| 1,3-Dichlorobenzene, see | P | 6.1 | 2810 |
| 1,4-Dichlorobenzene, see | P | 9 | 3082 |
| <i>meta</i> -Dichlorobenzene, see | P | 6.1 | 2810 |
| <i>o</i> -DICHLOROBENZENE | – | 6.1 | 1591 |
| <i>para</i> -Dichlorobenzene, see | P | 9 | 3082 |
| Di-(4-chlorobenzoyl) peroxide (concentration ≤32%, with inert solid) (exempt) | – | – | – |
| Di-4-chlorobenzoyl peroxide (concentration ≤52%, as a paste, with diluent Type A, with or without water), see | – | 5.2 | 3106 |
| Di-4-chlorobenzoyl peroxide (concentration ≤77%, with water), see | – | 5.2 | 3102 |
| 2,2'-DICHLORODIETHYL ETHER | – | 6.1 | 1916 |
| DICHLORODIFLUOROMETHANE | – | 2.2 | 1028 |
| DICHLORODIFLUOROMETHANE AND DIFLUOROETHANE AZEOTROPIC MIXTURE with approximately 74% dichloro-difluoromethane | – | 2.2 | 2602 |
| Dichlorodifluoromethane and ethylene oxide mixture, see | – | 2.2 | 3070 |
| DICHLORODIMETHYL ETHER, SYMMETRICAL | – | 6.1 | 2249 |
| 1,1-DICHLOROETHANE | – | 3 | 2362 |
| 1,2-Dichloroethane, see | – | 3 | 1184 |
| 1,1-Dichloroethylene, stabilized, see | P | 3 | 1303 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| 1,2-DICHLOROETHYLENE | – | 3 | 1150 |
| Di-(2-chloroethyl) ether, see | – | 6.1 | 1916 |
| DICHLOROFLUOROMETHANE | – | 2.2 | 1029 |
| 1,6-Dichlorohexane, see | P | 9 | 3082 |
| <i>alpha</i> -Dichlorohydrin, see | – | 6.1 | 2750 |
| DICHLOROISOCYANURIC ACID, DRY | – | 5.1 | 2465 |
| DICHLOROISOCYANURIC ACID, SALTS | – | 5.1 | 2465 |
| Dichloroisopropyl alcohol, see | – | 6.1 | 2750 |
| DICHLOROISOPROPYL ETHER | – | 6.1 | 2490 |
| DICHLOROMETHANE | – | 6.1 | 1593 |
| DICHLOROPENTANES | – | 3 | 1152 |
| Dichlorophenols, liquid, see | – | 6.1 | 2021 |
| Dichlorophenols, solid, see | – | 6.1 | 2020 |
| DICHLOROPHENYL ISOCYANATES | – | 6.1 | 2250 |
| DICHLOROPHENYLTRICHLOROSILANE | P | 8 | 1766 |
| 1,1-Dichloropropane, see | – | 3 | 1993 |
| 1,2-DICHLOROPROPANE | – | 3 | 1279 |
| 1,3-Dichloropropane, see | – | 3 | 1993 |
| 1,3-DICHLOROPROPANOL-2 | – | 6.1 | 2750 |
| 1,3-Dichloro-2-propanone, see | – | 6.1 | 2649 |
| DICHLOROPROPENES | – | 3 | 2047 |
| DICHLOROSILANE | – | 2.3 | 2189 |
| 1,2-DICHLORO-1,1,2,2-TETRAFLUOROETHANE | – | 2.2 | 1958 |
| Dichloro-s-triazine-2,4,6-trione | – | 5.1 | 2465 |
| Dichlorvos, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Diclofop-methyl, see Note 1 | P | – | – |
| Dicoumarol, see COUMARIN DERIVATIVE PESTICIDE | – | – | – |
| Dicrotophos, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Dicumyl peroxide (concentration ≤52%, with inert solid) (exempt) | – | – | – |
| Dicumyl peroxide (concentration >52–100%), see | – | 5.2 | 3110 |
| 1,4-Dicyanobutane, see | – | 6.1 | 2205 |
| Dicyanogen, see | – | 2.3 | 1026 |
| Dicycloheptadiene, stabilized, see | – | 3 | 2251 |
| DICYCLOHEXYLAMINE | – | 8 | 2565 |
| Dicyclohexylamine nitrite, see | – | 4.1 | 2687 |
| DICYCLOHEXYLAMMONIUM NITRITE | – | 4.1 | 2687 |
| Dicyclohexyl peroxydicarbonate (concentration ≤42% as a stable dispersion in water), see | – | 5.2 | 3119 |
| Dicyclohexyl peroxydicarbonate (concentration ≤91%, with water), see | – | 5.2 | 3114 |
| Dicyclohexyl peroxydicarbonate (concentration >91–100%), see | – | 5.2 | 3112 |
| DICYCLOPENTADIENE | – | 3 | 2048 |
| Didecanoyl peroxide (concentration ≤100%), see | – | 5.2 | 3114 |
| 2,2-Di-(4,4-di-(<i>tert</i> -butylperoxy)cyclohexyl)propane (concentration ≤22%, with water), see | – | 5.2 | 3107 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| 2,2-Di-(4,4-di-(tert-butylperoxy)cyclohexyl)propane (concentration \leq 42%, with inert solid), see | – | 5.2 | 3106 |
| Di-2,4-dichlorobenzoyl peroxide (concentration \leq 52%, as a paste) | – | 5.2 | 3118 |
| Di-(2,4-dichlorobenzoyl) peroxide (concentration \leq 52%, as a paste, with silicon oil), see | – | 5.2 | 3106 |
| Di-(2,4-dichlorobenzoyl) peroxide (concentration \leq 77%, with water), see | – | 5.2 | 3102 |
| 1,2-DI(DIMETHYLAMINO)ETHANE | – | 3 | 2372 |
| DIDYMIUM NITRATE | – | 5.1 | 1465 |
| Dieldrin, see ORGANOCHLORINE PESTICIDE | P | – | – |
| DIESEL FUEL | – | 3 | 1202 |
| 1,1-Diethoxyethane, see | – | 3 | 1088 |
| 1,2-Diethoxyethane, see | – | 3 | 1153 |
| Di-(2-ethoxyethyl) peroxydicarbonate (concentration \leq 52%, with diluent Type B), see | – | 5.2 | 3115 |
| DIETHOXYMETHANE | – | 3 | 2373 |
| 2,5-Diethoxy-4-morpholinobenzenediazonium tetrafluoroborate (concentration 100%), see | – | 4.1 | 3236 |
| 2,5-Diethoxy-4-morpholinobenzenediazonium zinc chloride (concentration 66%), see | – | 4.1 | 3236 |
| 2,5-Diethoxy-4-morpholinobenzenediazonium zinc chloride (concentration 67–100%), see | – | 4.1 | 3236 |
| 2,5-Diethoxy-4-(4-morpholiny)benzenediazonium sulphate (concentration 100%), see | – | 4.1 | 3226 |
| 2,5-Diethoxy-4-(phenylsulphonyl)benzenediazonium zinc chloride (concentration 67%), see | – | 4.1 | 3236 |
| 3,3-DIETHOXYPROPENE | – | 3 | 2374 |
| Diethylacetaldehyde, see | – | 3 | 1178 |
| DIETHYLAMINE | – | 3 | 1154 |
| 1-Diethylamino-4-aminopentane, see | – | 6.1 | 2946 |
| Diethylaminoethanol, see | – | 8 | 2686 |
| 2-DIETHYLAMINOETHANOL | – | 8 | 2686 |
| 3-DIETHYLAMINOPROPYLAMINE | – | 3 | 2684 |
| N,N-DIETHYLANILINE | – | 6.1 | 2432 |
| DIETHYLBENZENES | – | 3 | 2049 |
| Diethyl carbinol, see | – | 3 | 1105 |
| DIETHYL CARBONATE | – | 3 | 2366 |
| DIETHYLDICHLOROSILANE | – | 8 | 1767 |
| Diethylenediamine, see | – | 8 | 2579 |
| Diethylenediamine, solid, see | – | 8 | 2579 |
| 1,4-Diethylene dioxide, see | – | 3 | 1165 |
| Diethyleneglycol bis(allyl carbonate) + di-isopropyl peroxydicarbonate (concentration \geq 88% + \leq 12%), see | – | 4.1 | 3237 |
| DIETHYLENEGLYCOL DINITRATE, DESENSITIZED with not less than 25% non-volatile water-insoluble phlegmatizer, by mass | – | 1.1D | 0075 |
| Diethylene oxide, see | – | 3 | 1165 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| DIETHYLENETRIAMINE | – | 8 | 2079 |
| <i>N,N</i> -Diethylethanolamine, see | – | 8 | 2686 |
| DIETHYL ETHER | – | 3 | 1155 |
| <i>N,N</i> -DIETHYLETHYLEDIAMINE | – | 8 | 2685 |
| Diethyl formal, see | – | 3 | 2373 |
| Di-(2-ethylhexyl) peroxydicarbonate (concentration ≤52%, as a stable dispersion in water (frozen)), see | – | 5.2 | 3120 |
| Di-(2-ethylhexyl) peroxydicarbonate (concentration ≤62%, as a stable dispersion in water), see | – | 5.2 | 3119 |
| Di-(2-ethylhexyl) peroxydicarbonate (concentration ≤77%, with diluent Type B), see | – | 5.2 | 3115 |
| Di-(2-ethylhexyl) peroxydicarbonate (concentration >77–100%), see | – | 5.2 | 3113 |
| Di-(2-ethylhexyl)phosphoric acid, see | – | 8 | 1902 |
| DIETHYL KETONE | – | 3 | 1156 |
| Diethyl oxalate, see | – | 6.1 | 2525 |
| <i>N,N</i> -Diethyl-1,3-propanediamine, see | – | 3 | 2684 |
| DIETHYL SULPHATE | – | 6.1 | 1594 |
| DIETHYL SULPHIDE | – | 3 | 2375 |
| DIETHYLTHIOPHOSPHORYL CHLORIDE | – | 8 | 2751 |
| Diethylzinc, see | – | 4.2 | 3394 |
| Difenacoum, see COUMARIN DERIVATIVE PESTICIDE | – | – | – |
| Difenoquat, see PESTICIDE, N.O.S. | – | – | – |
| 2,4-Difluoroaniline, see | – | 6.1 | 2941 |
| Difluorochloroethane, see | – | 2.1 | 2517 |
| Difluorodibromomethane, see | – | 9 | 1941 |
| 1,1-DIFLUOROETHANE | – | 2.1 | 1030 |
| Difluoroethane and dichlorodifluoromethane, azeotropic mixture with approximately 74% dichlorodifluoromethane, see DICHLORODIFLUOROMETHANE AND DIFLUOROETHANE, AZEOTROPIC MIXTURE | – | – | – |
| 1,1-DIFLUOROETHYLENE | – | 2.1 | 1959 |
| DIFLUOROMETHANE | – | 2.1 | 3252 |
| DIFLUOROPHOSPHORIC ACID, ANHYDROUS | – | 8 | 1768 |
| 2,2-Dihydroperoxypropane (concentration ≤27%, with inert solid), see | – | 5.2 | 3102 |
| 2,3-DIHYDROPYRAN | – | 3 | 2376 |
| <i>meta</i> -Dihydroxybenzene, see | – | 6.1 | 2876 |
| Di-(1-hydroxycyclohexyl) peroxide (concentration ≤100%), see | – | 5.2 | 3106 |
| DIISOBUTYLAMINE | – | 3 | 2361 |
| DIISOBUTYLENES, ISOMERIC COMPOUNDS | – | 3 | 2050 |
| DIISOBUTYL KETONE | – | 3 | 1157 |
| Diisobutyryl peroxide (concentration ≤32%, with diluent Type B), see | – | 5.2 | 3115 |
| Diisobutyryl peroxide (concentration >32–52%, with diluent Type A), see | – | 5.2 | 3111 |
| DIISOCTYL ACID PHOSPHATE | – | 8 | 1902 |
| Diisopropyl, see | – | 3 | 2457 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| DIISOPROPYLAMINE | – | 3 | 1158 |
| Diisopropylbenzene dihydroperoxide (concentration \leq 82%, with diluent Type A and water), see | – | 5.2 | 3106 |
| Diisopropylbenzenes, see | P | 9 | 3082 |
| DIISOPROPYL ETHER | – | 3 | 1159 |
| Diisopropynaphthalenes, mixed isomers, see | P | 9 | 3082 |
| Diisopropyl peroxydicarbonate (concentration \leq 32%, with diluent Type A), see | – | 5.2 | 3115 |
| Diisopropyl peroxydicarbonate (concentration \leq 52%, with diluent Type B), see | – | 5.2 | 3115 |
| Diisopropyl peroxydicarbonate (concentration >52–100%), see | – | 5.2 | 3112 |
| DIKETENE, STABILIZED | – | 6.1 | 2521 |
| Dilauroyl peroxide (concentration \leq 42%, as a stable dispersion in water), see | – | 5.2 | 3109 |
| Dilauroyl peroxide (concentration \leq 100%), see | – | 5.2 | 3106 |
| Dimefox, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Dimetan, see CARBAMATE PESTICIDE | – | – | – |
| Dimethoate, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Di-(3-methoxybutyl) peroxydicarbonate (concentration \leq 52%, with diluent Type B), see | – | 5.2 | 3115 |
| 1,1-DIMETHOXYETHANE | – | 3 | 2377 |
| 1,2-DIMETHOXYETHANE | – | 3 | 2252 |
| Dimethoxymethane, see | – | 3 | 1234 |
| 2,5-Dimethoxy-4-(4-methylphenylsulphonyl)benzenediazonium zinc chloride (concentration 79%), see | – | 4.1 | 3236 |
| Dimethoxystrychnine, see | – | 6.1 | 1570 |
| Dimethyl acetal, see | – | 3 | 2377 |
| 1,1-Dimethylacetone, see | – | 3 | 2397 |
| Dimethylacetylene, see | – | 3 | 1144 |
| DIMETHYLAMINE, ANHYDROUS | – | 2.1 | 1032 |
| DIMETHYLAMINE, AQUEOUS SOLUTION | – | 3 | 1160 |
| 2-DIMETHYLAMINOACETONITRILE | – | 3 | 2378 |
| 4-(Dimethylamino)benzenediazonium trichlorozincate(-1) (concentration 100%), see | – | 4.1 | 3228 |
| 4-Dimethylamino-6-(2-dimethylaminoethoxy)toluene-2-diazonium zinc chloride (concentration 100%), see | – | 4.1 | 3236 |
| 2-DIMETHYLAMINOETHANOL | – | 8 | 2051 |
| 2-DIMETHYLAMINOETHYL ACRYLATE | – | 6.1 | 3302 |
| 2-DIMETHYLAMINOETHYL METHACRYLATE | – | 6.1 | 2522 |
| N,N-DIMETHYLANILINE | – | 6.1 | 2253 |
| 3,4-Dimethylaniline, see | – | 6.1 | 1711 |
| Dimethylarsinic acid, see | – | 6.1 | 1572 |
| Dimethylbenzenes, see | – | 3 | 1307 |
| Di-(2-methylbenzoyl) peroxide (concentration \leq 87%, with water), see | – | 5.2 | 3112 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Di-(3-methylbenzoyl) peroxide (concentration ≤20%), with benzoyl (3-methylbenzoyl) peroxide (concentration ≤18%), with dibenzoyl peroxide (concentration ≤4%) and diluent Type B, see | – | 5.2 | 3115 |
| Di-(4-methylbenzoyl) peroxide (concentration ≤52%, as a paste with silicon oil), see | – | 5.2 | 3106 |
| Dimethylbenzylamine, see | – | 8 | 2619 |
| <i>N,N</i> -Dimethylbenzylamine, see | – | 8 | 2619 |
| 2,3-DIMETHYLBUTANE | – | 3 | 2457 |
| 1,3-DIMETHYLBUTYLAMINE | – | 3 | 2379 |
| DIMETHYLCARBAMOYL CHLORIDE | – | 8 | 2262 |
| Dimethyl carbinol, see | – | 3 | 1219 |
| DIMETHYL CARBONATE | – | 3 | 1161 |
| DIMETHYLCYCLOHEXANES | – | 3 | 2263 |
| <i>N,N</i> -DIMETHYLCYCLOHEXYLAMINE | – | 8 | 2264 |
| 2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane (concentration ≤82%, with inert solid), see | – | 5.2 | 3106 |
| 2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane (concentration ≤82%, with water), see | – | 5.2 | 3104 |
| 2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane (concentration >82–100%), see | – | 5.2 | 3102 |
| 2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration ≤47%, as a paste), see | – | 5.2 | 3108 |
| 2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration ≤52%, with diluent Type A), see | – | 5.2 | 3109 |
| 2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration >52–90%), see | – | 5.2 | 3105 |
| 2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration ≤77%, with inert solid), see | – | 5.2 | 3108 |
| 2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration >90–100%), see | – | 5.2 | 3103 |
| 2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexyne-3 (concentration ≤52%, with inert solid), see | – | 5.2 | 3106 |
| 2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexyne-3 (concentration >52–86%, with diluent Type A), see | – | 5.2 | 3103 |
| 2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexyne-3 (concentration >86–100%), see | – | 5.2 | 3101 |
| DIMETHYLDICHLOROSILANE | – | 3 | 1162 |
| DIMETHYLDIETHOXYSILANE | – | 3 | 2380 |
| 2,5-Dimethyl-2,5-di-(2-ethylhexanoylperoxy)hexane (concentration ≤100%), see | – | 5.2 | 3113 |
| 2,5-Dimethyl-2,5-dihydroperoxyhexane (concentration ≤82%, with water), see | – | 5.2 | 3104 |
| DIMETHYLDIOXANES | – | 3 | 2707 |
| DIMETHYL DISULPHIDE | – | 3 | 2381 |
| 2,5-Dimethyl-2,5-di-(3,5,5-trimethylhexanoylperoxy)hexane (concentration ≤77%, with diluent Type A), see | – | 5.2 | 3105 |
| <i>N,N</i> -Dimethyldodecylamine, see Note 1 | P | – | – |
| Dimethyleneimine, stabilized, see | – | 6.1 | 1185 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| Dimethylethanolamine, see | - | 8 | 2051 |
| DIMETHYL ETHER | - | 2.1 | 1033 |
| N,N-DIMETHYLFORMAMIDE | - | 3 | 2265 |
| N,N-Dimethylglycinonitrile, see | - | 3 | 2378 |
| Dimethylglyoxal, see | - | 3 | 2346 |
| 2,6-Dimethyl-4-heptanone, see | - | 3 | 1157 |
| 1,1-Dimethylhydrazine, see | P | 6.1 | 1163 |
| 1,2-Dimethylhydrazine, see | P | 6.1 | 2382 |
| DIMETHYLHYDRAZINE, SYMMETRICAL | P | 6.1 | 2382 |
| DIMETHYLHYDRAZINE, UNSYMMETRICAL | P | 6.1 | 1163 |
| 1,1-Dimethyl-3-hydroxybutyl peroxyneohexanoate (concentration ≤52%, with diluent Type A), see | - | 5.2 | 3117 |
| Dimethyl ketone, see | - | 3 | 1090 |
| Dimethyl ketone solutions, see | - | 3 | 1090 |
| N,N-Dimethyl-4-nitrosoaniline, see | - | 4.2 | 1369 |
| para-Dimethylnitrosoaniline, see | - | 4.2 | 1369 |
| Dimethylphenols, liquid, see | - | 6.1 | 3430 |
| Dimethylphenols, solid, see | - | 6.1 | 2261 |
| Dimethyl phosphorochlorodithionate, see | - | 6.1 | 2267 |
| 2,2-DIMETHYLPROPANE | - | 2.1 | 2044 |
| DIMETHYL-N-PROPYLAMINE | - | 3 | 2266 |
| Dimethyl- <i>n</i> -propylamine, see | - | 3 | 2266 |
| Dimethyl <i>normal</i> -propyl carbinol, see | - | 3 | 2560 |
| DIMETHYL SULPHATE | - | 6.1 | 1595 |
| DIMETHYL SULPHIDE | - | 3 | 1164 |
| DIMETHYL THIOPHOSPHORYL CHLORIDE | - | 6.1 | 2267 |
| Dimethylzinc, see | - | 4.2 | 3394 |
| Dimetilan, see CARBAMATE PESTICIDE | - | - | - |
| Dimexano, see PESTICIDE, N.O.S. | - | - | - |
| Dimyristyl peroxydicarbonate (concentration ≤42%, as a stable dispersion in water), see | - | 5.2 | 3119 |
| Dimyristyl peroxydicarbonate (concentration ≤100%), see | - | 5.2 | 3116 |
| Di-(2-neodecanoylperoxyisopropyl)benzene (concentration ≤52%, with diluent Type A), see | - | 5.2 | 3115 |
| DINGU | - | 1.1D | 0489 |
| DINITROANILINES | - | 6.1 | 1596 |
| DINITROBENZENES, LIQUID | - | 6.1 | 1597 |
| DINITROBENZENES, SOLID | - | 6.1 | 3443 |
| Dinitrochlorobzenes, liquid, see | P | 6.1 | 1577 |
| Dinitrochlorobzenes, solid, see | P | 6.1 | 3441 |
| DINITRO- <i>o</i> -CRESOL | P | 6.1 | 1598 |
| Dinitrogen oxide, see | - | 2.2 | 1070 |
| Dinitrogen oxide, refrigerated liquid, see | - | 2.2 | 2201 |
| DINITROGEN TETROXIDE | - | 2.3 | 1067 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Dinitrogen tetroxide and nitric oxide mixtures, see NITRIC OXIDE AND DINITROGEN TETROXIDE MIXTURE | – | – | – |
| Dinitrogen trioxide, see | – | 2.3 | 2421 |
| DINITROGLYCOLURIL | – | 1.1D | 0489 |
| Dinitrophenates (class 1), see | P | 1.3C | 0077 |
| Dinitrophenates, wetted, see | P | 4.1 | 1321 |
| DINITROPHENOLATES alkali metals, dry or wetted with less than 15% water, by mass | P | 1.3C | 0077 |
| DINITROPHENOLATES, WETTED with not less than 15% water, by mass | P | 4.1 | 1321 |
| DINITROPHENOL dry or wetted with less than 15% water, by mass | P | 1.1D | 0076 |
| DINITROPHENOL SOLUTION | P | 6.1 | 1599 |
| DINITROPHENOL, WETTED with not less than 15% water, by mass | P | 4.1 | 1320 |
| DINITRORESORCINOL dry or wetted with less than 15% water, by mass | – | 1.1D | 0078 |
| DINITRORESORCINOL, WETTED with not less than 15% water, by mass | – | 4.1 | 1322 |
| DINITROSOBENZENE | – | 1.3C | 0406 |
| N,N'-Dinitroso-N,N'-dimethylterephthalamide, as a paste (concentration 72%), see | – | 4.1 | 3224 |
| N,N'-Dinitrosopentamethylenetetramine (concentration 82%), see | – | 4.1 | 3224 |
| Dinitrotoluene mixed with sodium chlorate, see | – | 1.1D | 0083 |
| DINITROTOLUENES, LIQUID | – | 6.1 | 2038 |
| DINITROTOLUENES, MOLTEN | – | 6.1 | 1600 |
| DINITROTOLUENES, SOLID | – | 6.1 | 3454 |
| Dinobuton, see SUBSTITUTED NITROPHENOL PESTICIDE | P | – | – |
| Di- <i>n</i> -nonanoyl peroxide (concentration ≤100%), see | – | 5.2 | 3116 |
| Dinoseb, see SUBSTITUTED NITROPHENOL PESTICIDE | P | – | – |
| Dinoseb acetate, see SUBSTITUTED NITROPHENOL PESTICIDE | P | – | – |
| Dinoterb, see SUBSTITUTED NITROPHENOL PESTICIDE | – | – | – |
| Dinoterb acetate, see SUBSTITUTED NITROPHENOL PESTICIDE | – | – | – |
| Di- <i>n</i> -octanoyl peroxide (concentration ≤100%), see | – | 5.2 | 3114 |
| Dioxacarb, see CARBAMATE PESTICIDE | P | – | – |
| DIOXANE | – | 3 | 1165 |
| Dioxathion, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| DIOXOLANE | – | 3 | 1166 |
| DIPENTENE | P | 3 | 2052 |
| Di- <i>normal</i> -pentylamine, see | – | 3 | 2841 |
| Diphacinone, see PESTICIDE, N.O.S. | P | – | – |
| Di-(2-phenoxyethyl) peroxydicarbonate (concentration ≤85%, with water), see | – | 5.2 | 3106 |
| Di-(2-phenoxyethyl) peroxydicarbonate (concentration >85–100%), see | – | 5.2 | 3102 |
| Diphenyl, see | P | 9 | 3077 |
| DIPHENYLAMINE CHLOROARSINE | P | 6.1 | 1698 |
| Diphenylbromomethane, see | – | 8 | 1770 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| DIPHENYLCHLOROARSINE, LIQUID | P | 6.1 | 1699 |
| DIPHENYLCHLOROARSINE, SOLID | P | 6.1 | 3450 |
| DIPHENYLDICHLOROSILANE | - | 8 | 1769 |
| DIPHENYLMETHYL BROMIDE | - | 8 | 1770 |
| Diphenyloxide-4,4'-disulphonylhydrazide (concentration 100%), see | - | 4.1 | 3226 |
| DIPICRYLAMINE | - | 1.1D | 0079 |
| DIPICRYL SULPHIDE dry or wetted with less than 10% water, by mass | - | 1.1D | 0401 |
| DIPICRYL SULPHIDE, WETTED with not less than 10% water, by mass | - | 4.1 | 2852 |
| Di-2-propenylamine, see | - | 3 | 2359 |
| Dipropionyl peroxide (concentration \leq 27%, with diluent Type B), see | - | 5.2 | 3117 |
| DIPROPYLAMINE | - | 3 | 2383 |
| Di-normal-propylamine, see | - | 3 | 2383 |
| 4-Dipropylaminobenzenediazonium zinc chloride (concentration 100%), see | - | 4.1 | 3226 |
| Dipropylenetriamine, see | - | 8 | 2269 |
| DI-n-PROPYL ETHER | - | 3 | 2384 |
| DIPROPYL KETONE | - | 3 | 2710 |
| Di-n-propyl peroxydicarbonate (concentration \leq 77%, with diluent Type B), see | - | 5.2 | 3113 |
| Di-n-propyl peroxydicarbonate (concentration \leq 100%), see | - | 5.2 | 3113 |
| Diquat, see BIPYRIDILIUM PESTICIDE | - | - | - |
| DISINFECTANT, LIQUID, CORROSIVE, N.O.S. | - | 8 | 1903 |
| DISINFECTANT, LIQUID, TOXIC, N.O.S. | - | 6.1 | 3142 |
| DISINFECTANT, SOLID, TOXIC, N.O.S. | - | 6.1 | 1601 |
| DISODIUM TRIOXOSILICATE | - | 8 | 3253 |
| Disodium trioxosilicate pentahydrate, see | - | 8 | 3253 |
| Disuccinic acid peroxide (concentration \leq 72%, with water), see | - | 5.2 | 3116 |
| Disuccinic acid peroxide (concentration >72–100%), see | - | 5.2 | 3102 |
| Disulfoton, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Disulphuric acid, see | - | 8 | 1831 |
| Disulphuryl chloride, see | - | 8 | 1817 |
| Di-(3,5,5-trimethylhexanoyl) peroxide (concentration \leq 38%, with diluent Type A), see | - | 5.2 | 3119 |
| Di-(3,5,5-trimethylhexanoyl) peroxide (concentration >52–82%, with diluent Type A), see | - | 5.2 | 3115 |
| Di-(3,5,5-trimethylhexanoyl) peroxide (concentration \leq 52%, as a stable dispersion in water), see | - | 5.2 | 3119 |
| Di-(3,5,5-trimethylhexanoyl) peroxide (concentration >38–52%, with diluent Type A), see | - | 5.2 | 3119 |
| DIVINYL ETHER, STABILIZED | - | 3 | 1167 |
| Divinyl oxide, stabilized, see | - | 3 | 1167 |
| Divinyl, stabilized, see | - | 2.1 | 1010 |
| DNOC, see | P | 6.1 | 1598 |
| DNOC (pesticide), see SUBSTITUTED NITROPHENOL PESTICIDE | P | - | - |
| Dodecahydrodiphenylamine, see | - | 8 | 2565 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| Dodecene, see | — | 3 | 2850 |
| 1-Dodecylamine, see Note 1 | P | — | — |
| Dodecyl diphenyl oxide disulphonate, see | P | 9 | 3077 |
| Dodecyl hydroxypropyl sulphide, see Note 1 | P | — | — |
| Dodecylphenol, see | P | 8 | 3145 |
| DODECYLTRICHLOROSILANE | — | 8 | 1771 |
| Drazoxolon, see PESTICIDE, N.O.S. | P | — | — |
| DRY ICE | — | 9 | 1845 |
| DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S. | — | 8 | 2801 |
| DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S. | — | 6.1 | 1602 |
| DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S. | — | 8 | 3147 |
| DYE INTERMEDIATE, SOLID, TOXIC, N.O.S. | — | 6.1 | 3143 |
| DYE, LIQUID, CORROSIVE, N.O.S. | — | 8 | 2801 |
| DYE, LIQUID, TOXIC, N.O.S. | — | 6.1 | 1602 |
| DYE, SOLID, CORROSIVE, N.O.S. | — | 8 | 3147 |
| DYE, SOLID, TOXIC, N.O.S. | — | 6.1 | 3143 |
| Dynamite, see | — | 1.1D | 0081 |
| Edifenphos, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Electric storage batteries, see BATTERIES | — | — | — |
| Electrolyte (acid) for batteries, see | — | 8 | 2796 |
| Electrolyte (alkaline) for batteries, see | — | 8 | 2797 |
| ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S. with flashpoint above 60°C, at or above its flashpoint | — | 3 | 3256 |
| ELEVATED TEMPERATURE LIQUID, N.O.S. at or above 100°C and below its flashpoint (including molten metals, molten salts, etc.) | — | 9 | 3257 |
| ELEVATED TEMPERATURE SOLID, N.O.S. at or above 240°C | — | 9 | 3258 |
| Enamel, see PAINT | — | — | — |
| Endosulfan, see ORGANOCHLORINE PESTICIDE | P | — | — |
| Endothal-sodium, see PESTICIDE, N.O.S. | — | — | — |
| Endothion, see ORGANOPHOSPHORUS PESTICIDE | — | — | — |
| Endrin, see ORGANOCHLORINE PESTICIDE | P | — | — |
| ENGINE, FUEL CELL, FLAMMABLE GAS POWERED | — | 9 | 3166 |
| ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED | — | 9 | 3166 |
| ENGINE, INTERNAL COMBUSTION | — | 9 | 3166 |
| Engines, rocket, see ROCKET MOTORS WITH HYPERGOLIC LIQUIDS | — | — | — |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | — | 9 | 3082 |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. | — | 9 | 3077 |
| EPIBROMOHYDRIN | P | 6.1 | 2558 |
| EPICHLOROHYDRIN | P | 6.1 | 2023 |
| EPN, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| 1,2-Epoxybutane, stabilized, see | — | 3 | 3022 |
| 1,2-Epoxyethane, see | — | 2.3 | 1040 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| 1,2-Epoxyethane with nitrogen up to a total pressure of 1 MPa (10 bar) at 50°C, see | – | 2.3 | 1040 |
| 1,2-EPOXY-3-ETHOXYPROPANE | – | 3 | 2752 |
| 2,3-Epoxy-1-propanal, see | – | 3 | 2622 |
| 1,2-Epoxypropane, see | – | 3 | 1280 |
| 2,3-Epoxypropionaldehyde, see | – | 3 | 2622 |
| 2,3-Epoxypropyl ethyl ether, see | – | 3 | 2752 |
| Esfenvalerate, see Note 1 | P | – | – |
| ESTERS, N.O.S. | – | 3 | 3272 |
| Ethanal, see | – | 3 | 1089 |
| ETHANE | – | 2.1 | 1035 |
| ETHANE, REFRIGERATED LIQUID | – | 2.1 | 1961 |
| Ethanethiol, see | P | 3 | 2363 |
| Ethanoic anhydride, see | – | 8 | 1715 |
| ETHANOL | – | 3 | 1170 |
| ETHANOLAMINE | – | 8 | 2491 |
| ETHANOLAMINE SOLUTION | – | 8 | 2491 |
| ETHANOL AND GASOLINE MIXTURE, with more than 10% ethanol | – | 3 | 3475 |
| ETHANOL AND MOTOR SPIRIT MIXTURE, with more than 10% ethanol | – | 3 | 3475 |
| ETHANOL AND PETROL MIXTURE, with more than 10% ethanol | – | 3 | 3475 |
| ETHANOL SOLUTION | – | 3 | 1170 |
| Ethanyl chloride, see | – | 3 | 1717 |
| Ether, see | – | 3 | 1155 |
| ETHERS, N.O.S. | – | 3 | 3271 |
| Ethion, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Ethoate-methyl, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Ethoprophos, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| 2-(N,N-Ethoxycarbonylphenylamino)-3-methoxy-4-(N-methyl-N-cyclohexylamino)benzenediazonium zinc chloride (concentration 62%), see | – | 4.1 | 3236 |
| 2-(N,N-Ethoxycarbonylphenylamino)-3-methoxy-4-(N-methyl-N-cyclohexylamino)benzenediazonium zinc chloride (concentration 63–92%), see | – | 4.1 | 3236 |
| 2-Ethoxyethanol, see | – | 3 | 1171 |
| 2-Ethoxyethyl acetate, see | – | 3 | 1172 |
| 1-Epoxypropane, see | – | 3 | 2615 |
| 3-Epoxy-1-propene, see | – | 3 | 2335 |
| ETHYL ACETATE | – | 3 | 1173 |
| Ethylacetic acid, see | – | 8 | 2820 |
| Ethylacetone, see | – | 3 | 1249 |
| ETHYLACETYLENE, STABILIZED | – | 2.1 | 2452 |
| ETHYL ACRYLATE, STABILIZED | – | 3 | 1917 |
| Ethylal, see | – | 3 | 2373 |
| ETHYL ALCOHOL | – | 3 | 1170 |
| ETHYL ALCOHOL SOLUTION | – | 3 | 1170 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Ethyl aldehyde, see | — | 3 | 1089 |
| Ethyl allyl ether, see | — | 3 | 2335 |
| ETHYLAMINE | — | 2.1 | 1036 |
| ETHYLAMINE, AQUEOUS SOLUTION with not less than 50% but not more than 70% ethylamine | — | 3 | 2270 |
| ETHYL AMYL KETONES | — | 3 | 2271 |
| Ethyl <i>normal</i> -amyl ketone, see | — | 3 | 2271 |
| 2-ETHYLANILINE | — | 6.1 | 2273 |
| N-ETHYLANILINE | — | 6.1 | 2272 |
| <i>ortho</i> -Ethylaniline, see | — | 6.1 | 2273 |
| ETHYLBENZENE | — | 3 | 1175 |
| Ethylbenzol, see | — | 3 | 1175 |
| N-ETHYL-N-BENZYLANILINE | — | 6.1 | 2274 |
| N-ETHYLBENZYL TOLUIDINES, LIQUID | — | 6.1 | 2753 |
| N-ETHYLBENZYL TOLUIDINES, SOLID | — | 6.1 | 3460 |
| ETHYL BORATE | — | 3 | 1176 |
| ETHYL BROMIDE | — | 6.1 | 1891 |
| ETHYL BROMOACETATE | — | 6.1 | 1603 |
| Ethyl butanoate, see | — | 3 | 1180 |
| 2-ETHYLBUTANOL | — | 3 | 2275 |
| 2-ETHYLBUTYL ACETATE | — | 3 | 1177 |
| 2-Ethylbutyl alcohol, see | — | 3 | 2275 |
| ETHYL BUTYL ETHER | — | 3 | 1179 |
| 2-ETHYLBUTYRALDEHYDE | — | 3 | 1178 |
| ETHYL BUTYRATE | — | 3 | 1180 |
| Ethyl carbonate, see | — | 3 | 2366 |
| ETHYL CHLORIDE | — | 2.1 | 1037 |
| ETHYL CHLOROACETATE | — | 6.1 | 1181 |
| Ethyl chlorocarbonate, see | — | 6.1 | 1182 |
| Ethyl chloroethanoate, see | — | 6.1 | 1181 |
| ETHYL CHLOROFORMATE | — | 6.1 | 1182 |
| ETHYL 2-CHLOROPROPIONATE | — | 3 | 2935 |
| ETHYL CHLOROTHIOFORMATE | P | 8 | 2826 |
| ETHYL CROTONATE | — | 3 | 1862 |
| Ethyl cyanide, see | — | 3 | 2404 |
| Ethyl 3,3-di-(<i>tert</i> -amylperoxy)butyrate (concentration \leq 67%, with diluent Type A), see | — | 5.2 | 3105 |
| Ethyl 3,3-di-(<i>tert</i> -butylperoxy)butyrate (concentration \leq 52%, with inert solid), see | — | 5.2 | 3106 |
| Ethyl 3,3-di-(<i>tert</i> -butylperoxy)butyrate (concentration \leq 77%, with diluent Type A), see | — | 5.2 | 3105 |
| Ethyl 3,3-di-(<i>tert</i> -butylperoxy)butyrate (concentration >77–100%), see | — | 5.2 | 3103 |
| ETHYLDICHLOROARSINE | P | 6.1 | 1892 |
| ETHYLDICHLOROSILANE | — | 4.3 | 1183 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| ETHYLENE | – | 2.1 | 1962 |
| ETHYLENE, ACETYLENE AND PROPYLENE MIXTURE, REFRIGERATED LIQUID containing at least 71.5% ethylene, with not more than 22.5% acetylene and not more than 6% propylene | – | 2.1 | 3138 |
| Ethylene chloride, see | – | 3 | 1184 |
| ETHYLENE CHLOROHYDRIN | – | 6.1 | 1135 |
| ETHYLENEDIAMINE | – | 8 | 1604 |
| ETHYLENE DIBROMIDE | – | 6.1 | 1605 |
| Ethylene dibromide and methyl bromide mixture, liquid, see | P | 6.1 | 1647 |
| ETHYLENE DICHLORIDE | – | 3 | 1184 |
| Ethylene fluoride, see | – | 2.1 | 1030 |
| ETHYLENE GLYCOL DIETHYL ETHER | – | 3 | 1153 |
| Ethylene glycol dimethyl ether, see | – | 3 | 2252 |
| ETHYLENE GLYCOL MONOETHYL ETHER | – | 3 | 1171 |
| ETHYLENE GLYCOL MONOETHYL ETHER ACETATE | – | 3 | 1172 |
| ETHYLENE GLYCOL MONOMETHYL ETHER | – | 3 | 1188 |
| ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE | – | 3 | 1189 |
| ETHYLENEIMINE, STABILIZED | – | 6.1 | 1185 |
| ETHYLENE OXIDE | – | 2.3 | 1040 |
| ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 87% ethylene oxide | – | 2.3 | 3300 |
| ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 9% but not more than 87% ethylene oxide | – | 2.1 | 1041 |
| ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with not more than 9% ethylene oxide | – | 2.2 | 1952 |
| ETHYLENE OXIDE AND CHLOROTETRAFLUOROETHANE MIXTURE with not more than 8.8% ethylene oxide | – | 2.2 | 3297 |
| ETHYLENE OXIDE AND DICHLORODIFLUOROMETHANE MIXTURE with not more than 12.5% ethylene oxide | – | 2.2 | 3070 |
| ETHYLENE OXIDE AND PENTAFLUOROETHANE MIXTURE with not more than 7.9% ethylene oxide | – | 2.2 | 3298 |
| ETHYLENE OXIDE AND PROPYLENE OXIDE MIXTURE with not more than 30% ethylene oxide | – | 3 | 2983 |
| ETHYLENE OXIDE AND TETRAFLUOROETHANE MIXTURE with not more than 5.6% ethylene oxide | – | 2.2 | 3299 |
| ETHYLENE OXIDE WITH NITROGEN up to a total pressure of 1 MPa (10 bar) at 50°C | – | 2.3 | 1040 |
| ETHYLENE, REFRIGERATED LIQUID | – | 2.1 | 1038 |
| Ethyl ethanoate, see | – | 3 | 1173 |
| ETHYL ETHER | – | 3 | 1155 |
| Ethyl fluid, see | P | 6.1 | 1649 |
| ETHYL FLUORIDE | – | 2.1 | 2453 |
| ETHYL FORMATE | – | 3 | 1190 |
| Ethyl glycol, see | – | 3 | 1171 |
| Ethyl glycol acetate, see | – | 3 | 1172 |
| 2-Ethylhexaldehyde, see | – | 3 | 1191 |
| 3-Ethylhexaldehyde, see | – | 3 | 1191 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| 2-Ethylhexanal, see | – | 3 | 1191 |
| 3-Ethylhexanal, see | – | 3 | 1191 |
| 1-(2-Ethylhexanoylperoxy)-1,3-dimethylbutyl peroxy pivalate (concentration ≤ 52%, with diluents Type A and B), see | – | 5.2 | 3115 |
| 2-ETHYLHEXYLAMINE | – | 3 | 2276 |
| 2-ETHYLHEXYL CHLOROFORMATE | – | 6.1 | 2748 |
| 2-Ethylhexyl nitrate, see Note 1 | P | – | – |
| Ethyl hydrosulphide, see | P | 3 | 2363 |
| Ethyldene chloride, see | – | 3 | 2362 |
| Ethyldene dichloride, see | – | 3 | 2362 |
| Ethyldene diethyl ether, see | – | 3 | 1088 |
| Ethyldene difluoride, see | – | 2.1 | 1030 |
| Ethyldene dimethyl ether, see | – | 3 | 2377 |
| Ethyldene fluoride, see | – | 2.1 | 1030 |
| ETHYL ISOBUTYRATE | – | 3 | 2385 |
| ETHYL ISOCYANATE | – | 6.1 | 2481 |
| Ethyl isopropyl ether, see | – | 3 | 2615 |
| ETHYL LACTATE | – | 3 | 1192 |
| ETHYL MERCAPTAN | P | 3 | 2363 |
| ETHYL METHACRYLATE, STABILIZED | – | 3 | 2277 |
| Ethyl methanoate, see | – | 3 | 1190 |
| 1-Ethyl-2-methylbenzene, see Note 1 | P | – | – |
| ETHYL METHYL ETHER | – | 2.1 | 1039 |
| ETHYL METHYL KETONE | – | 3 | 1193 |
| Ethyl 2-methylpropanoate, see | – | 3 | 2385 |
| ETHYL NITRITE (transport prohibited) | – | – | – |
| ETHYL NITRITE SOLUTION | – | 3 | 1194 |
| ETHYL ORTHOFORMATE | – | 3 | 2524 |
| ETHYL OXALATE | – | 6.1 | 2525 |
| Ethylphenylamine, see | – | 6.1 | 2272 |
| N-Ethyl-N-phenylbenzylamine, see | – | 6.1 | 2274 |
| ETHYLPHENYLDICHLOROSILANE | – | 8 | 2435 |
| 5-Ethyl-2-picoline, see | – | 6.1 | 2300 |
| 1-ETHYLPiperidine | – | 3 | 2386 |
| N-Ethylpiperidine, see | – | 3 | 2386 |
| Ethyl propenoate, stabilized, see | – | 3 | 1917 |
| ETHYL PROPIONATE | – | 3 | 1195 |
| ETHYL PROPYL ETHERS | – | 3 | 2615 |
| Ethyl secondary-amyl ketone, see | – | 3 | 2271 |
| Ethyl silicate, see | – | 3 | 1292 |
| Ethyl sulphate, see | – | 6.1 | 1594 |
| Ethyl sulphide, see | – | 3 | 2375 |
| Ethyl tetraphosphate, see | P | 6.1 | 1611 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| Ethyl thioalcohol, see | P | 3 | 2363 |
| Ethylthioethane, see | - | 3 | 2375 |
| N-ETHYLTOLUIDINES | - | 6.1 | 2754 |
| ETHYLTRICHLOROSILANE | - | 3 | 1196 |
| Ethyl vinyl ether, see | - | 3 | 1302 |
| Explosive articles, N.O.S., see ARTICLES, EXPLOSIVE, N.O.S. | - | - | - |
| EXPLOSIVE, BLASTING, TYPE A | - | 1.1D | 0081 |
| EXPLOSIVE, BLASTING, TYPE B | - | 1.1D | 0082 |
| EXPLOSIVE, BLASTING, TYPE B | - | 1.5D | 0331 |
| EXPLOSIVE, BLASTING, TYPE C | - | 1.1D | 0083 |
| EXPLOSIVE, BLASTING, TYPE D | - | 1.1D | 0084 |
| EXPLOSIVE, BLASTING, TYPE E | - | 1.1D | 0241 |
| EXPLOSIVE, BLASTING, TYPE E | - | 1.5D | 0332 |
| Explosive, seismic, see EXPLOSIVE, BLASTING, TYPES A to D | - | - | - |
| Explosives, emulsion, see EXPLOSIVE, BLASTING, TYPE E | - | - | - |
| Explosive, slurry, see EXPLOSIVE, BLASTING, TYPE E | - | - | - |
| Explosive substances, N.O.S., see SUBSTANCES, EXPLOSIVE, N.O.S. | - | - | - |
| Explosive train components, N.O.S., see COMPONENTS, EXPLOSIVE TRAIN, N.O.S. | - | - | - |
| Explosive, watergel, see EXPLOSIVE, BLASTING, TYPE E | - | - | - |
| EXTRACTS, AROMATIC, LIQUID | - | 3 | 1169 |
| EXTRACTS, FLAVOURING, LIQUID | - | 3 | 1197 |
| FABRICS, ANIMAL, N.O.S. with oil | - | 4.2 | 1373 |
| FABRICS IMPREGNATED WITH WEAKLY NITRATED NITROCELLULOSE, N.O.S. | - | 4.1 | 1353 |
| FABRICS, SYNTHETIC, N.O.S. with oil | - | 4.2 | 1373 |
| FABRICS, VEGETABLE, N.O.S. with oil | - | 4.2 | 1373 |
| Fenaminosulf, see PESTICIDE, N.O.S. | - | - | - |
| Fenaminphos, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Fenbutatin oxide, see Note 1 | P | - | - |
| Fenitrothion, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Fenoxypro-ethyl, see Note 1 | P | - | - |
| Fenoxyprop-P-ethyl, see Note 1 | P | - | - |
| Fenpropothrin, see PESTICIDE, N.O.S. | P | - | - |
| Fensulfothion, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Fenthion, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Fentin acetate, see ORGANOTIN PESTICIDE | P | - | - |
| Fentin hydroxide, see ORGANOTIN PESTICIDE | P | - | - |
| Fermentation amyl alcohol, see | - | 3 | 1201 |
| FERRIC ARSENATE | P | 6.1 | 1606 |
| FERRIC ARSENITE | P | 6.1 | 1607 |
| FERRIC CHLORIDE, ANHYDROUS | - | 8 | 1773 |
| FERRIC CHLORIDE SOLUTION | - | 8 | 2582 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| FERRIC NITRATE | - | 5.1 | 1466 |
| Ferric perchloride, anhydrous, see | - | 8 | 1773 |
| Ferric perchloride solution, see | - | 8 | 2582 |
| FERROCERIUM | - | 4.1 | 1323 |
| FERROSILICON with 30% or more but less than 90% silicon | - | 4.3 | 1408 |
| FERROUS ARSENATE | P | 6.1 | 1608 |
| FERROUS METAL BORINGS in a form liable to self-heating | - | 4.2 | 2793 |
| FERROUS METAL CUTTINGS in a form liable to self-heating | - | 4.2 | 2793 |
| FERROUS METAL SHAVINGS in a form liable to self-heating | - | 4.2 | 2793 |
| FERROUS METAL TURNINGS in a form liable to self-heating | - | 4.2 | 2793 |
| FERTILIZER AMMONIATING SOLUTION with free ammonia | - | 2.2 | 1043 |
| Fertilizers containing ammonium nitrate, see AMMONIUM NITRATE BASED FERTILIZERS | - | - | - |
| FIBRES, ANIMAL burnt | - | 4.2 | 1372 |
| FIBRES, ANIMAL damp | - | 4.2 | 1372 |
| FIBRES, ANIMAL wet | - | 4.2 | 1372 |
| FIBRES, ANIMAL, N.O.S. with oil, | - | 4.2 | 1373 |
| FIBRES, SYNTHETIC, N.O.S. with oil | - | 4.2 | 1373 |
| FIBRES VEGETABLE burnt | - | 4.2 | 1372 |
| FIBRES VEGETABLE damp | - | 4.2 | 1372 |
| FIBRES, VEGETABLE, DRY | - | 4.1 | 3360 |
| FIBRES VEGETABLE wet | - | 4.2 | 1372 |
| FIBRES, VEGETABLE, N.O.S. with oil | - | 4.2 | 1373 |
| FIBRES IMPREGNATED WITH WEAKLY NITRATED NITROCELLULOSE, N.O.S. | - | 4.1 | 1353 |
| Filler, liquid, see PAINT | - | - | - |
| Films, nitrocellulose-base, from which gelatin has been removed; film scrap, see | - | 4.2 | 2002 |
| FILMS, NITROCELLULOSE BASE gelatin coated, except scrap | - | 4.1 | 1324 |
| FIRE EXTINGUISHER CHARGES corrosive liquid | - | 8 | 1774 |
| Fire extinguisher charges, expelling, explosive, see CARTRIDGES, POWER DEVICE | - | - | - |
| FIRE EXTINGUISHERS with compressed or liquefied gas | - | 2.2 | 1044 |
| FIRELIGHTERS, SOLID with flammable liquid | - | 4.1 | 2623 |
| FIREWORKS | - | 1.1G | 0333 |
| FIREWORKS | - | 1.2G | 0334 |
| FIREWORKS | - | 1.3G | 0335 |
| FIREWORKS | - | 1.4G | 0336 |
| FIREWORKS | - | 1.4S | 0337 |
| FIRST AID KIT | - | 9 | 3316 |
| FISHMEAL, STABILIZED anti-oxidant treated. Moisture content greater than 5% but not exceeding 12%, by mass. Fat content not more than 15% | - | 9 | 2216 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| FISHMEAL, UNSTABILIZED. High hazard. Unrestricted moisture content. Unrestricted fat content in excess of 12%, by mass. Unrestricted fat content in excess of 15%, by mass, in the case of anti-oxidant treated fishmeal | – | 4.2 | 1374 |
| FISHMEAL, UNSTABILIZED not anti-oxidant treated. Moisture content: more than 5% but not more than 12%, by mass. Fat content: not more than 12%, by mass | – | 4.2 | 1374 |
| FISHSCRAP, STABILIZED anti-oxidant treated. Moisture content greater than 5% but not exceeding 12%, by mass. Fat content not more than 15% | – | 9 | 2216 |
| FISHSCRAP, UNSTABILIZED. High hazard. Unrestricted moisture content. Unrestricted fat content in excess of 12%, by mass. Unrestricted fat content in excess of 15%, by mass, in the case of anti-oxidant treated fishscrap | – | 4.2 | 1374 |
| FISHSCRAP, UNSTABILIZED not anti-oxidant treated. Moisture content: more than 5% but not more than 12%, by mass. Fat content: not more than 12%, by mass | – | 4.2 | 1374 |
| Flammable gas in lighters, see | – | 2.1 | 1057 |
| FLAMMABLE LIQUID, CORROSIVE, N.O.S. | – | 3 | 2924 |
| FLAMMABLE LIQUID, N.O.S. | – | 3 | 1993 |
| FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. | – | 3 | 3286 |
| FLAMMABLE LIQUID, TOXIC, N.O.S. | – | 3 | 1992 |
| FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.O.S. | – | 4.1 | 3180 |
| FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S. | – | 4.1 | 2925 |
| FLAMMABLE SOLID, INORGANIC, N.O.S. | – | 4.1 | 3178 |
| FLAMMABLE SOLID, ORGANIC, MOLTEN, N.O.S. | – | 4.1 | 3176 |
| FLAMMABLE SOLID, ORGANIC, N.O.S. | – | 4.1 | 1325 |
| FLAMMABLE SOLID, OXIDIZING, N.O.S. | – | 4.1 | 3097 |
| FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S. | – | 4.1 | 3179 |
| FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S. | – | 4.1 | 2926 |
| FLARES, AERIAL | – | 1.1G | 0420 |
| FLARES, AERIAL | – | 1.2G | 0421 |
| FLARES, AERIAL | – | 1.3G | 0093 |
| FLARES, AERIAL | – | 1.4G | 0403 |
| FLARES, AERIAL | – | 1.4S | 0404 |
| Flares, distress, small, see SIGNAL DEVICES, HAND | – | – | – |
| Flares, highway or railway, see SIGNAL DEVICES, HAND | – | – | – |
| FLARES, SURFACE | – | 1.1G | 0418 |
| FLARES, SURFACE | – | 1.2G | 0419 |
| FLARES, SURFACE | – | 1.3G | 0092 |
| Flares, water-activated, see CONTRIVANCES, WATER-ACTIVATED | – | – | – |
| FLASH POWDER | – | 1.1G | 0094 |
| FLASH POWDER | – | 1.3G | 0305 |
| Flax, dry, see | – | 4.1 | 3360 |
| Flowers of sulphur, see | – | 4.1 | 1350 |
| Flue dust, arsenical, see | – | 6.1 | 1562 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| Fluoric acid, see | – | 8 | 1790 |
| Fluorine compounds (pesticides), see PESTICIDE, N.O.S. | – | – | – |
| FLUORINE, COMPRESSED | – | 2.3 | 1045 |
| Fluorine monoxide, compressed, see | – | 2.3 | 2190 |
| Fluoroacetamide, see PESTICIDE, N.O.S. | – | – | – |
| FLUOROACETIC ACID | – | 6.1 | 2642 |
| FLUOROANILINES | – | 6.1 | 2941 |
| FLUOROBENZENE | – | 3 | 2387 |
| FLUOROBORIC ACID | – | 8 | 1775 |
| Fluoroethane, see | – | 2.1 | 2453 |
| Fluoroethanoic acid, see | – | 6.1 | 2642 |
| Fluoroform, see | – | 2.2 | 1984 |
| Fluoroformyl fluoride, compressed, see | – | 2.3 | 2417 |
| Fluoromethane, see | – | 2.1 | 2454 |
| FLUOROPHOSPHORIC ACID, ANHYDROUS | – | 8 | 1776 |
| FLUOROSILICATES, N.O.S. | – | 6.1 | 2856 |
| FLUOROSILICIC ACID | – | 8 | 1778 |
| FLUOROSULPHONIC ACID | – | 8 | 1777 |
| FLUOROTOLUENES | – | 3 | 2388 |
| Fonofos, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Formal, see | – | 3 | 1234 |
| Formaldehyde dimethylacetal, see | – | 3 | 1234 |
| FORMALDEHYDE SOLUTION, FLAMMABLE | – | 3 | 1198 |
| FORMALDEHYDE SOLUTION with not less than 25% formaldehyde | – | 8 | 2209 |
| Formalin solution, flammable, see | – | 3 | 1198 |
| Formalin solution with not less than 25% formaldehyde, see | – | 8 | 2209 |
| Formamidine sulphonic acid, see | – | 4.2 | 3341 |
| Formetanate, see CARBAMATE PESTICIDE | P | – | – |
| Formic acid ethyl ester, see | – | 3 | 1190 |
| FORMIC ACID with more than 85% acid, by mass | – | 8 | 1779 |
| FORMIC ACID with not less than 5% but less than 10% acid, by mass | – | 8 | 3412 |
| FORMIC ACID with not less than 10% but not more than 85% acid, by mass | – | 8 | 3412 |
| Formic aldehyde solution, flammable, see | – | 3 | 1198 |
| Formothion, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| 2-Formyl-3,4-dihydro-2H-pyran, stabilized, see | – | 3 | 2607 |
| N-Formyl-2-(nitromethylene)-1,3-perhydrothiazine (concentration 100%), see | – | 4.1 | 3236 |
| FRACTURING DEVICES, EXPLOSIVE for oil wells, without detonator | – | 1.1D | 0099 |
| FUEL, AVIATION, TURBINE ENGINE | – | 3 | 1863 |
| FUEL CELL CARTRIDGES | – | 3 | 3473 |
| FUEL CELL CARTRIDGES, containing corrosive substances | – | 8 | 3477 |
| FUEL CELL CARTRIDGES, containing hydrogen in metal hydride | – | 2.1 | 3479 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| FUEL CELL CARTRIDGES, containing liquefied flammable gas | - | 2.1 | 3478 |
| FUEL CELL CARTRIDGES, containing water-reactive substances | - | 4.3 | 3476 |
| FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT | - | 3 | 3473 |
| FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT, containing corrosive substances | - | 8 | 3477 |
| FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT, containing hydrogen in metal hydride | - | 2.1 | 3479 |
| FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT, containing liquefied flammable gas | - | 2.1 | 3478 |
| FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT, containing water-reactive substances | - | 4.3 | 3476 |
| FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing corrosive substances | - | 8 | 3477 |
| FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing hydrogen in metal hydride | - | 2.1 | 3479 |
| FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing liquefied flammable gas | - | 2.1 | 3478 |
| FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing water-reactive substances | - | 4.3 | 3476 |
| FUEL CELL CARTRIDGES PLACED WITH EQUIPMENT | - | 3 | 3473 |
| Fuel oil No. 1, see | - | 3 | 1223 |
| Fumaroyl dichloride, see | - | 8 | 1780 |
| FUMARYL CHLORIDE | - | 8 | 1780 |
| FUMIGATED CARGO TRANSPORT UNIT | - | 9 | 3359 |
| FURALDEHYDES | - | 6.1 | 1199 |
| FURAN | - | 3 | 2389 |
| 2-Furanmethylamine, see | - | 3 | 2526 |
| Furathiocarb (ISO), see CARBAMATE PESTICIDE | P | - | - |
| Furfuran, see | - | 3 | 2389 |
| FURFURYL ALCOHOL | - | 6.1 | 2874 |
| FURFURLAMINE | - | 3 | 2526 |
| <i>alpha</i> -Furfurylamine, see | - | 3 | 2526 |
| 2-Furyl carbinol, see | - | 6.1 | 2874 |
| FUSE, DETONATING metal-clad | - | 1.1D | 0290 |
| FUSE, DETONATING metal-clad | - | 1.2D | 0102 |
| FUSE, DETONATING, MILD EFFECT, metal-clad | - | 1.4D | 0104 |
| FUSE, IGNITER tubular, metal-clad | - | 1.4G | 0103 |
| FUSEL OIL | - | 3 | 1201 |
| FUSE, NON-DETONATING | - | 1.3G | 0101 |
| FUSE, SAFETY | - | 1.4S | 0105 |
| Fuze, combination, percussion or time, see FUZES, DETONATING or FUZES, IGNITING | - | - | - |
| FUZES, DETONATING | - | 1.1B | 0106 |
| FUZES, DETONATING | - | 1.2B | 0107 |
| FUZES, DETONATING | - | 1.4B | 0257 |
| FUZES, DETONATING | - | 1.4S | 0367 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| FUZES, DETONATING with protective features | – | 1.1D | 0408 |
| FUZES, DETONATING with protective features | – | 1.2D | 0409 |
| FUZES, DETONATING with protective features | – | 1.4D | 0410 |
| FUZES, IGNITING | – | 1.3G | 0316 |
| FUZES, IGNITING | – | 1.4G | 0317 |
| FUZES, IGNITING | – | 1.4S | 0368 |
| GALLIUM | – | 8 | 2803 |
| GAS CARTRIDGES without a release device, non-refillable | – | 2 | 2037 |
| Gas drips, hydrocarbon, see HYDROCARBONS, LIQUID, N.O.S. | – | – | – |
| GAS OIL | – | 3 | 1202 |
| GASOLINE | – | 3 | 1203 |
| Gasoline, casinghead, see | – | 3 | 1203 |
| GAS, REFRIGERATED LIQUID, FLAMMABLE, N.O.S. | – | 2.1 | 3312 |
| GAS, REFRIGERATED LIQUID, N.O.S. | – | 2.2 | 3158 |
| GAS, REFRIGERATED LIQUID, OXIDIZING, N.O.S. | – | 2.2 | 3311 |
| GAS SAMPLE, NON-PRESSURIZED, FLAMMABLE, N.O.S., not refrigerated liquid | – | 2.1 | 3167 |
| GAS SAMPLE, NON-PRESSURIZED, TOXIC, FLAMMABLE, N.O.S., not refrigerated liquid | – | 2.3 | 3168 |
| GAS SAMPLE, NON-PRESSURIZED, TOXIC, N.O.S., not refrigerated liquid | – | 2.3 | 3169 |
| Gelatin, blasting, see | – | 1.1D | 0081 |
| Gelatin dynamite, see | – | 1.1D | 0081 |
| GENETICALLY MODIFIED MICROORGANISMS | – | 9 | 3245 |
| GENETICALLY MODIFIED ORGANISMS | – | 9 | 3245 |
| GERMANE | – | 2.3 | 2192 |
| Germanium hydride, see | – | 2.3 | 2192 |
| GLYCEROL <i>alpha</i> -MONOCHLOROHYDRIN | – | 6.1 | 2689 |
| Glycerol 1,3-dichlorohydrin, see | – | 6.1 | 2750 |
| Glycerol trinitrate (class 1), see NITROGLYCERIN (class 1) | – | – | – |
| Glyceryl trinitrate, see | – | 3 | 1204 |
| Glyceryl trinitrate (class 1), see NITROGLYCERIN (class 1) | – | – | – |
| Glycidal, see | – | 3 | 2622 |
| GLYCIDALDEHYDE | – | 3 | 2622 |
| Glycol chlorohydrin, see | – | 6.1 | 1135 |
| Glycol dimethyl ether, see | – | 3 | 2252 |
| GRENADES hand or rifle, with bursting charge | – | 1.1D | 0284 |
| GRENADES hand or rifle, with bursting charge | – | 1.1F | 0292 |
| GRENADES hand or rifle, with bursting charge | – | 1.2D | 0285 |
| GRENADES hand or rifle, with bursting charge | – | 1.2F | 0293 |
| Grenades, illuminating, see AMMUNITION, ILLUMINATING | – | – | – |
| GRENADES, PRACTICE hand or rifle | – | 1.2G | 0372 |
| GRENADES, PRACTICE hand or rifle | – | 1.3G | 0318 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| GRENADES, PRACTICE hand or rifle | — | 1.4G | 0452 |
| GRENADES, PRACTICE hand or rifle | — | 1.4S | 0110 |
| Grenades, smoke, see AMMUNITION, SMOKE | — | — | — |
| Grignard solution, see | — | 4.3 | 1928 |
| GUANIDINE NITRATE | — | 5.1 | 1467 |
| GUANYL NITROSAMINOQUANYLIDENEHYDRAZINE, WETTED with not less than 30% water, by mass | — | 1.1A | 0113 |
| GUANYL NITROSAMINOQUANYLTETRAZENE, WETTED with not less than 30% water, or mixture of alcohol and water, by mass | — | 1.1A | 0114 |
| GUNPOWDER, COMPRESSED | — | 1.1D | 0028 |
| GUNPOWDER granular, or as a meal | — | 1.1D | 0027 |
| GUNPOWDER IN PELLETS | — | 1.1D | 0028 |
| HAFNIUM POWDER, DRY | — | 4.2 | 2545 |
| HAFNIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) | — | 4.1 | 1326 |
| (a) mechanically produced, particle size less than 53 microns | | | |
| HAFNIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) | — | 4.1 | 1326 |
| (b) chemically produced, particle size less than 840 microns | | | |
| HAY | — | 4.1 | 1327 |
| HEATING OIL, LIGHT | — | 3 | 1202 |
| Heavy hydrogen, see | — | 2.1 | 1957 |
| Heavy hydrogen, compressed, see | — | 2.1 | 1957 |
| HELIUM, COMPRESSED | — | 2.2 | 1046 |
| HELIUM, REFRIGERATED LIQUID | — | 2.2 | 1963 |
| Hemp, dry, see | — | 4.1 | 3360 |
| Heptachlor, see ORGANOCHLORINE PESTICIDE | P | — | — |
| HEPTAFLUOROPROPANE | — | 2.2 | 3296 |
| <i>n</i> -HEPTALDEHYDE | — | 3 | 3056 |
| Heptanal, see | — | 3 | 3056 |
| HEPTANES | — | 3 | 1206 |
| 2-Heptanone, see | — | 3 | 1110 |
| 4-Heptanone, see | — | 3 | 2710 |
| <i>n</i> -HEPTENE | — | 3 | 2278 |
| Heptenophos, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Heptyl aldehyde, see | — | 3 | 3056 |
| Heptylbenzene, see | P | 9 | 3082 |
| Heptyl chloride, see | P | 3 | 1993 |
| HETP, see | P | 6.1 | 1611 |
| HETP (and compressed gas, mixtures), see | — | 2.3 | 1612 |
| HEXACHLOROACETONE | — | 6.1 | 2661 |
| HEXACHLOROBENZENE | — | 6.1 | 2729 |
| HEXACHLOROBUTADIENE | P | 6.1 | 2279 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Hexachloro-1,3-butadiene, see | P | 6.1 | 2279 |
| 1,3-Hexachlorobutadiene, see | P | 6.1 | 2279 |
| HEXACHLOROCYCLOPENTADIENE | - | 6.1 | 2646 |
| Hexachlorophane, see | - | 6.1 | 2875 |
| HEXACHLOROPHENE | - | 6.1 | 2875 |
| Hexachloro-2-propanone, see | - | 6.1 | 2661 |
| HEXADECYLTRICHLOROSILANE | - | 8 | 1781 |
| 1,3-Hexadiene, see | - | 3 | 2458 |
| 1,4-Hexadiene, see | - | 3 | 2458 |
| 1,5-Hexadiene, see | - | 3 | 2458 |
| 2,4-Hexadiene, see | - | 3 | 2458 |
| HEXADIENES | - | 3 | 2458 |
| HEXAETHYL TETRAPHOSPHATE | P | 6.1 | 1611 |
| HEXAETHYL TETRAPHOSPHATE AND COMPRESSED GAS MIXTURE | - | 2.3 | 1612 |
| HEXAFLUOROACETONE | - | 2.3 | 2420 |
| HEXAFLUOROACETONE HYDRATE, LIQUID | - | 6.1 | 2552 |
| HEXAFLUOROACETONE HYDRATE, SOLID | - | 6.1 | 3436 |
| HEXAFLUOROETHANE | - | 2.2 | 2193 |
| HEXAFLUOROPHOSPHORIC ACID | - | 8 | 1782 |
| Hexafluoro-2-propanone, see | - | 2.3 | 2420 |
| HEXAFLUOROPROPYLENE | - | 2.2 | 1858 |
| Hexahydrobenzene, see | - | 3 | 1145 |
| Hexahydrocresol, see | - | 3 | 2617 |
| Hexahydromethylphenol, see | - | 3 | 2617 |
| Hexahdropyridine, see | - | 8 | 2401 |
| Hexahydrothiophenol, see | - | 3 | 3054 |
| Hexahydrotoluene, see | - | 3 | 2296 |
| HEXALDEHYDE | - | 3 | 1207 |
| Hexamethylene, see | - | 3 | 1145 |
| HEXAMETHYLEDIAMINE, MOLTEN | - | 8 | 2280 |
| HEXAMETHYLEDIAMINE, SOLID | - | 8 | 2280 |
| HEXAMETHYLEDIAMINE SOLUTION | - | 8 | 1783 |
| HEXAMETHYLENE DIISOCYANATE | - | 6.1 | 2281 |
| HEXAMETHYLENEIMINE | - | 3 | 2493 |
| HEXAMETHYLENETETRAMINE | - | 4.1 | 1328 |
| Hexamine, see | - | 4.1 | 1328 |
| Hexane, see | - | 3 | 1208 |
| 1,6-Hexanediamine, solid, see | - | 8 | 2280 |
| 1,6-Hexanediamine solution, see | - | 8 | 1783 |
| HEXANES | - | 3 | 1208 |
| HEXANITRODIPHENYLAMINE | - | 1.1D | 0079 |
| Hexanitrodiphenyl sulphide, wetted, see | - | 4.1 | 2852 |
| HEXANITROSTILBENE | - | 1.1D | 0392 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| Hexanoic acid, see | - | 8 | 2829 |
| HEXANOLS | - | 3 | 2282 |
| 1-HEXENE | - | 3 | 2370 |
| HEXOGEN AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | - | 1.1D | 0391 |
| HEXOGEN AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, WETTED with not less than 15% water, by mass | - | 1.1D | 0391 |
| HEXOGEN AND HMX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | - | 1.1D | 0391 |
| HEXOGEN AND HMX MIXTURE, WETTED with not less than 15% water, by mass | - | 1.1D | 0391 |
| HEXOGEN AND OCTOGEN MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | - | 1.1D | 0391 |
| HEXOGEN AND OCTOGEN MIXTURE, WETTED with not less than 15% water, by mass | - | 1.1D | 0391 |
| HEXOGEN, DESENSITIZED | - | 1.1D | 0483 |
| HEXOGEN, WETTED with not less than 15% water, by mass | - | 1.1D | 0072 |
| Hexoic acid, see | - | 8 | 2829 |
| HEXOLITE dry or wetted with less than 15% water, by mass | - | 1.1D | 0118 |
| Hexone, see | - | 3 | 1245 |
| HEXOTOL dry or wetted with less than 15% water, by mass | - | 1.1D | 0118 |
| HEXOTONAL | - | 1.1D | 0393 |
| HEXOTONAL cast, see | - | 1.1D | 0393 |
| HEXYL | - | 1.1D | 0079 |
| Hexyl acetate, see | - | 3 | 1233 |
| Hexyl aldehyde, see | - | 3 | 1207 |
| Hexylbenzene, see | P | 9 | 3082 |
| Hexyl chloride, see | P | 3 | 1993 |
| <i>alpha</i> -Hexylene, see | - | 3 | 2370 |
| Hexylic acid, see | - | 8 | 2829 |
| <i>tert</i> -Hexyl peroxyneodecanoate (concentration \leq 71%, with diluent Type A), see | - | 5.2 | 3115 |
| <i>tert</i> -Hexyl peroxy pivalate (concentration \leq 72%, with diluent Type B), see | - | 5.2 | 3115 |
| HEXYLTRICHLOROSILANE | - | 8 | 1784 |
| HMDI, see | - | 6.1 | 2281 |
| HMX, DESENSITIZED | - | 1.1D | 0484 |
| HMX AND RDX MIXTURE, WETTED with not less than 15% water, by mass | - | 1.1D | 0319 |
| HMX AND RDX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | - | 1.1D | 0319 |
| HMX, WETTED with not less than 15% water, by mass | - | 1.1D | 0226 |
| HYDRAZINE, ANHYDROUS | - | 8 | 2029 |
| HYDRAZINE AQUEOUS SOLUTION, FLAMMABLE with more than 37% hydrazine, by mass | - | 8 | 3484 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| HYDRAZINE, AQUEOUS SOLUTION with more than 37% hydrazine, by mass | – | 8 | 2030 |
| HYDRAZINE, AQUEOUS SOLUTION with not more than 37% hydrazine, by mass | – | 6.1 | 3293 |
| Hydrazine base, aqueous solution, see | – | 6.1 | 3293 |
| Hydrazine hydrate, see | – | 8 | 2030 |
| Hydrazinobenzene, see | – | 6.1 | 2572 |
| Hydrides, metal, water-reactive, N.O.S., see | – | 4.3 | 1409 |
| HYDRIODIC ACID | – | 8 | 1787 |
| Hydriodic acid, anhydrous, see | – | 2.3 | 2197 |
| HYDROBROMIC ACID | – | 8 | 1788 |
| HYDROCARBON GAS MIXTURE, COMPRESSED, N.O.S. | – | 2.1 | 1964 |
| HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. | – | 2.1 | 1965 |
| HYDROCARBON GAS REFILLS FOR SMALL DEVICES with release device | – | 2.1 | 3150 |
| HYDROCARBONS, LIQUID, N.O.S. | – | 3 | 3295 |
| HYDROCHLORIC ACID | – | 8 | 1789 |
| Hydrocyanic acid, anhydrous, stabilized, containing less than 3% water, see | P | 6.1 | 1051 |
| Hydrocyanic acid, anhydrous, stabilized, containing less than 3% water and absorbed in a porous inert material, see | P | 6.1 | 1614 |
| HYDROCYANIC ACID, AQUEOUS SOLUTION with not more than 20% hydrogen cyanide | P | 6.1 | 1613 |
| HYDROCYANIC ACID with more than 20%, acid by mass (transport prohibited) | – | – | – |
| HYDROFLUORIC ACID AND SULPHURIC ACID MIXTURE | – | 8 | 1786 |
| Hydrofluoric acid, anhydrous, see | – | 8 | 1052 |
| HYDROFLUORIC ACID solution, with more than 60% hydrogen fluoride | – | 8 | 1790 |
| HYDROFLUORIC ACID solution, with not more than 60% hydrogen fluoride | – | 8 | 1790 |
| Hydrofluoroboric acid, see | – | 8 | 1775 |
| Hydrofluorosilicic acid, see | – | 8 | 1778 |
| HYDROGEN AND METHANE MIXTURE, COMPRESSED | – | 2.1 | 2034 |
| Hydrogen antimonide, see | – | 2.3 | 2676 |
| Hydrogen arsenide, see | – | 2.3 | 2188 |
| Hydrogen bromide, see | – | 8 | 1788 |
| HYDROGEN BROMIDE, ANHYDROUS | – | 2.3 | 1048 |
| Hydrogen bromide solution, see | – | 8 | 1788 |
| Hydrogencarboxylic acid, see | – | 8 | 1779 |
| Hydrogen chloride, see | – | 8 | 1789 |
| HYDROGEN CHLORIDE, ANHYDROUS | – | 2.3 | 1050 |
| HYDROGEN CHLORIDE, REFRIGERATED LIQUID (transport prohibited) | – | 2.3 | 2186 |
| HYDROGEN, COMPRESSED | – | 2.1 | 1049 |
| HYDROGEN CYANIDE, AQUEOUS SOLUTION with not more than 20% hydrogen cyanide | P | 6.1 | 1613 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| HYDROGEN CYANIDE, SOLUTION IN ALCOHOL with more than 45% hydrogen cyanide (<i>transport prohibited</i>) | - | - | - |
| HYDROGEN CYANIDE, SOLUTION IN ALCOHOL with not more than 45% hydrogen cyanide | P | 6.1 | 3294 |
| HYDROGEN CYANIDE, STABILIZED containing less than 3% water | P | 6.1 | 1051 |
| HYDROGEN CYANIDE, STABILIZED containing less than 3% water and absorbed in a porous inert material | P | 6.1 | 1614 |
| HYDROGENDIFLUORIDES, SOLID, N.O.S. | - | 8 | 1740 |
| HYDROGENDIFLUORIDES SOLUTION, N.O.S. | - | 8 | 3471 |
| Hydrogen fluoride, see | - | 8 | 1790 |
| HYDROGEN FLUORIDE, ANHYDROUS | - | 8 | 1052 |
| HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM | - | 2.1 | 3468 |
| HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM CONTAINED IN EQUIPMENT | - | 2.1 | 3468 |
| HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM PACKED WITH EQUIPMENT | - | 2.1 | 3468 |
| Hydrogen iodide, see | - | 8 | 1787 |
| HYDROGEN IODIDE, ANHYDROUS | - | 2.3 | 2197 |
| HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE with acid(s), water and not more than 5% peroxyacetic acid, STABILIZED | - | 5.1 | 3149 |
| HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide | - | 5.1 | 2015 |
| HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary) | - | 5.1 | 2984 |
| HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary) | - | 5.1 | 2014 |
| Hydrogen peroxide carbamide, solid, see | - | 5.1 | 1511 |
| HYDROGEN PEROXIDE, STABILIZED | - | 5.1 | 2015 |
| Hydrogen phosphide, see | - | 2.3 | 2199 |
| HYDROGEN, REFRIGERATED LIQUID | - | 2.1 | 1966 |
| HYDROGEN SELENIDE, ANHYDROUS | - | 2.3 | 2202 |
| Hydrogen silicide, compressed, see | - | 2.1 | 2203 |
| Hydrogen sulphates, aqueous solution, see | - | 8 | 2837 |
| HYDROGEN SULPHIDE | - | 2.3 | 1053 |
| Hydroselenic acid, anhydrous, see | - | 2.3 | 2202 |
| Hydrosilicofluoric acid, see | - | 8 | 1778 |
| 1-HYDROXYBENZOTRIAZOLE, ANHYDROUS, dry or wetted with less than 20% water, by mass | - | 1.3C | 0508 |
| 1-HYDROXYBENZOTRIAZOLE MONOHYDRATE | - | 4.1 | 3474 |
| 3-Hydroxybutanal, see | - | 6.1 | 2839 |
| 3-Hydroxybutan-2-one, see | - | 3 | 2621 |
| 3-Hydroxybutyraldehyde, see | - | 6.1 | 2839 |
| 2-Hydroxycamphane, see | - | 4.1 | 1312 |
| Hydroxydimethylbenzenes, liquid, see | - | 6.1 | 3430 |
| Hydroxydimethylbenzenes, solid, see | - | 6.1 | 2261 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| 3-Hydroxy-1,1-dimethylbutyl peroxyneodecanoate (concentration ≤52%, as a stable dispersion in water) | – | 5.2 | 3119 |
| 3-Hydroxy-1,1-dimethylbutyl peroxyneodecanoate (concentration ≤52%, with diluent Type A) | – | 5.2 | 3117 |
| 3-Hydroxy-1,1-dimethylbutyl peroxyneodecanoate (concentration ≤77%, with diluent Type A) | – | 5.2 | 3115 |
| 2-(2-Hydroxyethoxy)-1-(pyrrolidin-1-yl)benzene-4-diazonium zinc chloride (concentration 100%), see | – | 4.1 | 3236 |
| 3-(2-Hydroxyethoxy)-4-(pyrrolidin-1-yl)benzenediazonium zinc chloride (concentration 100%), see | – | 4.1 | 3236 |
| 2-Hydroxyethylamine, see | – | 8 | 2491 |
| HYDROXYLAMINE SULPHATE | – | 8 | 2865 |
| Hydroxylammonium sulphate, see | – | 8 | 2865 |
| 1-Hydroxy-3-methyl-2-penten-4-yne, see | – | 8 | 2705 |
| 3-Hydroxyphenol, see | – | 6.1 | 2876 |
| HYPOCHLORITES, INORGANIC, N.O.S. | – | 5.1 | 3212 |
| HYPOCHLORITE SOLUTION | – | 8 | 1791 |
| IGNITERS | – | 1.1G | 0121 |
| IGNITERS | – | 1.2G | 0314 |
| IGNITERS | – | 1.3G | 0315 |
| IGNITERS | – | 1.4G | 0325 |
| IGNITERS | – | 1.4S | 0454 |
| Imazalil, see PESTICIDE, N.O.S. | – | – | – |
| 3,3'-IMINODIPROPYLAMINE | – | 8 | 2269 |
| INFECTIOUS SUBSTANCE, AFFECTING ANIMALS only | – | 6.2 | 2900 |
| INFECTIOUS SUBSTANCE, AFFECTING HUMANS | – | 6.2 | 2814 |
| Inflammable ... , see FLAMMABLE ... | – | – | – |
| INSECTICIDE GAS, FLAMMABLE, N.O.S. | – | 2.1 | 3354 |
| INSECTICIDE GAS, N.O.S. | – | 2.2 | 1968 |
| INSECTICIDE GAS, TOXIC, FLAMMABLE, N.O.S. | – | 2.3 | 3355 |
| INSECTICIDE GAS, TOXIC, N.O.S. | – | 2.3 | 1967 |
| IODINE | – | 8 | 3495 |
| IODINE MONOCHLORIDE, LIQUID | – | 8 | 3498 |
| IODINE MONOCHLORIDE, SOLID | – | 8 | 1792 |
| IODINE PENTAFLUORIDE | – | 5.1 | 2495 |
| 2-IODOBUTANE | – | 3 | 2390 |
| Iodomethane, see | – | 6.1 | 2644 |
| IODOMETHYLPROPANES | – | 3 | 2391 |
| IODOPROPANES | – | 3 | 2392 |
| <i>alpha</i> -Iodotoluene, see | – | 6.1 | 2653 |
| Loxynil, see PESTICIDE, N.O.S. | P | – | – |
| Iprobenfos, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Iron carbonyl, see | – | 6.1 | 1994 |
| Iron chloride, anhydrous, see | – | 8 | 1773 |
| Iron(III) chloride, anhydrous, see | – | 8 | 1773 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| Iron chloride solution, see | – | 8 | 2582 |
| IRON OXIDE, SPENT obtained from coal gas purification | – | 4.2 | 1376 |
| IRON PENTACARBONYL | – | 6.1 | 1994 |
| Iron perchloride, anhydrous, see | – | 8 | 1773 |
| Iron perchloride solution, see | – | 8 | 2582 |
| Iron powder, see | – | 4.2 | 1383 |
| Iron powder, pyrophoric, see | – | 4.2 | 1383 |
| IRON SPONGE, SPENT obtained from coal gas purification | – | 4.2 | 1376 |
| Iron swarf, see | – | 4.2 | 2793 |
| Iron trichloride, anhydrous, see | – | 8 | 1773 |
| Iron trichloride solution, see | – | 8 | 2582 |
| Isoamyl acetate, see | – | 3 | 1104 |
| Isoamyl alcohol, see | – | 3 | 1105 |
| Isoamyl bromide, see | – | 3 | 2341 |
| Isoamyl butyrate, see | – | 3 | 2620 |
| <i>alpha</i> -Isoamylene, see | – | 3 | 2561 |
| Isoamyl formate, see | – | 3 | 1109 |
| Isoamyl mercaptan, see | – | 3 | 1111 |
| Isoamyl nitrate, see | – | 3 | 1112 |
| Isoamyl nitrite, see | – | 3 | 1113 |
| Isobenzan, see ORGANOCHLORINE PESTICIDE | P | – | – |
| Isobutanal, see | – | 3 | 2045 |
| ISOBUTANE | – | 2.1 | 1969 |
| ISOBUTANOL | – | 3 | 1212 |
| Isobutene, see | – | 2.1 | 1055 |
| Isobutanol, see | – | 3 | 2614 |
| Isobutenyl chloride, see | – | 3 | 2554 |
| ISOBUTYL ACETATE | – | 3 | 1213 |
| ISOBUTYL ACRYLATE, STABILIZED | – | 3 | 2527 |
| ISOBUTYL ALCOHOL | – | 3 | 1212 |
| ISOBUTYL ALDEHYDE | – | 3 | 2045 |
| ISOBUTYLAMINE | – | 3 | 1214 |
| Isobutylbenzene, see | – | 3 | 2709 |
| Isobutyl bromide, see | – | 3 | 2342 |
| ISOBUTYLENE | – | 2.1 | 1055 |
| ISOBUTYL FORMATE | – | 3 | 2393 |
| Isobutyl iodide, see | – | 3 | 2391 |
| ISOBUTYL ISOBUTYRATE | – | 3 | 2528 |
| ISOBUTYL ISOCYANATE | – | 6.1 | 2486 |
| Isobutyl mercaptan, see | – | 3 | 2347 |
| ISOBUTYL METHACRYLATE, STABILIZED | – | 3 | 2283 |
| ISOBUTYL PROPIONATE | – | 3 | 2394 |
| Isobutyl vinyl ether, see | – | 3 | 1304 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| ISOBUTYRALDEHYDE | — | 3 | 2045 |
| ISOBUTYRIC ACID | — | 3 | 2529 |
| ISOBUTYRONITRILE | — | 3 | 2284 |
| ISOBUTYRYL CHLORIDE | — | 3 | 2395 |
| ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. | — | 3 | 2478 |
| ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S. | — | 3 | 2478 |
| ISOCYANATE SOLUTION, TOXIC, FLAMMABLE, N.O.S. | — | 6.1 | 3080 |
| ISOCYANATE SOLUTION, TOXIC, N.O.S. | — | 6.1 | 2206 |
| ISOCYANATES, TOXIC, FLAMMABLE, N.O.S. | — | 6.1 | 3080 |
| ISOCYANATES, TOXIC, N.O.S. | — | 6.1 | 2206 |
| ISOCYANATOBENZOTRIFLUORIDES | — | 6.1 | 2285 |
| 3-Isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate, see | — | 6.1 | 2290 |
| Isodecyl acrylate, see | P | 9 | 3082 |
| Isododecane, see | — | 3 | 2286 |
| Isodrin, see ORGANOCHLORINE PESTICIDE | — | — | — |
| Isofenphos, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| ISOHEPTENES | — | 3 | 2287 |
| ISOHEXENES | — | 3 | 2288 |
| Isolan, see CARBAMATE PESTICIDE | — | — | — |
| Isooctaldehyde, see | — | 3 | 1191 |
| Isooctane, see | — | 3 | 1262 |
| ISOOCTENES | — | 3 | 1216 |
| Isooctyl nitrate, see | P | 9 | 3082 |
| Isopentane, see | — | 3 | 1265 |
| ISOPENTENES | — | 3 | 2371 |
| Isopentylamine, see | — | 3 | 1106 |
| Isopentyl nitrite, see | — | 3 | 1113 |
| ISOPHORONEDIAMINE | — | 8 | 2289 |
| ISOPHORONE DIISOCYANATE | — | 6.1 | 2290 |
| ISOPRENE, STABILIZED | — | 3 | 1218 |
| Isoprocarb, see CARBAMATE PESTICIDE | P | — | — |
| ISOPROPANOL | — | 3 | 1219 |
| ISOPROPENYL ACETATE | — | 3 | 2403 |
| ISOPROPENYLBENZENE | — | 3 | 2303 |
| Isopropenyl carbinol, see | — | 3 | 2614 |
| Isopropenyl chloride, see | — | 3 | 2456 |
| 2-Isopropoxypropane, see | — | 3 | 1159 |
| ISOPROPYL ACETATE | — | 3 | 1220 |
| ISOPROPYL ACID PHOSPHATE | — | 8 | 1793 |
| ISOPROPYL ALCOHOL | — | 3 | 1219 |
| ISOPROPYLAMINE | — | 3 | 1221 |
| ISOPROPYLBENZENE | — | 3 | 1918 |
| Isopropyl bromide, see | — | 3 | 2344 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| Isopropyl sec-butyl peroxydicarbonate (concentration \leq 32%) with di-sec-butyl peroxydicarbonate (concentration \leq 15–18%) and di-isopropyl peroxydicarbonate (concentration \leq 12–15%), with diluent Type A, see | – | 5.2 | 3115 |
| Isopropyl sec-butyl peroxydicarbonate (concentration \leq 52%) with di-sec-butyl peroxydicarbonate (concentration \leq 28%) and di-isopropyl peroxydicarbonate (concentration \leq 22%), see | – | 5.2 | 3111 |
| ISOPROPYL BUTYRATE | – | 3 | 2405 |
| Isopropyl carbinol, see | – | 3 | 1212 |
| Isopropyl chloride, see | – | 3 | 2356 |
| ISOPROPYL CHLOROACETATE | – | 3 | 2947 |
| Isopropyl chlorocarbonate, see | – | 6.1 | 2407 |
| ISOPROPYL CHLOROFORMATE | – | 6.1 | 2407 |
| Isopropyl chloromethanoate, see | – | 6.1 | 2407 |
| ISOPROPYL 2-CHLOROPROPIONATE | – | 3 | 2934 |
| <i>alpha</i> -Isopropyl <i>alpha</i> -chloropropionate, see | – | 3 | 2934 |
| Isopropylcumyl hydroperoxide (concentration \leq 72%, with diluent Type A), see | – | 5.2 | 3109 |
| Isopropyl cyanide, see | – | 3 | 2284 |
| Isopropyl ether, see | – | 3 | 1159 |
| Isopropylethylene, see | – | 3 | 2561 |
| Isopropyl formate, see | – | 3 | 1281 |
| Isopropylideneacetone, see | – | 3 | 1229 |
| ISOPROPYL ISOBUTYRATE | – | 3 | 2406 |
| ISOPROPYL ISOCYANATE | – | 6.1 | 2483 |
| Isopropyl mercaptan, see | – | 3 | 2402 |
| Isopropyl methanoate, see | – | 3 | 1281 |
| ISOPROPYL NITRATE | – | 3 | 1222 |
| ISOPROPYL PROPIONATE | – | 3 | 2409 |
| Isopropyltoluene, see | P | 3 | 2046 |
| Isopropyltoluol, see | P | 3 | 2046 |
| ISOSORBIDE-5-MONONITRATE | – | 4.1 | 3251 |
| ISOSORBIDE DINITRATE MIXTURE with not less than 60% lactose, mannose, starch, or calcium hydrogen phosphate | – | 4.1 | 2907 |
| Isotetramethylbenzene, see | P | 9 | 3082 |
| Iothioate, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Isovaleraldehyde, see | – | 3 | 2058 |
| Isovalerone, see | – | 3 | 1157 |
| Iroxathion, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| JET PERFORATING GUNS, CHARGED oil well, without detonator | – | 1.1D | 0124 |
| JET PERFORATING GUNS, CHARGED oil well, without detonator | – | 1.4D | 0494 |
| Jet tappers, without detonator, see CHARGES, SHAPED, COMMERCIAL | – | – | – |
| Jute, dry, see | – | 4.1 | 3360 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| Kapok, dry, see | — | 4.1 | 3360 |
| Kelevan, see PESTICIDE, N.O.S. | — | — | — |
| KEROSENE | — | 3 | 1223 |
| Kerosine, see | — | 3 | 1223 |
| KETONES, LIQUID, N.O.S. | — | 3 | 1224 |
| KRILL MEAL | — | 4.2 | 3497 |
| KRYPTON, COMPRESSED | — | 2.2 | 1056 |
| KRYPTON, REFRIGERATED LIQUID | — | 2.2 | 1970 |
| Lacquer, see PAINT | — | — | — |
| Lacquer base, liquid, see PAINT | — | — | — |
| Lacquer base solution, see | — | 3 | 2059 |
| LEAD ACETATE | P | 6.1 | 1616 |
| Lead and zinc calcines, see | P | 6.1 | 2291 |
| LEAD ARSENATES | P | 6.1 | 1617 |
| LEAD ARSENITES | P | 6.1 | 1618 |
| LEAD AZIDE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass | — | 1.1A | 0129 |
| Lead chloride, solid, see | P | 6.1 | 2291 |
| LEAD COMPOUND, SOLUBLE, N.O.S. | P | 6.1 | 2291 |
| LEAD CYANIDE | P | 6.1 | 1620 |
| LEAD DIOXIDE | — | 5.1 | 1872 |
| Lead dross, see | — | 8 | 1794 |
| Lead(II) acetate, see | — | 6.1 | 1616 |
| Lead(II) cyanide, see | — | 6.1 | 1620 |
| LEAD NITRATE | P | 5.1 | 1469 |
| Lead(II) nitrate, see LEAD NITRATE | — | — | — |
| Lead(II) perchlorate, see | — | 5.1 | 1470 |
| LEAD PERCHLORATE, SOLID | P | 5.1 | 1470 |
| LEAD PERCHLORATE SOLUTION | P | 5.1 | 3408 |
| Lead peroxide, see | — | 5.1 | 1872 |
| LEAD PHOSPHITE, DIBASIC | — | 4.1 | 2989 |
| LEAD STYPHNATE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass | — | 1.1A | 0130 |
| LEAD SULPHATE with more than 3% free acid | — | 8 | 1794 |
| Lead tetraethyl, see | P | 6.1 | 1649 |
| Lead tetramethyl, see | P | 6.1 | 1649 |
| LEAD TRINITRORESORCINATE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass | — | 1.1A | 0130 |
| LIFE-SAVING APPLIANCES, NOT SELF-INFLATING containing dangerous goods as equipment | — | 9 | 3072 |
| LIFE-SAVING APPLIANCES, SELF-INFLATING | — | 9 | 2990 |
| LIGHTER REFILLS containing flammable gas | — | 2.1 | 1057 |
| LIGHTERS containing flammable gas | — | 2.1 | 1057 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| LIGHTERS, FUSE | - | 1.4S | 0131 |
| Ligroin, see PETROLEUM DISTILLATES, N.O.S. or see PETROLEUM PRODUCTS, N.O.S. | - | - | - |
| Limonene, see | P | 3 | 2052 |
| Lindane, see ORGANOCHLORINE PESTICIDE | P | - | - |
| Linuron, see Note 1 | P | - | - |
| LIQUEFIED GASES non-flammable, charged with nitrogen, carbon dioxide or air | - | 2.2 | 1058 |
| LIQUEFIED GAS, FLAMMABLE, N.O.S. | - | 2.1 | 3161 |
| LIQUEFIED GAS, N.O.S. | - | 2.2 | 3163 |
| LIQUEFIED GAS, OXIDIZING, N.O.S. | - | 2.2 | 3157 |
| LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S. | - | 2.3 | 3308 |
| LIQUEFIED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S. | - | 2.3 | 3309 |
| LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S. | - | 2.3 | 3160 |
| LIQUEFIED GAS, TOXIC, N.O.S. | - | 2.3 | 3162 |
| LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S. | - | 2.3 | 3310 |
| LIQUEFIED GAS, TOXIC, OXIDIZING, N.O.S. | - | 2.3 | 3307 |
| Liquefied petroleum gases, see | - | 2.1 | 1075 |
| Liquified natural gas, see | - | 2.1 | 1972 |
| LITHIUM | - | 4.3 | 1415 |
| Lithium alkyls, liquid, see | - | 4.2 | 3394 |
| Lithium alkyls, solid, see | - | 4.2 | 3393 |
| Lithium alloy (liquid), see | - | 2.1 | 1001 |
| LITHIUM ALUMINIUM HYDRIDE | - | 4.3 | 1410 |
| LITHIUM ALUMINIUM HYDRIDE, ETHEREAL | - | 4.3 | 1411 |
| Lithium amalgams, liquid, see | - | 4.3 | 1389 |
| Lithium amalgams, solid, see | - | 4.3 | 3401 |
| Lithium amide, see | - | 4.3 | 1390 |
| LITHIUM BOROHYDRIDE | - | 4.3 | 1413 |
| Lithium dispersions, see | - | 4.3 | 1391 |
| LITHIUM FERROSILICON | - | 4.3 | 2830 |
| LITHIUM HYDRIDE | - | 4.3 | 1414 |
| LITHIUM HYDRIDE, FUSED SOLID | - | 4.3 | 2805 |
| LITHIUM HYDROXIDE | - | 8 | 2680 |
| Lithium hydroxide, solid, see | - | 8 | 2680 |
| LITHIUM HYDROXIDE SOLUTION | - | 8 | 2679 |
| LITHIUM HYPOCHLORITE, DRY | - | 5.1 | 1471 |
| LITHIUM HYPOCHLORITE MIXTURE | - | 5.1 | 1471 |
| Lithium in cartouches, see | - | 4.3 | 1415 |
| LITHIUM ION BATTERIES (including lithium ion polymer batteries) | - | 9 | 3480 |
| LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT (including lithium ion polymer batteries) | - | 9 | 3481 |
| LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries) | - | 9 | 3481 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| LITHIUM METAL BATTERIES (including lithium alloy batteries) | – | 9 | 3090 |
| LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT (including lithium alloy batteries) | – | 9 | 3091 |
| LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT (including lithium alloy batteries) | – | 9 | 3091 |
| LITHIUM NITRATE | – | 5.1 | 2722 |
| LITHIUM NITRIDE | – | 4.3 | 2806 |
| LITHIUM PEROXIDE | – | 5.1 | 1472 |
| Lithium silicide, see | – | 4.3 | 1417 |
| LITHIUM SILICON | – | 4.3 | 1417 |
| LNG, see | – | 2.1 | 1972 |
| LONDON PURPLE | P | 6.1 | 1621 |
| LPG, see | – | 2.1 | 1075 |
| Lye, see | – | 8 | 1823 |
| M86 fuel, see | – | 3 | 3165 |
| MAGNESIUM | – | 4.1 | 1869 |
| Magnesium alkyls, see | – | 4.2 | 3394 |
| Magnesium alloys, see | – | 4.3 | 1393 |
| MAGNESIUM ALLOYS POWDER | – | 4.3 | 1418 |
| MAGNESIUM ALLOYS with more than 50% magnesium in pellets, turnings or ribbons | – | 4.1 | 1869 |
| MAGNESIUM ALUMINIUM PHOSPHIDE | – | 4.3 | 1419 |
| Magnesium amalgams, liquid, see | – | 4.3 | 1392 |
| Magnesium amalgams, solid, see | – | 4.3 | 3402 |
| MAGNESIUM ARSENATE | P | 6.1 | 1622 |
| Magnesium bisulphite solution, see | – | 8 | 2693 |
| MAGNESIUM BROMATE | – | 5.1 | 1473 |
| MAGNESIUM CHLORATE | – | 5.1 | 2723 |
| Magnesium chloride and chlorate mixture, see | – | 5.1 | 1459 |
| MAGNESIUM DIAMIDE | – | 4.2 | 2004 |
| Magnesium diphenyl, see | – | 4.2 | 3393 |
| Magnesium dispersions, see | – | 4.3 | 1391 |
| MAGNESIUM FLUOROSILICATE | – | 6.1 | 2853 |
| MAGNESIUM GRANULES, COATED particle size not less than 149 microns | – | 4.3 | 2950 |
| Magnesium hexafluorosilicate, see | – | 6.1 | 2853 |
| MAGNESIUM HYDRIDE | – | 4.3 | 2010 |
| MAGNESIUM NITRATE | – | 5.1 | 1474 |
| MAGNESIUM PERCHLORATE | – | 5.1 | 1475 |
| MAGNESIUM PEROXIDE | – | 5.1 | 1476 |
| MAGNESIUM PHOSPHIDE | – | 4.3 | 2011 |
| MAGNESIUM POWDER | – | 4.3 | 1418 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Magnesium scrap, see | — | 4.1 | 1869 |
| MAGNESIUM SILICIDE | — | 4.3 | 2624 |
| Magnesium silicofluoride, see | — | 6.1 | 2853 |
| Magnesium silicon, see | — | 4.3 | 2624 |
| MAGNETIZED MATERIAL | — | 9 | 2807 |
| Malathion, see | P | 9 | 3082 |
| MALEIC ANHYDRIDE | — | 8 | 2215 |
| MALEIC ANHYDRIDE, MOLTEN | — | 8 | 2215 |
| Malonodinitrile, see | — | 6.1 | 2647 |
| MALONONITRILE | — | 6.1 | 2647 |
| Mancozeb (ISO), see | P | 9 | 3077 |
| MANEB | P | 4.2 | 2210 |
| MANEB PREPARATION, STABILIZED against self-heating | P | 4.3 | 2968 |
| MANEB PREPARATION with not less than 60% Maneb | P | 4.2 | 2210 |
| MANEB, STABILIZED | P | 4.3 | 2968 |
| Manganese ethylene-bis-dithiocarbamate, see | P | 4.2 | 2210 |
| Manganese ethylene-1,2-bis-dithiocarbamate, see | P | 4.2 | 2210 |
| Manganese ethylene-bis-dithiocarbamate, stabilized, see | P | 4.3 | 2968 |
| Manganese ethylene-1,2-bis-dithiocarbamate, stabilized, see | P | 4.3 | 2968 |
| MANGANESE NITRATE | — | 5.1 | 2724 |
| Manganese(III) nitrate, see | — | 5.1 | 2724 |
| MANGANESE RESINATE | — | 4.1 | 1330 |
| Manganous nitrate, see | — | 5.1 | 2724 |
| MANNITOL HEXANITRATE, WETTED with not less than 40% water, or mixture of alcohol and water, by mass | — | 1.1D | 0133 |
| MATCHES, FUSEE | — | 4.1 | 2254 |
| MATCHES, SAFETY (book, card or strike on box) | — | 4.1 | 1944 |
| MATCHES, "STRIKE ANYWHERE" | — | 4.1 | 1331 |
| MATCHES, WAX 'VESTA' | — | 4.1 | 1945 |
| Meal, oily, see | — | 4.2 | 1386 |
| Mecarbam, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| MEDICAL WASTE, N.O.S. | — | 6.2 | 3291 |
| MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S. | — | 3 | 3248 |
| MEDICINE, LIQUID, TOXIC, N.O.S. | — | 6.1 | 1851 |
| MEDICINE, SOLID, TOXIC, N.O.S. | — | 6.1 | 3249 |
| Medinoterb, see SUBSTITUTED NITROPHENOL PESTICIDE | — | — | — |
| p-Menthyl hydroperoxide (concentration ≤72%, with diluent Type A), see | — | 5.2 | 3109 |
| p-Menthyl hydroperoxide (concentration >72–100%), see | — | 5.2 | 3105 |
| Mephosfolan, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S. | — | 3 | 3336 |
| MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S. | — | 3 | 1228 |
| MERCAPTAN MIXTURE, LIQUID, TOXIC, FLAMMABLE, N.O.S. | — | 6.1 | 3071 |
| MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. | — | 3 | 3336 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. | — | 3 | 1228 |
| MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S. | — | 6.1 | 3071 |
| Mercaptoacetic acid, see | — | 8 | 1940 |
| Mercaptodimethur, see CARBAMATE PESTICIDE | P | — | — |
| 2-Mercaptoethanol, see | — | 6.1 | 2966 |
| 2-Mercaptopropionic acid, see | — | 6.1 | 2936 |
| 5-MERCAPTOTETRAZOL-1-ACETIC ACID | — | 1.4C | 0448 |
| Mercuric acetate, see | P | 6.1 | 1629 |
| Mercuric ammonium chloride, see | P | 6.1 | 1630 |
| MERCURIC ARSENATE | P | 6.1 | 1623 |
| Mercuric benzoate, see | P | 6.1 | 1631 |
| Mercuric bisulphate, see | P | 6.1 | 1645 |
| Mercuric bromide, see | P | 6.1 | 1634 |
| MERCURIC CHLORIDE | P | 6.1 | 1624 |
| Mercuric cyanide, see | P | 6.1 | 1636 |
| Mercuric gluconate, see | P | 6.1 | 1637 |
| Mercuric iodide, see | P | 6.1 | 1638 |
| MERCURIC NITRATE | P | 6.1 | 1625 |
| Mercuric oleate, see | P | 6.1 | 1640 |
| Mercuric oxide, see | P | 6.1 | 1641 |
| Mercuric oxycyanide, desensitized, see | P | 6.1 | 1642 |
| MERCURIC POTASSIUM CYANIDE | P | 6.1 | 1626 |
| Mercuric sulphate, see | P | 6.1 | 1645 |
| Mercuric thiocyanate, see | P | 6.1 | 1646 |
| Mercurol, see | P | 6.1 | 1639 |
| Mercurous acetate, see | P | 6.1 | 1629 |
| Mercurous bisulphate, see | P | 6.1 | 1645 |
| Mercurous bromide, see | P | 6.1 | 1634 |
| Mercurous chloride, see | P | 9 | 3077 |
| MERCUROUS NITRATE | P | 6.1 | 1627 |
| Mercurous salicylate, see | P | 6.1 | 1644 |
| Mercurous sulphate, see | P | 6.1 | 1645 |
| MERCURY | — | 8 | 2809 |
| MERCURY ACETATE | P | 6.1 | 1629 |
| MERCURY AMMONIUM CHLORIDE | P | 6.1 | 1630 |
| MERCURY BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | P | 3 | 2778 |
| MERCURY BASED PESTICIDE, LIQUID, TOXIC | P | 6.1 | 3012 |
| MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | P | 6.1 | 3011 |
| MERCURY BASED PESTICIDE, SOLID, TOXIC | P | 6.1 | 2777 |
| MERCURY BENZOATE | P | 6.1 | 1631 |
| Mercury bichloride, see | P | 6.1 | 1624 |
| Mercury bisulphate, see | P | 6.1 | 1645 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| MERCURY BROMIDES | P | 6.1 | 1634 |
| MERCURY COMPOUND, LIQUID, N.O.S. | P | 6.1 | 2024 |
| MERCURY COMPOUND, SOLID, N.O.S. | P | 6.1 | 2025 |
| MERCURY CONTAINED IN MANUFACTURED ARTICLES | - | 8 | 3506 |
| MERCURY CYANIDE | P | 6.1 | 1636 |
| MERCURY FULMINATE, WETTED with not less than 20% water or mixture of alcohol and water, by mass | - | 1.1A | 0135 |
| MERCURY GLUCONATE | P | 6.1 | 1637 |
| Mercury(II) (mercuric) compounds, see MERCURY BASED PESTICIDE | P | - | - |
| Mercury(I) (mercurous) compounds, see MERCURY BASED PESTICIDE | P | - | - |
| MERCURY IODIDE | P | 6.1 | 1638 |
| MERCURY NUCLEATE | P | 6.1 | 1639 |
| MERCURY OLEATE | P | 6.1 | 1640 |
| MERCURY OXIDE | - | 6.1 | 1641 |
| MERCURY OXYCYANIDE, DESENSITIZED | P | 6.1 | 1642 |
| MERCURY OXYCYANIDE pure (transport prohibited) | - | - | - |
| Mercury potassium cyanide, see | P | 6.1 | 1626 |
| MERCURY POTASSIUM IODIDE | P | 6.1 | 1643 |
| MERCURY SALICYLATE | P | 6.1 | 1644 |
| MERCURY SULPHATE | P | 6.1 | 1645 |
| MERCURY THIOCYANATE | P | 6.1 | 1646 |
| Mesitylene, see | - | 3 | 2325 |
| MESITYL OXIDE | - | 3 | 1229 |
| Mesyl chloride, see | - | 6.1 | 3246 |
| Metaarsenic acid, see | - | 6.1 | 1554 |
| Metacetone, see | - | 3 | 1156 |
| Metal alkyl halides, water-reactive, n.o.s., see | - | 4.2 | 3394 |
| Metal alkyl hydrides, water-reactive, n.o.s., see | - | 4.2 | 3394 |
| Metal alkyls, water-reactive, n.o.s., see | - | 4.2 | 3394 |
| Metal aryl halides, water-reactive, n.o.s., see | - | 4.2 | 3394 |
| Metal aryl hydrides, water-reactive, n.o.s., see | - | 4.2 | 3394 |
| Metal aryls, water-reactive, n.o.s., see | - | 4.2 | 3394 |
| METAL CARBONYLS, LIQUID, N.O.S. | - | 6.1 | 3281 |
| METAL CARBONYLS, SOLID, N.O.S. | - | 6.1 | 3466 |
| METAL CATALYST, DRY | - | 4.2 | 2881 |
| METAL CATALYST, WETTED with a visible excess of liquid | - | 4.2 | 1378 |
| METALDEHYDE | - | 4.1 | 1332 |
| METAL HYDRIDES, FLAMMABLE, N.O.S. | - | 4.1 | 3182 |
| METAL HYDRIDES, WATER-REACTIVE, N.O.S. | - | 4.3 | 1409 |
| METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S. | - | 4.3 | 3208 |
| METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S. | - | 4.3 | 3209 |
| METAL POWDER, FLAMMABLE, N.O.S. | - | 4.1 | 3089 |
| METAL POWDER, SELF-HEATING, N.O.S. | - | 4.2 | 3189 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S. | — | 4.1 | 3181 |
| Metam-sodium, see THiocarbamate PESTICIDE | P | — | — |
| Methacraldehyde, stabilized, see | — | 3 | 2396 |
| METHACRYLALDEHYDE, STABILIZED | — | 3 | 2396 |
| 3-Methacrylic acid, liquid, see | — | 8 | 3472 |
| 3-Methacrylic acid, solid, see | — | 8 | 2823 |
| METHACRYLIC ACID, STABILIZED | — | 8 | 2531 |
| METHACRYLONITRILE, STABILIZED | — | 6.1 | 3079 |
| METHALLYL ALCOHOL | — | 3 | 2614 |
| Methamidophos, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Methanal, see | — | 3 | 1198 |
| Methanal, see | — | 8 | 2209 |
| Methane and hydrogen, mixtures, compressed, see | — | 2.1 | 2034 |
| METHANE, COMPRESSED | — | 2.1 | 1971 |
| METHANE, REFRIGERATED LIQUID | — | 2.1 | 1972 |
| METHANESULPHONYL CHLORIDE | — | 6.1 | 3246 |
| Methanethiol, see | P | 2.3 | 1064 |
| METHANOL | — | 3 | 1230 |
| Methasulfocarb, see CARBAMATE PESTICIDE | — | — | — |
| Methidathion, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Methomyl, see CARBAMATE PESTICIDE | P | — | — |
| <i>ortho</i> -Methoxyaniline, see | — | 6.1 | 2431 |
| Methoxybenzene, see | — | 3 | 2222 |
| 1-Methoxybutane, see | — | 3 | 2350 |
| Methoxyethane, see | — | 2.1 | 1039 |
| 2-Methoxyethanol, see | — | 3 | 1188 |
| 2-Methoxyethyl acetate, see | — | 3 | 1189 |
| METHOXYMETHYL ISOCYANATE | — | 6.1 | 2605 |
| 4-METHOXY-4-METHYL PENTAN-2-ONE | — | 3 | 2293 |
| 4-Methoxy-4-methyl-2-pentanone, see | — | 3 | 2293 |
| Methoxynitrobenzenes, liquid, see | — | 6.1 | 2730 |
| Methoxynitrobenzenes, solid, see | — | 6.1 | 3458 |
| 1-Methoxypropane, see | — | 3 | 2612 |
| 1-METHOXY-2-PROPANOL | — | 3 | 3092 |
| METHYL ACETATE | — | 3 | 1231 |
| Methylacetic acid, see | — | 8 | 1848 |
| METHYLACETYLENE AND PROPADIENE MIXTURE, STABILIZED | — | 2.1 | 1060 |
| beta-Methylacrolein, see | P | 6.1 | 1143 |
| 2-Methylacrolein, stabilized | — | 3 | 2396 |
| 3-Methylacrolein, stabilized, see | P | 6.1 | 1143 |
| METHYL ACRYLATE, STABILIZED | — | 3 | 1919 |
| METHYLAL | — | 3 | 1234 |
| Methyl alcohol, see | — | 3 | 1230 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| Methyl allyl alcohol, see | - | 3 | 2614 |
| Methylallyl alcohol, see | - | 3 | 2614 |
| METHYLLALLYL CHLORIDE | - | 3 | 2554 |
| METHYLAMINE, ANHYDROUS | - | 2.1 | 1061 |
| METHYLAMINE, AQUEOUS SOLUTION | - | 3 | 1235 |
| 2-(<i>N,N</i> -Methylaminoethylcarbonyl)-4-(3,4-dimethylphenylsulphonyl)benzenediazonium hydrogen sulphate (concentration 96%), see | - | 4.1 | 3236 |
| METHYLLAMYL ACETATE | - | 3 | 1233 |
| Methyl amyl alcohol, see | - | 3 | 2053 |
| Methylamyl alcohol, see | - | 3 | 2053 |
| Methyl <i>normal</i> -amyl ketone, see | - | 3 | 1110 |
| <i>N</i> -METHYLANILINE | - | 6.1 | 2294 |
| Methylated spirits, see | - | 3 | 1987 |
| Methylated spirits, see | - | 3 | 1986 |
| Methylbenzene, see | - | 3 | 1294 |
| 4-Methylbenzenesulphonylhydrazide (concentration 100%), see | - | 4.1 | 3226 |
| Methylbenzol, see | - | 3 | 1294 |
| <i>alpha</i> -METHYLBENZYL ALCOHOL, LIQUID | - | 6.1 | 2937 |
| <i>alpha</i> -METHYLBENZYL ALCOHOL, SOLID | - | 6.1 | 3438 |
| Methyl borate, see | - | 3 | 2416 |
| Methyl bromide and chloropicrin mixture, see | - | 2.3 | 1581 |
| METHYL BROMIDE AND ETHYLENE DIBROMIDE MIXTURE, LIQUID | P | 6.1 | 1647 |
| METHYL BROMIDE with not more than 2.0% chloropicrin | - | 2.3 | 1062 |
| METHYL BROMOACETATE | - | 6.1 | 2643 |
| 2-Methyl-1,3-butadiene, stabilized, see | - | 3 | 1218 |
| 2-METHYLBUTANAL | - | 3 | 3371 |
| 2-Methylbutane, see | - | 3 | 1265 |
| Methylbutanols, see | - | 3 | 1105 |
| 3-METHYLBUTAN-2-ONE | - | 3 | 2397 |
| 3-Methyl-2-butanone, see | - | 3 | 2397 |
| 2-METHYL-1-BUTENE | - | 3 | 2459 |
| 2-METHYL-2-BUTENE | - | 3 | 2460 |
| 3-METHYL-1-BUTENE | - | 3 | 2561 |
| 2-Methyl butylacrylate, stabilized, see | - | 3 | 2227 |
| <i>N</i> -METHYLBUTYLAMINE | - | 3 | 2945 |
| METHYL <i>tert</i> -BUTYL ETHER | - | 3 | 2398 |
| METHYL BUTYRATE | - | 3 | 1237 |
| Methyl carbonate, see | - | 3 | 1161 |
| METHYL CHLORIDE | - | 2.1 | 1063 |
| Methyl chloride and chloropicrin mixture, see | - | 2.3 | 1582 |
| METHYL CHLORIDE AND METHYLENE CHLORIDE MIXTURE | - | 2.1 | 1912 |
| METHYL CHLOROACETATE | - | 6.1 | 2295 |
| Methylchlorbenzenes, see | - | 3 | 2238 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Methyl chlorocarbonate, see | - | 6.1 | 1238 |
| Methyl chloroform, see | - | 6.1 | 2831 |
| Methylchloroform, see | - | 6.1 | 2831 |
| METHYL CHLOROFORMATE | - | 6.1 | 1238 |
| METHYL CHLOROMETHYL ETHER | - | 6.1 | 1239 |
| METHYL 2-CHLOROPROPIONATE | - | 3 | 2933 |
| <i>alpha</i> -Methyl <i>alpha</i> -chloropropionate, see | - | 3 | 2933 |
| METHYLCHLOROSILANE | - | 2.3 | 2534 |
| Methyl cyanide, see | - | 3 | 1648 |
| METHYLCYCLOHEXANE | - | 3 | 2296 |
| METHYLCYCLOHEXANOLS, flammable | - | 3 | 2617 |
| Methylcyclohexanone peroxide(s) (concentration \leq 67%, with diluent Type B), see | - | 5.2 | 3115 |
| METHYLCYCLOHEXANONE | - | 3 | 2297 |
| METHYLCYCLOPENTANE | - | 3 | 2298 |
| METHYL DICHLOROACETATE | - | 6.1 | 2299 |
| METHYLDICHLOROSILANE | - | 4.3 | 1242 |
| Methyldinitrobenzenes, liquid, see | - | 6.1 | 2038 |
| Methyldinitrobenzenes, molten | - | 6.1 | 1600 |
| Methyldinitrobenzenes, solid | - | 6.1 | 3454 |
| Methyl disulphide, see | - | 3 | 2381 |
| Methyldithiomethane, see | - | 3 | 2381 |
| 2,2'-Methylenebis-(3,4,6-trichlorophenol), see | - | 6.1 | 2875 |
| Methylene bromide, see | - | 6.1 | 2664 |
| Methylene chloride, see | - | 6.1 | 1593 |
| Methylene chloride and methyl chloride mixture, see METHYL CHLORIDE AND METHYLENE CHLORIDE MIXTURE | - | - | - |
| Methylene chlorobromide, see | - | 6.1 | 1887 |
| Methylene cyanide, see | - | 6.1 | 2647 |
| <i>p,p'</i> -Methylenedianiline, see | P | 6.1 | 2651 |
| Methylene dibromide, see | - | 6.1 | 2664 |
| Methyl ether, see | - | 2.1 | 1033 |
| Methyl ethyl carbinol, see | - | 3 | 1120 |
| Methyl ethyl ether, see | - | 2.1 | 1039 |
| METHYL ETHYL KETONE | - | 3 | 1193 |
| Methyl ethyl ketone peroxide(s) (concentration \leq 40%, with diluent Type A, available oxygen \leq 8.2%), see | - | 5.2 | 3107 |
| Methyl ethyl ketone peroxide(s) (concentration \leq 45%, with diluent Type A, available oxygen \leq 10%), see | - | 5.2 | 3105 |
| Methyl ethyl ketone peroxide(s) (concentration \leq 52%, with diluent Type A, available oxygen $>10\%$ and $\leq 10.7\%$), see | - | 5.2 | 3101 |
| 2-METHYL-5-ETHYL PYRIDINE | - | 6.1 | 2300 |
| METHYL FLUORIDE | - | 2.1 | 2454 |
| Methylfluorobenzenes (<i>ortho</i> -; <i>meta</i> -; <i>para</i> -), see | - | 3 | 2388 |
| METHYL FORMATE | - | 3 | 1243 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| 2-METHYLFURAN | - | 3 | 2301 |
| Methyl glycol, see | - | 3 | 1188 |
| Methyl glycol acetate, see | - | 3 | 1189 |
| 2-Methylheptane, see | - | 3 | 1262 |
| 2-METHYL-2-HEPTANETHIOL | - | 6.1 | 3023 |
| 5-METHYLHEXAN-2-ONE | - | 3 | 2302 |
| 5-Methyl-2-hexanone, see | - | 3 | 2302 |
| METHYLHYDRAZINE | - | 6.1 | 1244 |
| METHYL IODIDE | - | 6.1 | 2644 |
| Methyl isobut enyl ketone, see | - | 3 | 1229 |
| METHYL ISOBUTYL CARBINOL | - | 3 | 2053 |
| Methyl isobutyl carbinol acetate, see | - | 3 | 1233 |
| METHYL ISOBUTYL KETONE | - | 3 | 1245 |
| Methyl isobutyl ketone peroxide(s) (concentration \leq 62%, with \geq 19% by mass diluent Type A and methyl isobutyl ketone), see | - | 5.2 | 3105 |
| METHYL ISOCYANATE | - | 6.1 | 2480 |
| METHYL ISOPROPENYL KETONE, STABILIZED | - | 3 | 1246 |
| Methyl isopropyl ketone, see | - | 3 | 2397 |
| Methyl isopropyl ketone peroxide(s) (with diluent Type A and active oxygen \leq 6.7%) | - | 5.2 | 3109 |
| METHYL ISOTHIOCYANATE | - | 6.1 | 2477 |
| METHYL ISOVALERATE | - | 3 | 2400 |
| METHYLMAGNESIUM BROMIDE IN ETHYL ETHER | - | 4.3 | 1928 |
| METHYL MERCAPTAN | P | 2.3 | 1064 |
| Methyl mercaptopropionaldehyde, see | - | 6.1 | 2785 |
| METHYL METHACRYLATE MONOMER, STABILIZED | - | 3 | 1247 |
| 4-METHYLMORPHOLINE | - | 3 | 2535 |
| N-METHYLMORPHOLINE | - | 3 | 2535 |
| METHYL NITRITE (transport prohibited) | - | 2.2 | 2455 |
| Methylnitrophenols, see | - | 6.1 | 2446 |
| METHYL ORTHOSILICATE | - | 6.1 | 2606 |
| METHYLPENTADIENES | - | 3 | 2461 |
| 2-Methylpentane, see | - | 3 | 1208 |
| 3-Methylpentane, see | - | 3 | 1208 |
| 2-METHYLPENTAN-2-OL | - | 3 | 2560 |
| 4-Methylpentan-2-ol, see | - | 3 | 2053 |
| 4-Methyl-2-pentanone, see | - | 3 | 1245 |
| 4-Methyl-3-penten-2-one, see | - | 3 | 1229 |
| 3-Methyl-2-penten-4-yn-ol, see | - | 8 | 2705 |
| METHYLPHENYLDICHLOROSILANE | - | 8 | 2437 |
| Methyl phenyl ether, see | - | 3 | 2222 |
| 2-Methyl-2-phenylpropane, see | - | 3 | 2709 |
| 1-METHYLPiperidine | - | 3 | 2399 |
| N-Methylpiperidine, see | - | 3 | 2399 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| 2-Methylpropanol-1, see | - | 3 | 1212 |
| 2-Methyl-2-propanol | - | 3 | 1120 |
| 2-Methylpropanoyl chloride, see | - | 3 | 2395 |
| 2-Methyl-2-propen-1-ol, see | - | 3 | 2614 |
| METHYL PROPIONATE | - | 3 | 1248 |
| 2-Methylpropionic acid, see | - | 3 | 2529 |
| Methylpropyl acrylate, stabilized, see | - | 3 | 2527 |
| Methylpropylbenzenes, see | P | 3 | 2046 |
| METHYL PROPYL ETHER | - | 3 | 2612 |
| 2-Methylpropyl isobutyrate, see | - | 3 | 2528 |
| METHYL PROPYL KETONE | - | 3 | 1249 |
| Methylpyridines (2-; 3-; 4-), see | - | 3 | 2313 |
| 3-Methyl-4-(pyrrolidin-1-yl)benzenediazonium tetrafluoroborate (concentration 95%), see | - | 4.1 | 3234 |
| <i>alpha</i> -Methylstyrene, see | - | 3 | 2303 |
| Methylstyrenes, stabilized, see | - | 3 | 2618 |
| Methyl sulphate, see | - | 6.1 | 1595 |
| Methyl sulphide, see | - | 3 | 1164 |
| METHYLTETRAHYDROFURAN | - | 3 | 2536 |
| METHYL TRICHLOROACETATE | - | 6.1 | 2533 |
| METHYLTRICHLOROSILANE | - | 3 | 1250 |
| Methyltrithion, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| <i>alpha</i> -METHYLVALERALDEHYDE | - | 3 | 2367 |
| 1-Methylvinyl acetate, see | - | 3 | 2403 |
| Methylvinylbenzenes, stabilized, see | - | 3 | 2618 |
| METHYL VINYL KETONE, STABILIZED | - | 6.1 | 1251 |
| Mevinphos, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Mexacarbate, see CARBAMATE PESTICIDE | P | - | - |
| M.I.B.C., see | - | 3 | 2053 |
| MINES with bursting charge | - | 1.1D | 0137 |
| MINES with bursting charge | - | 1.1F | 0136 |
| MINES with bursting charge | - | 1.2D | 0138 |
| MINES with bursting charge | - | 1.2F | 0294 |
| Mirex, see ORGANOCHLORINE PESTICIDE | P | - | - |
| Mischmetall, see | - | 4.1 | 1333 |
| Missiles, guided, see ROCKETS | - | - | - |
| Mixed acid, see | - | 8 | 1796 |
| Mixed acid, spent, see | - | 8 | 1826 |
| Mixtures of an inorganic nitrite with an ammonium salt (transport prohibited) | - | - | - |
| Mobam, see CARBAMATE PESTICIDE | - | - | - |
| MOLYBDENUM PENTACHLORIDE | - | 8 | 2508 |
| Monobromobenzene, see | P | 3 | 2514 |
| Monochloroacetic acid, molten, see | - | 6.1 | 3250 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| Monochloroacetic acid, solid, see | – | 6.1 | 1751 |
| Monochloroacetic acid solution, see | – | 6.1 | 1750 |
| Monochloroacetone, stabilized, see | P | 6.1 | 1695 |
| Monochlorobenzene, see | – | 3 | 1134 |
| Monochlorobenzol, see | – | 3 | 1134 |
| Monochlorodifluoromethane, see | – | 2.2 | 1018 |
| Monochlorodifluoromethane and monochloropentafluoroethane mixture with a fixed boiling point containing about 49% monochlorodifluoromethane, see | – | 2.2 | 1973 |
| Monochlorodifluoromonobromomethane, see | – | 2.2 | 1974 |
| Monochloropentafluoroethane, see | – | 2.2 | 1020 |
| Monochlorotetrafluoroethane, see | – | 2.2 | 1021 |
| Monochlorotrifluoromethane, see | – | 2.2 | 1022 |
| Monocrotophos, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Monoethanolamine, see | – | 8 | 2491 |
| Monoethylamine, see | – | 2.1 | 1036 |
| Monoethylamine, aqueous solution, see | – | 3 | 2270 |
| Monomethylamine, anhydrous, see | – | 2.1 | 1061 |
| Monomethylamine, aqueous solution, see | – | 3 | 1235 |
| Monomethylaniline, see | – | 6.1 | 2294 |
| MONONITROTOLUIDINES | – | 6.1 | 2660 |
| Monopropylamine, see | – | 3 | 1277 |
| MORPHOLINE | – | 8 | 2054 |
| MOTOR FUEL ANTI-KNOCK MIXTURE | P | 6.1 | 1649 |
| MOTOR FUEL ANTI-KNOCK MIXTURE, FLAMMABLE | P | 6.1 | 3483 |
| MOTOR SPIRIT | – | 3 | 1203 |
| Muriatic acid, see | – | 8 | 1789 |
| Muritan, see CARBAMATE PESTICIDE | – | – | – |
| MUSK XYLENE | – | 4.1 | 2956 |
| Mysorite, see | – | 9 | 2212 |
| Nabam, see THIOCARBAMATE PESTICIDE | P | – | – |
| Naled, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Naphtha, see | – | 3 | 1268 |
| NAPHTHALENE, CRUDE | – | 4.1 | 1334 |
| NAPHTHALENE, MOLTEN | – | 4.1 | 2304 |
| NAPHTHALENE, REFINED | – | 4.1 | 1334 |
| Naphtha, petroleum, see | – | 3 | 1268 |
| Naphtha, solvent, see | – | 3 | 1268 |
| <i>alpha</i> -NAPHTHYLAMINE | – | 6.1 | 2077 |
| <i>beta</i> -NAPHTHYLAMINE, SOLID | – | 6.1 | 1650 |
| <i>beta</i> -NAPHTHYLAMINE SOLUTION | – | 6.1 | 3411 |
| NAPHTHYLTHIOUREA | – | 6.1 | 1651 |
| 1-Naphthylthiourea, see | – | 6.1 | 1651 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| <i>alpha</i> -Naphthylthiourea, see | – | 6.1 | 1651 |
| NAPHTHYLUREA | – | 6.1 | 1652 |
| NATURAL GAS, COMPRESSED with high methane content | – | 2.1 | 1971 |
| Natural gasoline, see MOTOR SPIRIT or GASOLINE or PETROL | – | – | – |
| NATURAL GAS, REFRIGERATED LIQUID with high methane content | – | 2.1 | 1972 |
| Neodymium nitrate and praseodymium nitrate mixture, see | – | 5.1 | 1456 |
| Neohexane, see | – | 3 | 1208 |
| NEON, COMPRESSED | – | 2.2 | 1065 |
| NEON, REFRIGERATED LIQUID | – | 2.2 | 1913 |
| Neopentane, see | – | 2.1 | 2044 |
| Neethyl, see | – | 3 | 2612 |
| NICKEL CARBONYL | P | 6.1 | 1259 |
| NICKEL CYANIDE | P | 6.1 | 1653 |
| Nickel(II) cyanide, see | P | 6.1 | 1653 |
| NICKEL NITRATE | – | 5.1 | 2725 |
| Nickel(II) nitrate, see | – | 5.1 | 2725 |
| NICKEL NITRITE | – | 5.1 | 2726 |
| Nickel(II) nitrite, see | – | 5.1 | 2726 |
| Nickelous nitrate, see | – | 5.1 | 2725 |
| Nickelous nitrite, see | – | 5.1 | 2726 |
| Nickel tetracarbonyl, see | P | 6.1 | 1259 |
| NICOTINE | – | 6.1 | 1654 |
| NICOTINE COMPOUND, LIQUID, N.O.S. | – | 6.1 | 3144 |
| NICOTINE COMPOUND, SOLID, N.O.S. | – | 6.1 | 1655 |
| NICOTINE HYDROCHLORIDE, LIQUID | – | 6.1 | 1656 |
| NICOTINE HYDROCHLORIDE, SOLID | – | 6.1 | 3444 |
| NICOTINE HYDROCHLORIDE SOLUTION | – | 6.1 | 1656 |
| NICOTINE PREPARATION, LIQUID, N.O.S. | – | 6.1 | 3144 |
| NICOTINE PREPARATION, SOLID, N.O.S. | – | 6.1 | 1655 |
| NICOTINE SALICYLATE | – | 6.1 | 1657 |
| NICOTINE SULPHATE, SOLID | – | 6.1 | 3445 |
| NICOTINE SULPHATE SOLUTION | – | 6.1 | 1658 |
| NICOTINE TARTRATE | – | 6.1 | 1659 |
| NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S. | – | 5.1 | 3218 |
| NITRATES, INORGANIC, N.O.S. | – | 5.1 | 1477 |
| NITRATING ACID MIXTURE, SPENT with more than 50% nitric acid | – | 8 | 1826 |
| NITRATING ACID MIXTURE, SPENT with not more than 50% nitric acid | – | 8 | 1826 |
| NITRATING ACID MIXTURE with more than 50% nitric acid | – | 8 | 1796 |
| NITRATING ACID MIXTURE with not more than 50% nitric acid | – | 8 | 1796 |
| NITRIC ACID other than red fuming, with at least 65% but with not more than 70% nitric acid | – | 8 | 2031 |
| NITRIC ACID other than red fuming, with less than 65% nitric acid | – | 8 | 2031 |
| NITRIC ACID other than red fuming, with more than 70% nitric acid | – | 8 | 2031 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| NITRIC ACID, RED FUMING | - | 8 | 2032 |
| NITRIC OXIDE AND DINITROGEN TETROXIDE MIXTURE | - | 2.3 | 1975 |
| NITRIC OXIDE AND NITROGEN DIOXIDE MIXTURE | - | 2.3 | 1975 |
| NITRIC OXIDE, COMPRESSED | - | 2.3 | 1660 |
| NITRILES, FLAMMABLE, TOXIC, N.O.S. | - | 3 | 3273 |
| NITRILES, TOXIC, FLAMMABLE, N.O.S. | - | 6.1 | 3275 |
| NITRILES, LIQUID TOXIC, N.O.S. | - | 6.1 | 3276 |
| NITRILES, SOLID, TOXIC, N.O.S. | - | 6.1 | 3439 |
| NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S. | - | 5.1 | 3219 |
| Nitrites, inorganic, mixtures with ammonium compounds (transport prohibited) | - | - | - |
| NITRITES, INORGANIC, N.O.S. | - | 5.1 | 2627 |
| NITROANILINES (<i>o</i> -, <i>m</i> -, <i>p</i> -) | - | 6.1 | 1661 |
| NITROANISOLES, LIQUID | - | 6.1 | 2730 |
| NITROANISOLES, SOLID | - | 6.1 | 3458 |
| NITROBENZENE | - | 6.1 | 1662 |
| Nitrobenzene bromides, liquid, see | - | 6.1 | 2732 |
| Nitrobenzene bromides, solid, see | - | 6.1 | 3459 |
| NITROBENZENESULPHONIC ACID | - | 8 | 2305 |
| Nitrobenzol, see | - | 6.1 | 1662 |
| 5-NITROBENZOTRIAZOL | - | 1.1D | 0385 |
| NITROBENZOTRIFLUORIDES, LIQUID | P | 6.1 | 2306 |
| NITROBENZOTRIFLUORIDES, SOLID | P | 6.1 | 3431 |
| NITROBROMOBENZENES, LIQUID | - | 6.1 | 2732 |
| NITROBROMOBENZENES, SOLID | - | 6.1 | 3459 |
| Nitrocarbonitrates, see EXPLOSIVE, BLASTING, TYPE B | - | - | - |
| NITROCELLULOSE dry or wetted with less than 25% water (or alcohol), by mass | - | 1.1D | 0340 |
| NITROCELLULOSE MEMBRANE FILTERS with not more than 12.6% nitrogen, by dry mass | - | 4.1 | 3270 |
| NITROCELLULOSE, PLASTICIZED with not less than 18% plasticizing substance, by mass | - | 1.3C | 0343 |
| NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose | - | 3 | 2059 |
| NITROCELLULOSE unmodified or plasticized with less than 18% plasticizing substance, by mass | - | 1.1D | 0341 |
| NITROCELLULOSE, WETTED with not less than 25% alcohol, by mass | - | 1.3C | 0342 |
| NITROCELLULOSE WITH ALCOHOL (not less than 25% alcohol, by mass, and not more than 12.6% nitrogen, by dry mass) | - | 4.1 | 2556 |
| NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITHOUT PLASTICIZER, WITHOUT PIGMENT | - | 4.1 | 2557 |
| NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITHOUT PLASTICIZER, WITH PIGMENT | - | 4.1 | 2557 |
| NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITH PLASTICIZER, WITHOUT PIGMENT | - | 4.1 | 2557 |
| NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITH PLASTICIZER, WITH PIGMENT | - | 4.1 | 2557 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| NITROCELLULOSE WITH WATER (not less than 25% water, by mass) | – | 4.1 | 2555 |
| Nitrochlorobenzenes, see | – | 6.1 | 1578 |
| 3-NITRO-4-CHLOROBENZOTRIFLUORIDE | P | 6.1 | 2307 |
| Nitrocotton solution, see | – | 3 | 2059 |
| Nitrocotton with alcohol, see | – | 4.1 | 2556 |
| Nitrocotton with plasticizing substance, see | – | 4.1 | 2557 |
| Nitrocotton with water, see | – | 4.1 | 2555 |
| NITROCRESOLS, LIQUID | – | 6.1 | 3434 |
| NITROCRESOLS, SOLID | – | 6.1 | 2446 |
| NITROETHANE | – | 3 | 2842 |
| NITROGEN, COMPRESSED | – | 2.2 | 1066 |
| NITROGEN DIOXIDE | – | 2.3 | 1067 |
| Nitrogen dioxide and nitric oxide mixtures, see | – | 2.3 | 1975 |
| Nitrogen peroxide, see | – | 2.3 | 1067 |
| NITROGEN, REFRIGERATED LIQUID | – | 2.2 | 1977 |
| Nitrogen sesquioxide, see | – | 2.3 | 2421 |
| NITROGEN TRIFLUORIDE | – | 2.2 | 2451 |
| NITROGEN TRIOXIDE | – | 2.3 | 2421 |
| NITROGLYCERIN, DESENSITIZED with not less than 40% non-volatile water-insoluble phlegmatizer, by mass | – | 1.1D | 0143 |
| NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, FLAMMABLE, N.O.S. with not more than 30% nitroglycerin, by mass | – | 3 | 3343 |
| NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, N.O.S. with not more than 30% nitroglycerin, by mass | – | 3 | 3357 |
| NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 2% but not more than 10% nitroglycerin, by mass | – | 4.1 | 3319 |
| NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 5% nitroglycerin | – | 3 | 3064 |
| NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 10% nitroglycerin | – | 1.1D | 0144 |
| NITROGLYCERIN SOLUTION IN ALCOHOL with not more than 1% nitroglycerin | – | 3 | 1204 |
| NITROGUANIDINE dry or wetted with less than 20% water, by mass | – | 1.1D | 0282 |
| NITROGUANIDINE, WETTED with not less than 20% water, by mass | – | 4.1 | 1336 |
| NITROHYDROCHLORIC ACID | – | 8 | 1798 |
| NITROMANNITE, WETTED with not less than 40% water, or mixture of alcohol and water, by mass | – | 1.1D | 0133 |
| NITROMETHANE | – | 3 | 1261 |
| Nitromuriatic acid, see | – | 8 | 1798 |
| NITRONAPHTHALENE | – | 4.1 | 2538 |
| NITROPHENOLS (<i>o</i> -, <i>m</i> -, <i>p</i> -) | – | 6.1 | 1663 |
| 4-NITROPHENYLHYDRAZINE with not less than 30% water, by mass | – | 4.1 | 3376 |
| NITROPROPANES | – | 3 | 2608 |
| <i>p</i> -NITROSODIMETHYLANILINE | – | 4.2 | 1369 |
| 4-Nitrosophenol (concentration 100%), see | – | 4.1 | 3236 |
| NITROSTARCH dry or wetted, with less than 20% water, by mass | – | 1.1D | 0146 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| NITROSTARCH, WETTED with not less than 20% water, by mass | – | 4.1 | 1337 |
| NITROSYL CHLORIDE | – | 2.3 | 1069 |
| NITROSYLSULPHURIC ACID, LIQUID | – | 8 | 2308 |
| NITROSYLSULPHURIC ACID, SOLID | – | 8 | 3456 |
| NITROTOLUENES, LIQUID | – | 6.1 | 1664 |
| NITROTOLUENES, SOLID | – | 6.1 | 3446 |
| NITROTOLIDINES (MONO) | – | 6.1 | 2660 |
| NITROTRIAZOLONE | – | 1.1D | 0490 |
| Nitrotrichloromethane, see | – | 6.1 | 1580 |
| NITRO UREA | – | 1.1D | 0147 |
| Nitrous ether solution, see | – | 3 | 1194 |
| NITROUS OXIDE | – | 2.2 | 1070 |
| NITROUS OXIDE, REFRIGERATED LIQUID | – | 2.2 | 2201 |
| NITROXYLENES, LIQUID | – | 6.1 | 1665 |
| NITROXYLENES, SOLID | – | 6.1 | 3447 |
| Non-activated carbon, see | – | 4.2 | 1361 |
| Non-activated charcoal, see | – | 4.2 | 1361 |
| NONANES | – | 3 | 1920 |
| Nonylphenol, see | P | 8 | 3145 |
| NONYLTRICHLOROSILANE | – | 8 | 1799 |
| Norbormide, see PESTICIDE, N.O.S. | – | – | – |
| 2,5-NORBORNADIENE, STABILIZED | – | 3 | 2251 |
| NTO | – | 1.1D | 0490 |
| OCTADECYLTRICHLOROSILANE | – | 8 | 1800 |
| OCTADIENE | – | 3 | 2309 |
| OCTAFLUOROBUT-2-ENE | – | 2.2 | 2422 |
| Octafluoro-2-butene, see | – | 2.2 | 2422 |
| OCTAFLUOROCYCLOBUTANE | – | 2.2 | 1976 |
| OCTAFLUOROPROPANE | – | 2.2 | 2424 |
| Octaldehyde, see | – | 3 | 1191 |
| OCTANES | – | 3 | 1262 |
| 3-Octanone, see | – | 3 | 2271 |
| OCTOGEN, DESENSITIZED | – | 1.1D | 0484 |
| OCTOGEN, WETTED with not less than 15% water, by mass | – | 1.1D | 0226 |
| OCTOL dry or wetted with less than 15% water, by mass | – | 1.1D | 0266 |
| OCTOLITE dry or wetted with less than 15% water, by mass | – | 1.1D | 0266 |
| OCTONAL | – | 1.1D | 0496 |
| OCTYL ALDEHYDES | – | 3 | 1191 |
| <i>tert</i> -Octyl mercaptan, see | – | 6.1 | 3023 |
| OCTYLTRICHLOROSILANE | – | 8 | 1801 |
| Oenanthal, see | – | 3 | 3056 |
| Oil cake, see | – | 4.2 | 1386 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| OIL GAS, COMPRESSED | - | 2.3 | 1071 |
| Oleum, see | - | 8 | 1831 |
| Oleylamine, see Note 1 | P | - | - |
| Omethoate, see ORGANOPHOSPHORUS PESTICIDE | - | - | - |
| Organic peroxide, liquid, sample, see | - | 5.2 | 3103 |
| Organic peroxide, liquid, sample, temperature controlled, see | - | 5.2 | 3113 |
| Organic peroxide, solid, sample, see | - | 5.2 | 3104 |
| Organic peroxide, solid, sample, temperature controlled, see | - | 5.2 | 3114 |
| ORGANIC PEROXIDE TYPE B, LIQUID | - | 5.2 | 3101 |
| ORGANIC PEROXIDE TYPE B, LIQUID, TEMPERATURE CONTROLLED | - | 5.2 | 3111 |
| ORGANIC PEROXIDE TYPE B, SOLID | - | 5.2 | 3102 |
| ORGANIC PEROXIDE TYPE B, SOLID, TEMPERATURE CONTROLLED | - | 5.2 | 3112 |
| ORGANIC PEROXIDE TYPE C, LIQUID | - | 5.2 | 3103 |
| ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED | - | 5.2 | 3113 |
| ORGANIC PEROXIDE TYPE C, SOLID | - | 5.2 | 3104 |
| ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED | - | 5.2 | 3114 |
| ORGANIC PEROXIDE TYPE D, LIQUID | - | 5.2 | 3105 |
| ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED | - | 5.2 | 3115 |
| ORGANIC PEROXIDE TYPE D, SOLID | - | 5.2 | 3106 |
| ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE CONTROLLED | - | 5.2 | 3116 |
| ORGANIC PEROXIDE TYPE E, LIQUID | - | 5.2 | 3107 |
| ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED | - | 5.2 | 3117 |
| ORGANIC PEROXIDE TYPE E, SOLID | - | 5.2 | 3108 |
| ORGANIC PEROXIDE TYPE E, SOLID, TEMPERATURE CONTROLLED | - | 5.2 | 3118 |
| ORGANIC PEROXIDE TYPE F, LIQUID | - | 5.2 | 3109 |
| ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED | - | 5.2 | 3119 |
| ORGANIC PEROXIDE TYPE F, SOLID | - | 5.2 | 3110 |
| ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED | - | 5.2 | 3120 |
| ORGANIC PIGMENTS, SELF-HEATING | - | 4.2 | 3313 |
| ORGANOARSENIC COMPOUND, LIQUID, N.O.S. | - | 6.1 | 3280 |
| ORGANOARSENIC COMPOUND, SOLID, N.O.S. | - | 6.1 | 3465 |
| ORGANOCHLORINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | - | 3 | 2762 |
| ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC | - | 6.1 | 2996 |
| ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | - | 6.1 | 2995 |
| ORGANOCHLORINE PESTICIDE, SOLID, TOXIC | - | 6.1 | 2761 |
| Organometallic compound dispersion, water-reactive, flammable, see | - | 4.3 | 3399 |
| Organometallic compound solid, water-reactive, flammable, see | - | 4.3 | 3396 |
| Organometallic compound solution, water-reactive, flammable, see | - | 4.3 | 3399 |
| ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S. | - | 6.1 | 3282 |
| ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S. | - | 6.1 | 3467 |
| ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC | - | 4.2 | 3392 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE | - | 4.2 | 3394 |
| ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE | - | 4.3 | 3398 |
| ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE | - | 4.3 | 3399 |
| ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC | - | 4.2 | 3391 |
| ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE | - | 4.2 | 3393 |
| ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING | - | 4.2 | 3400 |
| ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE | - | 4.3 | 3395 |
| ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE | - | 4.3 | 3396 |
| ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING | - | 4.3 | 3397 |
| ORGANOPHOSPHORUS COMPOUND, TOXIC, FLAMMABLE, N.O.S. | - | 6.1 | 3279 |
| ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S. | - | 6.1 | 3278 |
| ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S. | - | 6.1 | 3464 |
| ORGANOPHOSPHORUS PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | - | 3 | 2784 |
| ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC | - | 6.1 | 3018 |
| ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | - | 6.1 | 3017 |
| ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC | - | 6.1 | 2783 |
| ORGANOTIN COMPOUND, LIQUID, N.O.S. | P | 6.1 | 2788 |
| ORGANOTIN COMPOUND, SOLID, N.O.S. | P | 6.1 | 3146 |
| Organotin compounds (pesticides), see ORGANOTIN PESTICIDE | P | - | - |
| ORGANOTIN PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | P | 3 | 2787 |
| ORGANOTIN PESTICIDE, LIQUID, TOXIC | P | 6.1 | 3020 |
| ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | P | 6.1 | 3019 |
| ORGANOTIN PESTICIDE, SOLID, TOXIC | P | 6.1 | 2786 |
| Orthoarsenic acid, see | - | 6.1 | 1553 |
| Orthophosphoric acid, liquid, see | - | 8 | 1805 |
| Orthophosphoric acid, solid, see | - | 8 | 3453 |
| OSMIUM TETROXIDE | P | 6.1 | 2471 |
| Oxamyl, see PESTICIDE, N.O.S. | P | - | - |
| OXIDIZING LIQUID, CORROSIVE, N.O.S. | - | 5.1 | 3098 |
| OXIDIZING LIQUID, N.O.S. | - | 5.1 | 3139 |
| OXIDIZING LIQUID, TOXIC, N.O.S. | - | 5.1 | 3099 |
| OXIDIZING SOLID, CORROSIVE, N.O.S. | - | 5.1 | 3085 |
| OXIDIZING SOLID, FLAMMABLE, N.O.S. | - | 5.1 | 3137 |
| OXIDIZING SOLID, N.O.S. | - | 5.1 | 1479 |
| OXIDIZING SOLID, SELF-HEATING, N.O.S. | - | 5.1 | 3100 |
| OXIDIZING SOLID, TOXIC, N.O.S. | - | 5.1 | 3087 |
| OXIDIZING SOLID, WATER-REACTIVE, N.O.S. | - | 5.1 | 3121 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| Oxirane, see | – | 2.3 | 1040 |
| Oxirane with nitrogen up to a total pressure of 1 MPa (10 bar) at 50°C | – | 2.3 | 1040 |
| Oxydemeton-methyl, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| Oxydisulfoton, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| OXYGEN, COMPRESSED | – | 2.2 | 1072 |
| OXYGEN DIFLUORIDE, COMPRESSED | – | 2.3 | 2190 |
| Oxygen fluoride, compressed, see | – | 2.3 | 2190 |
| OXYGEN GENERATOR, CHEMICAL | – | 5.1 | 3356 |
| OXYGEN, REFRIGERATED LIQUID | – | 2.2 | 1073 |
| 1-Oxy-4-nitrobenzene, see | – | 6.1 | 1662 |
| PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | – | 3 | 1263 |
| PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | – | 8 | 3066 |
| PAINT, CORROSIVE, FLAMMABLE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | – | 8 | 3470 |
| PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) | – | 3 | 3469 |
| PAINT RELATED MATERIAL (including paint thinning or reducing compound) | – | 3 | 1263 |
| PAINT RELATED MATERIAL (including paint thinning or reducing compound) | – | 8 | 3066 |
| PAPER, UNSATURATED OIL TREATED incompletely dried (including carbon paper) | – | 4.2 | 1379 |
| Para-acetaldehyde, see | – | 3 | 1264 |
| PARAFORMALDEHYDE | – | 4.1 | 2213 |
| PARALDEHYDE | – | 3 | 1264 |
| Paraoxon, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Paraquat, see BIPYRIDILIUM PESTICIDE | – | – | – |
| Parathion, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Parathion-methyl, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| PCBs, liquid, see | P | 9 | 2315 |
| PCBs, solid, see | P | 9 | 3432 |
| PENTABORANE | – | 4.2 | 1380 |
| PENTACHLOROETHANE | P | 6.1 | 1669 |
| PENTACHLOROPHENOL | P | 6.1 | 3155 |
| Pentachlorophenol, see ORGANOCHLORINE PESTICIDE | P | – | – |
| PENTAERYTHRITE TETRANITRATE, DESENSITIZED with not less than 15% phlegmatizer, by mass | – | 1.1D | 0150 |
| PENTAERYTHRITE TETRANITRATE MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass | – | 4.1 | 3344 |
| PENTAERYTHRITE TETRANITRATE, WETTED with not less than 25% water, by mass | – | 1.1D | 0150 |
| PENTAERYTHRITE TETRANITRATE with not less than 7% wax, by mass | – | 1.1D | 0411 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| PENTAERYTHRITOL TETRANITRATE, DESENSITIZED with not less than 15% phlegmatizer, by mass | - | 1.1D | 0150 |
| PENTAERYTHRITOL TETRANITRATE MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass | - | 4.1 | 3344 |
| PENTAERYTHRITOL TETRANITRATE, WETTED with not less than 25% water, by mass | - | 1.1D | 0150 |
| PENTAERYTHRITOL TETRANITRATE with not less than 7% wax, by mass | - | 1.1D | 0411 |
| PENTAFLUOROETHANE | - | 2.2 | 3220 |
| Pentafluoroethoxytrifluoroethylene, see | - | 2.1 | 3154 |
| Pentafluoroethyl trifluorovinyl ether, see | - | 2.1 | 3154 |
| Pentalin, see | P | 6.1 | 1669 |
| Pentamethylene, see | - | 3 | 1146 |
| PENTAMETHYLHEPTANE | - | 3 | 2286 |
| 3,3,5,7,7-Pentamethyl-1,2,4-trioxepane (concentration ≤100%) | - | 5.2 | 3107 |
| Pantanals, see | - | 3 | 2058 |
| Pentane, see | - | 3 | 1265 |
| PENTANE-2,4-DIONE | - | 3 | 2310 |
| 2,4-Pantanedione, see | - | 3 | 2310 |
| PENTANES, LIQUID | - | 3 | 1265 |
| Pantanethiols, see | - | 3 | 1111 |
| PENTANOLS | - | 3 | 1105 |
| 2-Pantanone, see | - | 3 | 1249 |
| 3-Pantanone, see | - | 3 | 1156 |
| 1-PENTENE | - | 3 | 1108 |
| 1-PENTOL | - | 8 | 2705 |
| PENTOLITE dry or wetted with less than 15% water, by mass | - | 1.1D | 0151 |
| Pentylamines, see | - | 3 | 1106 |
| <i>n</i> -Pentylbenzene, see Note 1 | P | - | - |
| Pentyl butanoates, see | - | 3 | 2620 |
| Pentyl butyrates, see | - | 3 | 2620 |
| Pentyl formates, see | - | 3 | 1109 |
| Pentyl nitrates, see | - | 3 | 1112 |
| Pentyl nitrite, see | - | 3 | 1113 |
| PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S. | - | 5.1 | 3211 |
| PERCHLORATES, INORGANIC, N.O.S. | - | 5.1 | 1481 |
| PERCHLORIC ACID with more than 50% but not more than 72% acid, by mass | - | 5.1 | 1873 |
| PERCHLORIC ACID, with more than 72% acid by mass (transport prohibited) | - | - | - |
| PERCHLORIC ACID with not more than 50% acid, by mass | - | 8 | 1802 |
| Perchlorobenzene, see | - | 6.1 | 2729 |
| Perchlorocyclopentadiene, see | - | 6.1 | 2646 |
| Perchloroethylene, see | P | 6.1 | 1897 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| PERCHLOROMETHYL MERCAPTAN | P | 6.1 | 1670 |
| PERCHLORYL FLUORIDE | - | 2.3 | 3083 |
| Perfluoroacetyl chloride, see | - | 2.3 | 3057 |
| Perfluoro-2-butene, see | - | 2.2 | 2422 |
| PERFLUORO(ETHYL VINYL ETHER) | - | 2.1 | 3154 |
| PERFLUORO(METHYL VINYL ETHER) | - | 2.1 | 3153 |
| Perfluoropropane, see | - | 2.2 | 2424 |
| PERFUMERY PRODUCTS with flammable liquid | - | 3 | 1266 |
| PERMANGANATES, INORGANIC, AQUEOUS SOLUTION, N.O.S. | - | 5.1 | 3214 |
| PERMANGANATES, INORGANIC, N.O.S. | - | 5.1 | 1482 |
| PEROXIDES, INORGANIC, N.O.S. | - | 5.1 | 1483 |
| Peroxyacetic acid and hydrogen peroxide mixture, see | - | 5.1 | 3149 |
| Peroxyacetic acid, Type D (concentration \leq 43%), stabilized, see | - | 5.2 | 3105 |
| Peroxyacetic acid, Type E (concentration \leq 43%), stabilized, see | - | 5.2 | 3107 |
| Peroxyacetic acid, Type F (concentration \leq 43%), stabilized, see | - | 5.2 | 3109 |
| Peroxylauric acid (concentration \leq 100%), see | - | 5.2 | 3118 |
| PERSULPHATES, INORGANIC, AQUEOUS SOLUTION, N.O.S. | - | 5.1 | 3216 |
| PERSULPHATES, INORGANIC, N.O.S. | - | 5.1 | 3215 |
| PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. flashpoint less than 23°C | - | 3 | 3021 |
| PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. flashpoint not less than 23°C | - | 6.1 | 2903 |
| PESTICIDE, LIQUID, TOXIC, N.O.S. | - | 6.1 | 2902 |
| PESTICIDE, SOLID, TOXIC, N.O.S. | - | 6.1 | 2588 |
| PETN, DESENSITIZED with not less than 15% phlegmatizer, by mass | - | 1.1D | 0150 |
| PETN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass | - | 4.1 | 3344 |
| PETN/TNT, see | - | 1.1D | 0151 |
| PETN, WETTED with not less than 25% water, by mass | - | 1.1D | 0150 |
| PETN with not less than 7% wax, by mass | - | 1.1D | 0411 |
| PETROL | - | 3 | 1203 |
| PETROLEUM CRUDE OIL | - | 3 | 1267 |
| PETROLEUM DISTILLATES, N.O.S. | - | 3 | 1268 |
| Petroleum ether, see | - | 3 | 1268 |
| PETROLEUM GASES, LIQUEFIED | - | 2.1 | 1075 |
| Petroleum naphtha, see | - | 3 | 1268 |
| Petroleum oil, see | - | 3 | 1268 |
| PETROLEUM PRODUCTS, N.O.S. | - | 3 | 1268 |
| Petroleum raffinate, see | - | 3 | 1268 |
| PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC | - | 3 | 3494 |
| Petroleum spirit, see PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S. | - | - | - |
| PHENACYL BROMIDE | - | 6.1 | 2645 |
| Phenarsazine chloride, see | P | 6.1 | 1698 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| PHENETIDINES | - | 6.1 | 2311 |
| Phenkapton, see ORGANOPHOSPHORUS PESTICIDE | - | - | - |
| PHENOLATES, LIQUID | - | 8 | 2904 |
| PHENOLATES, SOLID | - | 8 | 2905 |
| PHENOL, MOLTEN | - | 6.1 | 2312 |
| PHENOL, SOLID | - | 6.1 | 1671 |
| PHENOL SOLUTION | - | 6.1 | 2821 |
| PHENOLSULPHONIC ACID, LIQUID | - | 8 | 1803 |
| <i>d</i> -Phenothrin, see Note 1 | P | - | - |
| PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint less than 23°C | - | 3 | 3346 |
| PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC | - | 6.1 | 3348 |
| PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint not less than 23°C | - | 6.1 | 3347 |
| PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC | - | 6.1 | 3345 |
| Phenthroate, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| PHENYLACETONITRILE, LIQUID | - | 6.1 | 2470 |
| PHENYLACETYL CHLORIDE | - | 8 | 2577 |
| Phenylamine, see | - | 6.1 | 1547 |
| Phenyl bromide, see | P | 3 | 2514 |
| 1-Phenylbutane, see | - | 3 | 2709 |
| 2-Phenylbutane, see | - | 3 | 2709 |
| Phenyl carbimide, see | - | 6.1 | 2487 |
| PHENYLCARBYLAMINE CHLORIDE | - | 6.1 | 1672 |
| Phenylchloroform, see | - | 8 | 2226 |
| PHENYL CHLOROFORMATE | - | 6.1 | 2746 |
| Phenyl chloromethyl ketone, liquid or solid, see | - | 6.1 | 1697 |
| Phenyl cyanide, see | - | 6.1 | 2224 |
| Phenylcyclohexane, see | P | 9 | 3082 |
| Phenyldichlorophosphine, see | - | 8 | 2798 |
| Phenyldichlorophosphine sulphide, see | - | 8 | 2799 |
| PHENYLENEDIAMINES (<i>o</i> -, <i>m</i> -, <i>p</i> -) | - | 6.1 | 1673 |
| Phenylethane, see | - | 3 | 1175 |
| Phenylethylene, stabilized, see | - | 3 | 2055 |
| Phenyl fluoride, see | - | 3 | 2387 |
| PHENYLHYDRAZINE | - | 6.1 | 2572 |
| Phenyliminophosgene, see | - | 6.1 | 1672 |
| PHENYL ISOCYANATE | - | 6.1 | 2487 |
| Phenyl isocyanodichloride, see | - | 6.1 | 1672 |
| PHENYL MERCAPTAN | - | 6.1 | 2337 |
| PHENYLMERCURIC ACETATE | P | 6.1 | 1674 |
| PHENYLMERCURIC COMPOUND, N.O.S. | P | 6.1 | 2026 |
| PHENYLMERCURIC HYDROXIDE | P | 6.1 | 1894 |
| PHENYLMERCURIC NITRATE | P | 6.1 | 1895 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Phenyl methyl carbinol, solid or liquid, see | – | 6.1 | 2937 |
| Phenyl methyl ether, see | – | 3 | 2222 |
| PHENYLPHOSPHORUS DICHLORIDE | – | 8 | 2798 |
| PHENYLPHOSPHORUS THIODICHLORIDE | – | 8 | 2799 |
| 2-Phenylpropene, see | – | 3 | 2303 |
| PHENYLTRICHLOROSILANE | – | 8 | 1804 |
| Phenyltrifluoromethane, see | – | 3 | 2338 |
| Phorate, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Phosalone, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Phosfolan, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| PHOSGENE | – | 2.3 | 1076 |
| Phosmet, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| 9-PHOSPHABICYCLONONANES | – | 4.2 | 2940 |
| Phosphamidon, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| PHOSPHINE | – | 2.3 | 2199 |
| Phosphoretted hydrogen, see | – | 2.3 | 2199 |
| PHOSPHORIC ACID, SOLID | – | 8 | 3453 |
| PHOSPHORIC ACID SOLUTION | – | 8 | 1805 |
| Phosphoric anhydride, see | – | 8 | 1807 |
| Phosphoric chloride, see | – | 8 | 1806 |
| Phosphoric pentachloride, see | – | 8 | 1806 |
| Phosphoric perchloride, see | – | 8 | 1806 |
| PHOSPHOROUS ACID | – | 8 | 2834 |
| PHOSPHORUS, AMORPHOUS | – | 4.1 | 1338 |
| Phosphorus bromide, see | – | 8 | 1808 |
| Phosphorus chloride, see | – | 6.1 | 1809 |
| PHOSPHORUS HEPTASULPHIDE free from yellow or white phosphorus | – | 4.1 | 1339 |
| PHOSPHORUS OXYBROMIDE, MOLTEN | – | 8 | 2576 |
| PHOSPHORUS OXYBROMIDE | – | 8 | 1939 |
| PHOSPHORUS OXYCHLORIDE | – | 6.1 | 1810 |
| PHOSPHORUS PENTABROMIDE | – | 8 | 2691 |
| PHOSPHORUS PENTACHLORIDE | – | 8 | 1806 |
| PHOSPHORUS PENTAFLUORIDE | – | 2.3 | 2198 |
| PHOSPHORUS PENTASULPHIDE free from yellow or white phosphorus | – | 4.3 | 1340 |
| PHOSPHORUS PENTOXIDE | – | 8 | 1807 |
| Phosphorus, red, see | – | 4.1 | 1338 |
| PHOSPHORUS SESQUISULPHIDE free from yellow or white phosphorus | – | 4.1 | 1341 |
| Phosphorus(V) sulphide, free from yellow or white phosphorus, see | – | 4.3 | 1340 |
| Phosphorus sulphochloride, see | – | 8 | 1837 |
| PHOSPHORUS TRIBROMIDE | – | 8 | 1808 |
| PHOSPHORUS TRICHLORIDE | – | 6.1 | 1809 |
| PHOSPHORUS TRIOXIDE | – | 8 | 2578 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| PHOSPHORUS TRISULPHIDE free from yellow or white phosphorus | — | 4.1 | 1343 |
| PHOSPHORUS, WHITE, DRY | P | 4.2 | 1381 |
| PHOSPHORUS, WHITE, IN SOLUTION | P | 4.2 | 1381 |
| PHOSPHORUS, WHITE, MOLTEN | P | 4.2 | 2447 |
| PHOSPHORUS, WHITE, UNDER WATER | P | 4.2 | 1381 |
| PHOSPHORUS, YELLOW, DRY | P | 4.2 | 1381 |
| PHOSPHORUS, YELLOW, IN SOLUTION | P | 4.2 | 1381 |
| PHOSPHORUS, YELLOW, UNDER WATER | P | 4.2 | 1381 |
| Phosphoryl bromide, molten, see | — | 8 | 2576 |
| Phosphoryl bromide, solid, see | — | 8 | 1939 |
| Phosphoryl chloride, see | — | 6.1 | 1810 |
| PHTHALIC ANHYDRIDE with more than 0.05% of maleic anhydride | — | 8 | 2214 |
| PICOLINES | — | 3 | 2313 |
| Picramic acid, wetted with not less than 20% water, by mass, see | — | 4.1 | 3317 |
| PICRAMIDE | — | 1.1D | 0153 |
| PICRIC ACID dry or wetted with less than 30% water, by mass | — | 1.1D | 0154 |
| PICRIC ACID, WETTED with not less than 10% water, by mass | — | 4.1 | 3364 |
| PICRIC ACID, WETTED with not less than 30% water, by mass | — | 4.1 | 1344 |
| PICRITE dry or wetted with less than 20% water, by mass | — | 1.1D | 0282 |
| PICRITE, WETTED with not less than 20% water, by mass | — | 4.1 | 1336 |
| PICRYL CHLORIDE | — | 1.1D | 0155 |
| PICRYL CHLORIDE, WETTED with not less than 10% water, by mass | — | 4.1 | 3365 |
| Pinanyl hydroperoxide (concentration ≤56%, with diluent Type A), see | — | 5.2 | 3109 |
| Pinanyl hydroperoxide (concentration >56–100%), see | — | 5.2 | 3105 |
| Pindone (and salts of), see PESTICIDE, N.O.S. | P | — | — |
| <i>alpha</i> -PINENE | — | 3 | 2368 |
| PINE OIL | — | 3 | 1272 |
| PIPERAZINE | — | 8 | 2579 |
| PIPERIDINE | — | 8 | 2401 |
| Pirimicarb, see CARBAMATE PESTICIDE | P | — | — |
| Pirimiphos-ethyl, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Pivaloyl chloride, see | — | 6.1 | 2438 |
| Plastic explosives, see | — | 1.1D | 0084 |
| PLASTICS MOULDING COMPOUND in dough, sheet or extruded rope form, evolving flammable vapour | — | 9 | 3314 |
| PLASTICS, NITROCELLULOSE-BASED, SELF-HEATING, N.O.S. | — | 4.2 | 2006 |
| Platinic chloride, solid, see | — | 8 | 2507 |
| Polish, see PAINT | — | — | — |
| POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S. | — | 3 | 2733 |
| POLYAMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. | — | 8 | 2734 |
| POLYAMINES, LIQUID, CORROSIVE, N.O.S. | — | 8 | 2735 |
| POLYAMINES, SOLID, CORROSIVE, N.O.S. | — | 8 | 3259 |
| POLYCHLORINATED BIPHENYLS, LIQUID | P | 9 | 2315 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| POLYCHLORINATED BIPHENYLS, SOLID | P | 9 | 3432 |
| POLYESTER RESIN KIT | - | 3 | 3269 |
| Polyether poly- <i>tert</i> -butylperoxycarbonate (concentration \leq 52%, with diluent Type B), see | - | 5.2 | 3107 |
| POLYHALOGENATED BIPHENYLS, LIQUID | P | 9 | 3151 |
| POLYHALOGENATED BIPHENYLS, SOLID | P | 9 | 3152 |
| POLYHALOGENATED TERPHENYLS, LIQUID | P | 9 | 3151 |
| POLYHALOGENATED TERPHENYLS, SOLID | P | 9 | 3152 |
| POLYMERIC BEADS, EXPANDABLE evolving flammable vapour | - | 9 | 2211 |
| Polystyrene beads, expandable, see | - | 9 | 2211 |
| Polystyrene beads, expandable, evolving flammable vapour, see | - | 9 | 2211 |
| POTASSIUM | - | 4.3 | 2257 |
| Potassium acid fluoride, solid, see | - | 8 | 1811 |
| Potassium acid fluoride solution, see | - | 8 | 1811 |
| Potassium alloys, metal, see | - | 4.3 | 1420 |
| Potassium amalgams, liquid, see | - | 4.3 | 1389 |
| Potassium amalgams, solid, see | - | 4.3 | 3401 |
| Potassium amide, see | - | 4.3 | 1390 |
| Potassium antimony tartrate, see | - | 6.1 | 1551 |
| POTASSIUM ARSENATE | - | 6.1 | 1677 |
| POTASSIUM ARSENITE | - | 6.1 | 1678 |
| Potassium bifluoride, solid, see | - | 8 | 1811 |
| Potassium bifluoride solution, see | - | 8 | 3421 |
| Potassium bisulphate, see | - | 8 | 2509 |
| Potassium bisulphite solution, see | - | 8 | 2693 |
| POTASSIUM BOROHYDRIDE | - | 4.3 | 1870 |
| POTASSIUM BROMATE | - | 5.1 | 1484 |
| POTASSIUM CHLORATE | - | 5.1 | 1485 |
| POTASSIUM CHLORATE, AQUEOUS SOLUTION | - | 5.1 | 2427 |
| Potassium chlorate mixed with mineral oil, see | - | 1.1D | 0083 |
| POTASSIUM CUPROCYANIDE | P | 6.1 | 1679 |
| POTASSIUM CYANIDE, SOLID | P | 6.1 | 1680 |
| POTASSIUM CYANIDE SOLUTION | P | 6.1 | 3413 |
| Potassium cyanocuprate(II), see | P | 6.1 | 1679 |
| Potassium cyanomercurate, see | P | 6.1 | 1626 |
| Potassium dicyanocuprate(II), see | - | 6.1 | 1679 |
| Potassium dihydrogen arsenate, see | - | 6.1 | 1677 |
| Potassium dispersions, see | - | 4.3 | 1391 |
| POTASSIUM DITHIONITE | - | 4.2 | 1929 |
| POTASSIUM FLUORIDE, SOLID | - | 6.1 | 1812 |
| POTASSIUM FLUORIDE SOLUTION | - | 6.1 | 3422 |
| POTASSIUM FLUOROACETATE | - | 6.1 | 2628 |
| POTASSIUM FLUOROSILICATE | - | 6.1 | 2655 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| Potassium hexafluorosilicate, see | – | 6.1 | 2655 |
| Potassium hydrate, see | – | 8 | 1814 |
| POTASSIUM HYDROGEN DIFLUORIDE, SOLID | – | 8 | 1811 |
| POTASSIUM HYDROGEN DIFLUORIDE SOLUTION | – | 8 | 3421 |
| Potassium hydrogen fluoride, solid, see | – | 8 | 1811 |
| Potassium hydrogen fluoride solution, see | – | 8 | 3421 |
| POTASSIUM HYDROGEN SULPHATE | – | 8 | 2509 |
| POTASSIUM HYDROSULPHITE | – | 4.2 | 1929 |
| Potassium hydroxide, liquid, see | – | 8 | 1814 |
| POTASSIUM HYDROXIDE, SOLID | – | 8 | 1813 |
| POTASSIUM HYDROXIDE SOLUTION | – | 8 | 1814 |
| Potassium hypochlorite solution, see | – | 8 | 1791 |
| Potassium mercuric iodide, see | P | 6.1 | 1643 |
| POTASSIUM METAL ALLOYS, LIQUID | – | 4.3 | 1420 |
| POTASSIUM METAL ALLOYS, SOLID | – | 4.3 | 3403 |
| POTASSIUM METAVANADATE | – | 6.1 | 2864 |
| POTASSIUM MONOXIDE | – | 8 | 2033 |
| POTASSIUM NITRATE | – | 5.1 | 1486 |
| Potassium nitrate and sodium nitrate mixture, see | – | 5.1 | 1499 |
| POTASSIUM NITRATE AND SODIUM NITRITE MIXTURE | – | 5.1 | 1487 |
| POTASSIUM NITRITE | – | 5.1 | 1488 |
| Potassium oxide, see | – | 8 | 2033 |
| POTASSIUM PERCHLORATE | – | 5.1 | 1489 |
| POTASSIUM PERMANGANATE | – | 5.1 | 1490 |
| POTASSIUM PEROXIDE | – | 5.1 | 1491 |
| POTASSIUM PERSULPHATE | – | 5.1 | 1492 |
| POTASSIUM PHOSPHIDE | – | 4.3 | 2012 |
| Potassium silicofluoride, see | – | 6.1 | 2655 |
| POTASSIUM SODIUM ALLOYS, LIQUID | – | 4.3 | 1422 |
| POTASSIUM SODIUM ALLOYS, SOLID | – | 4.3 | 3404 |
| POTASSIUM SULPHIDE, ANHYDROUS | – | 4.2 | 1382 |
| POTASSIUM SULPHIDE, HYDRATED with not less than 30% water of crystallization | – | 8 | 1847 |
| POTASSIUM SULPHIDE with less than 30% water of crystallization | – | 4.2 | 1382 |
| POTASSIUM SUPEROXIDE | – | 5.1 | 2466 |
| Potassium tetracyanomercurate(II), see | – | 6.1 | 1626 |
| Potassium vanadate, see | – | 6.1 | 2864 |
| POWDER CAKE, WETTED with not less than 17% alcohol, by mass | – | 1.1C | 0433 |
| POWDER CAKE, WETTED with not less than 25% water, by mass | – | 1.3C | 0159 |
| POWDER PASTE, WETTED with not less than 17% alcohol, by mass | – | 1.1C | 0433 |
| POWDER PASTE, WETTED with not less than 25% water, by mass | – | 1.3C | 0159 |
| POWDER, SMOKELESS | – | 1.1C | 0160 |
| POWDER, SMOKELESS | – | 1.3C | 0161 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| POWDER, SMOKELESS | - | 1.4C | 0509 |
| Power devices, explosive, see CARTRIDGES, POWER DEVICE | - | - | - |
| Praseodymium nitrate and neodymium nitrate mixture, see | - | 5.1 | 1465 |
| PRIMERS, CAP TYPE | - | 1.1B | 0377 |
| PRIMERS, CAP TYPE | - | 1.4B | 0378 |
| PRIMERS, CAP TYPE | - | 1.4S | 0044 |
| Primers, small arms, see | - | 1.4S | 0044 |
| PRIMERS, TUBULAR | - | 1.3G | 0319 |
| PRIMERS, TUBULAR | - | 1.4G | 0320 |
| PRIMERS, TUBULAR | - | 1.4S | 0376 |
| PRINTING INK flammable | - | 3 | 1210 |
| PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable | - | 3 | 1210 |
| Projectiles, illuminating, see AMMUNITION, ILLUMINATING | - | - | - |
| PROJECTILES inert, with tracer | - | 1.3G | 0424 |
| PROJECTILES inert, with tracer | - | 1.4G | 0425 |
| PROJECTILES inert, with tracer | - | 1.4S | 0345 |
| PROJECTILES with burster or expelling charge | - | 1.2D | 0346 |
| PROJECTILES with burster or expelling charge | - | 1.2F | 0426 |
| PROJECTILES with burster or expelling charge | - | 1.2G | 0434 |
| PROJECTILES with burster or expelling charge | - | 1.4D | 0347 |
| PROJECTILES with burster or expelling charge | - | 1.4F | 0427 |
| PROJECTILES with burster or expelling charge | - | 1.4G | 0435 |
| PROJECTILES with bursting charge | - | 1.1D | 0168 |
| PROJECTILES with bursting charge | - | 1.1F | 0167 |
| PROJECTILES with bursting charge | - | 1.2D | 0169 |
| PROJECTILES with bursting charge | - | 1.2F | 0324 |
| PROJECTILES with bursting charge | - | 1.4D | 0344 |
| Promecarb, see CARBAMATE PESTICIDE | P | - | - |
| Promurit, see CARBAMATE PESTICIDE | - | - | - |
| Propachlor, see Note 1 | P | - | - |
| Propadiene and methylacetylene mixture, stabilized, see | - | 2.1 | 1060 |
| PROPADIENE, STABILIZED | - | 2.1 | 2200 |
| PROPANE | - | 2.1 | 1978 |
| PROPANETHIOLS | - | 3 | 2402 |
| <i>n</i> -PROPANOL (PROPYL ALCOHOL, NORMAL) | - | 3 | 1274 |
| 1-Propanol, see | - | 3 | 1274 |
| 2-Propanol, see | - | 3 | 1219 |
| 2-Propanone, see | - | 3 | 1090 |
| 2-Propanone solutions, see | - | 3 | 1090 |
| Propanoyl chloride, see | - | 3 | 1815 |
| Propaphos, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Propargyl bromide, see | - | 3 | 2345 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| PROPELLANT, LIQUID | - | 1.1C | 0497 |
| PROPELLANT, LIQUID | - | 1.3C | 0495 |
| PROPELLANT, SOLID | - | 1.1C | 0498 |
| PROPELLANT, SOLID | - | 1.3C | 0499 |
| PROPELLANT, SOLID | - | 1.4C | 0501 |
| Propellants, single, double or triple base, see POWDER, SMOKELESS | - | - | - |
| Propenal, stabilized, see | P | 6.1 | 1092 |
| Propene, see | - | 2.1 | 1077 |
| Propenenitrile, stabilized, see | - | 3 | 1093 |
| 2-Propenoic acid dimethylaminoethyl ester, see | - | 6.1 | 3302 |
| Propenoic acid, stabilized, see | - | 8 | 2218 |
| 3-(2-Propenoxy)propene, see | - | 3 | 2360 |
| Propenyl alcohol, see | - | 6.1 | 1098 |
| 2-Propenylamine, see | - | 6.1 | 2334 |
| <i>alpha</i> -Propenyldichlorohydrin, see | - | 6.1 | 2750 |
| PROPIONALDEHYDE | - | 3 | 1275 |
| PROPIONIC ACID with not less than 10% and less than 90% acid, by mass | - | 8 | 1848 |
| PROPIONIC ACID with not less than 90% acid, by mass | - | 8 | 3463 |
| Propionic aldehyde, see | - | 3 | 1275 |
| PROPIONIC ANHYDRIDE | - | 8 | 2496 |
| PROPIONITRILE | - | 3 | 2404 |
| PROPYNYL CHLORIDE | - | 3 | 1815 |
| Propoxur, see CARBAMATE PESTICIDE | P | - | - |
| 1-Propoxypropane, see | - | 3 | 2384 |
| <i>n</i> -PROPYL ACETATE | - | 3 | 1276 |
| <i>n</i> -Propyl alcohol, see | - | 3 | 1274 |
| PROPYL ALCOHOL, NORMAL | - | 3 | 1274 |
| Propyl aldehyde, see | - | 3 | 1275 |
| PROPYLAMINE | - | 3 | 1277 |
| <i>n</i> -PROPYLBENZENE | - | 3 | 2364 |
| Propyl bromides, see | - | 3 | 2344 |
| Propyl chloride, see | - | 3 | 1278 |
| Propyl chlorocarbonate, see | - | 6.1 | 2740 |
| <i>n</i> -PROPYL CHLOROFORMATE | - | 6.1 | 2740 |
| Propyl cyanide, see | - | 3 | 2411 |
| PROPYLENE | - | 2.1 | 1077 |
| Propylene, acetylene and ethylene mixture, refrigerated liquid, see | - | 2.1 | 3138 |
| PROPYLENE CHLOROHYDRIN | - | 6.1 | 2611 |
| 1,2-PROPYLENEDIAMINE | - | 8 | 2258 |
| Propylene dichloride, see | - | 3 | 1279 |
| PROPYLENEIMINE, STABILIZED | - | 3 | 1921 |
| PROPYLENE OXIDE | - | 3 | 1280 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| PROPYLENE TETRAMER | - | 3 | 2850 |
| Propylene trimer, see | - | 3 | 2057 |
| Propyl ether, see | - | 3 | 2384 |
| PROPYL FORMATES | - | 3 | 1281 |
| Propylformic acid, see | - | 8 | 2820 |
| Propylidene dichloride, see | - | 3 | 1993 |
| Propyl iodides, see | - | 3 | 2392 |
| <i>n</i> -PROPYL ISOCYANATE | - | 6.1 | 2482 |
| Propyl mercaptan, see | - | 3 | 2402 |
| Propyl methanoates, see | - | 3 | 1281 |
| <i>n</i> -PROPYL NITRATE | - | 3 | 1865 |
| PROPYLTRICHLOROSILANE | - | 8 | 1816 |
| Prothoate, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Prussic acid, anhydrous, stabilized, containing less than 3% water, see | P | 6.1 | 1051 |
| Prussic acid, anhydrous, stabilized, containing less than 3% water and absorbed in a porous inert material, see | P | 6.1 | 1614 |
| Prussic acid, aqueous solution, see | P | 6.1 | 1613 |
| Prussic acid, aqueous solution with not more than 20% hydrogen cyanide, see | P | 6.1 | 1613 |
| Pyrazine hexahydride, solid, see | - | 8 | 2579 |
| Pyrazophos, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |
| Pyrazoxon, see ORGANOPHOSPHORUS PESTICIDE | - | - | - |
| PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | - | 3 | 3350 |
| PYRETHROID PESTICIDE, LIQUID, TOXIC | - | 6.1 | 3352 |
| PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | - | 6.1 | 3351 |
| PYRETHROID PESTICIDE, SOLID, TOXIC | - | 6.1 | 3349 |
| PYRIDINE | - | 3 | 1282 |
| PYROPHORIC ALLOY, N.O.S. | - | 4.2 | 1383 |
| Pyrophoric articles, see | - | 1.2L | 0380 |
| PYROPHORIC LIQUID, INORGANIC, N.O.S. | - | 4.2 | 3194 |
| PYROPHORIC LIQUID, ORGANIC, N.O.S. | - | 4.2 | 2845 |
| PYROPHORIC METAL, N.O.S. | - | 4.2 | 1383 |
| Pyrophoric organometallic compound, water-reactive, liquid, see | - | 4.2 | 3394 |
| Pyrophoric organometallic compound, water-reactive, solid, see | - | 4.2 | 3393 |
| PYROPHORIC SOLID, INORGANIC, N.O.S. | - | 4.2 | 3200 |
| PYROPHORIC SOLID, ORGANIC, N.O.S. | - | 4.2 | 2846 |
| Pyrosulphuric acid, see | - | 8 | 1831 |
| PYROSULPHURYL CHLORIDE | - | 8 | 1817 |
| Pyroxylin solution, see | - | 3 | 2059 |
| PYRROLIDINE | - | 3 | 1922 |
| Quinalphos, see ORGANOPHOSPHORUS PESTICIDE | P | - | - |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| QUINOLINE | – | 6.1 | 2656 |
| Quinone, see | – | 6.1 | 2587 |
| Quizalofop, see Note 1 | P | – | – |
| Quizalofop-P-ethyl, see Note 1 | P | – | – |
| Racumin, see COUMARIN DERIVATIVE PESTICIDE | – | – | – |
| Radioactive isotopes (A_1 and A_2 values for), see 2.7.2.2 | – | – | – |
| RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES | – | 7 | 2911 |
| RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES MANUFACTURED FROM DEPLETED URANIUM | – | 7 | 2909 |
| RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES MANUFACTURED FROM NATURAL THORIUM | – | 7 | 2909 |
| RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES MANUFACTURED FROM NATURAL URANIUM | – | 7 | 2909 |
| RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – EMPTY PACKAGING | – | 7 | 2908 |
| RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – INSTRUMENTS | – | 7 | 2911 |
| RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – LIMITED QUANTITY OF MATERIAL | – | 7 | 2910 |
| RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II), FISSILE | – | 7 | 3324 |
| RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-III), FISSILE | – | 7 | 3325 |
| RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-I), non fissile or fissile – excepted | – | 7 | 2912 |
| RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II), non fissile or fissile – excepted | – | 7 | 3321 |
| RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-III), non fissile or fissile – excepted | – | 7 | 3322 |
| RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II), FISSILE | – | 7 | 3326 |
| RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II), non fissile or fissile – excepted | – | 7 | 2913 |
| RADIOACTIVE MATERIAL, TRANSPORTED UNDER SPECIAL ARRANGEMENT, FISSILE | – | 7 | 3331 |
| RADIOACTIVE MATERIAL TRANSPORTED UNDER SPECIAL ARRANGEMENT non fissile or fissile – excepted | – | 7 | 2919 |
| RADIOACTIVE MATERIAL, TYPE A PACKAGE, FISSILE, non-special form | – | 7 | 3327 |
| RADIOACTIVE MATERIAL, TYPE A PACKAGE, non-special form, non fissile or fissile – excepted | – | 7 | 2915 |
| RADIOACTIVE MATERIAL, TYPE A PACKAGE, SPECIAL FORM, FISSILE | – | 7 | 3333 |
| RADIOACTIVE MATERIAL, TYPE A PACKAGE, SPECIAL FORM, non fissile or fissile – excepted | – | 7 | 3332 |
| RADIOACTIVE MATERIAL, TYPE B(M) PACKAGE, FISSILE | – | 7 | 3329 |
| RADIOACTIVE MATERIAL, TYPE B(M) PACKAGE, non fissile or fissile – excepted | – | 7 | 2917 |
| RADIOACTIVE MATERIAL, TYPE B(U) PACKAGE, FISSILE | – | 7 | 3328 |
| RADIOACTIVE MATERIAL, TYPE B(U) PACKAGE, non fissile or fissile – excepted | – | 7 | 2916 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| RADIOACTIVE MATERIAL, TYPE C PACKAGE, FISSILE | – | 7 | 3330 |
| RADIOACTIVE MATERIAL, TYPE C PACKAGE, non fissile or fissile – excepted | – | 7 | 3323 |
| RADIOACTIVE MATERIAL, URANIUM HEXAFLUORIDE, FISSILE | – | 7 | 2977 |
| RADIOACTIVE MATERIAL, URANIUM HEXAFLUORIDE, non fissile or fissile – excepted | – | 7 | 2978 |
| Radionuclides (A_1 and A_2 values for), see 2.7.2.2 | – | – | – |
| RAGS, OILY | – | 4.2 | 1856 |
| Railway fusees, see SIGNAL DEVICES, HAND | – | – | – |
| RDX AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | – | 1.1D | 0391 |
| RDX AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, WETTED with not less than 15% water, by mass | – | 1.1D | 0391 |
| RDX AND HMX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | – | 1.1D | 0391 |
| RDX AND HMX MIXTURE, WETTED with not less than 15% water, by mass | – | 1.1D | 0391 |
| RDX AND OCTOGEN MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass | – | 1.1D | 0391 |
| RDX AND OCTOGEN MIXTURE, WETTED with not less than 15% water, by mass | – | 1.1D | 0391 |
| RDX, DESENSITIZED | – | 1.1D | 0483 |
| RDX/TNT, see | – | 1.1D | 0118 |
| RDX/TNT/aluminium, see | – | 1.1D | 0393 |
| RDX, WETTED with not less than 15% water, by mass | – | 1.1D | 0072 |
| RECEPTACLES, SMALL, CONTAINING GAS without a release device, non refillable | – | 2 | 2037 |
| Red phosphorus, see | – | 4.1 | 1338 |
| REFRIGERANT GAS, N.O.S. | – | 2.2 | 1078 |
| REFRIGERANT GAS R 12 | – | 2.2 | 1028 |
| REFRIGERANT GAS R 12B1 | – | 2.2 | 1974 |
| REFRIGERANT GAS R 13 | – | 2.2 | 1022 |
| REFRIGERANT GAS R 13B1 | – | 2.2 | 1009 |
| REFRIGERANT GAS R 14 | – | 2.2 | 1982 |
| REFRIGERANT GAS R 21 | – | 2.2 | 1029 |
| REFRIGERANT GAS R 22 | – | 2.2 | 1018 |
| REFRIGERANT GAS R 23 | – | 2.2 | 1984 |
| REFRIGERANT GAS R 32 | – | 2.1 | 3252 |
| REFRIGERANT GAS R 40 | – | 2.1 | 1063 |
| REFRIGERANT GAS R 41 | – | 2.1 | 2454 |
| REFRIGERANT GAS R 114 | – | 2.2 | 1958 |
| REFRIGERANT GAS R 115 | – | 2.2 | 1020 |
| REFRIGERANT GAS R 116 | – | 2.2 | 2193 |
| REFRIGERANT GAS R 124 | – | 2.2 | 1021 |
| REFRIGERANT GAS R 125 | – | 2.2 | 3220 |
| REFRIGERANT GAS R 133a | – | 2.2 | 1983 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| REFRIGERANT GAS R 134a | – | 2.2 | 3159 |
| REFRIGERANT GAS R 142b | – | 2.1 | 2517 |
| REFRIGERANT GAS R 143a | – | 2.1 | 2035 |
| REFRIGERANT GAS R 152a | – | 2.1 | 1030 |
| REFRIGERANT GAS R 161 | – | 2.1 | 2453 |
| REFRIGERANT GAS R 218 | – | 2.2 | 2424 |
| REFRIGERANT GAS R 227 | – | 2.2 | 3296 |
| REFRIGERANT GAS R 404A | – | 2.2 | 3337 |
| REFRIGERANT GAS R 407A | – | 2.2 | 3338 |
| REFRIGERANT GAS R 407B | – | 2.2 | 3339 |
| REFRIGERANT GAS R 407C | – | 2.2 | 3340 |
| REFRIGERANT GAS R 500 | – | 2.2 | 2602 |
| REFRIGERANT GAS R 502 | – | 2.2 | 1973 |
| REFRIGERANT GAS R 503 | – | 2.2 | 2599 |
| REFRIGERANT GAS R 1113 | – | 2.3 | 1082 |
| REFRIGERANT GAS R 1132a | – | 2.1 | 1959 |
| REFRIGERANT GAS R 1216 | – | 2.2 | 1858 |
| REFRIGERANT GAS R 1318 | – | 2.2 | 2422 |
| REFRIGERANT GAS RC 318 | – | 2.2 | 1976 |
| REFRIGERATING MACHINES containing flammable, non-toxic, liquefied gas | – | 2.1 | 3358 |
| REFRIGERATING MACHINES containing non-flammable, non-toxic gases or ammonia solution (UN 2672) | – | 2.2 | 2857 |
| REGULATED MEDICAL WASTE, N.O.S. | – | 6.2 | 3291 |
| RELEASE DEVICES, EXPLOSIVE | – | 1.4S | 0173 |
| RESIN SOLUTION flammable | – | 3 | 1866 |
| Resorcin, see | – | 6.1 | 2876 |
| RESORCINOL | – | 6.1 | 2876 |
| RIVETS, EXPLOSIVE | – | 1.4S | 0174 |
| Road asphalt, see | – | 3 | 1999 |
| ROCKET MOTORS | – | 1.1C | 0280 |
| ROCKET MOTORS | – | 1.2C | 0281 |
| ROCKET MOTORS | – | 1.3C | 0186 |
| ROCKET MOTORS, LIQUID FUELLED | – | 1.2J | 0395 |
| ROCKET MOTORS, LIQUID FUELLED | – | 1.3J | 0396 |
| ROCKET MOTORS WITH HYPERGOLIC LIQUIDS with or without expelling charge | – | 1.2L | 0322 |
| ROCKET MOTORS WITH HYPERGOLIC LIQUIDS with or without expelling charge | – | 1.3L | 0250 |
| ROCKETS, LINE-THROWING | – | 1.2G | 0238 |
| ROCKETS, LINE-THROWING | – | 1.3G | 0240 |
| ROCKETS, LINE-THROWING | – | 1.4G | 0453 |
| ROCKETS, LIQUID FUELLED with bursting charge | – | 1.1J | 0397 |
| ROCKETS, LIQUID FUELLED with bursting charge | – | 1.2J | 0398 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| ROCKETS with bursting charge | – | 1.1E | 0181 |
| ROCKETS with bursting charge | – | 1.1F | 0180 |
| ROCKETS with bursting charge | – | 1.2E | 0182 |
| ROCKETS with bursting charge | – | 1.2F | 0295 |
| ROCKETS with expelling charge | – | 1.2C | 0436 |
| ROCKETS with expelling charge | – | 1.3C | 0437 |
| ROCKETS with expelling charge | – | 1.4C | 0438 |
| ROCKETS with inert head | – | 1.2C | 0502 |
| ROCKETS with inert head | – | 1.3C | 0183 |
| ROSIN OIL | – | 3 | 1286 |
| Rotenone, see PESTICIDE, N.O.S. | P | – | – |
| RUBBER SCRAP powdered or granulated, not exceeding 840 microns and rubber content exceeding 45% | – | 4.1 | 1345 |
| RUBBER SOLUTION | – | 3 | 1287 |
| RUBIDIUM | – | 4.3 | 1423 |
| Rubidium alloy (liquid), see | – | 4.3 | 1421 |
| Rubidium amalgams, liquid, see | – | 4.3 | 1389 |
| Rubidium amalgams, solid, see | – | 4.3 | 3401 |
| Rubidium amide, see | – | 4.3 | 1390 |
| Rubidium dispersion, see | – | 4.3 | 1391 |
| Rubidium nitrate, see | – | 5.1 | 1477 |
| RUBIDIUM HYDROXIDE | – | 8 | 2678 |
| RUBIDIUM HYDROXIDE SOLUTION | – | 8 | 2677 |
| Salithion, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Saltpetre, see | – | 5.1 | 1486 |
| SAMPLES, EXPLOSIVE other than initiating explosive | – | 1 | 0190 |
| Sand acid, see | – | 8 | 1778 |
| Schradan, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| SEAT-BELT PRETENSIONERS | – | 1.4G | 0503 |
| SEAT-BELT PRETENSIONERS | – | 9 | 3268 |
| SEED CAKE, containing vegetable oil | – | 4.2 | 1386 |
| (a) mechanically expelled seeds, containing more than 10% of oil or more than 20% of oil and moisture combined | – | – | – |
| SEED CAKE, containing vegetable oil | – | 4.2 | 1386 |
| (b) solvent extractions and expelled seeds, containing not more than 10% of oil and when the amount of moisture is higher than 10%, not more than 20% of oil and moisture combined | – | – | – |
| SEED CAKE with not more than 1.5% oil and not more than 11% moisture | – | 4.2 | 2217 |
| Seed expellers, oily, see | – | 4.2 | 1386 |
| SELENATES | – | 6.1 | 2630 |
| SELENIC ACID | – | 8 | 1905 |
| Seleninyl chloride, see | – | 8 | 2879 |
| SELENITES | – | 6.1 | 2630 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| SELENIUM COMPOUND, LIQUID, N.O.S. | – | 6.1 | 3440 |
| SELENIUM COMPOUND, SOLID, N.O.S. | – | 6.1 | 3283 |
| SELENIUM DISULPHIDE | – | 6.1 | 2657 |
| SELENIUM HEXAFLUORIDE | – | 2.3 | 2194 |
| Selenium hydride, see | – | 2.3 | 2202 |
| SELENIUM OXYCHLORIDE | – | 8 | 2879 |
| SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S. | – | 4.2 | 3188 |
| SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S. | – | 4.2 | 3185 |
| SELF-HEATING LIQUID, INORGANIC, N.O.S. | – | 4.2 | 3186 |
| SELF-HEATING LIQUID, ORGANIC, N.O.S. | – | 4.2 | 3183 |
| SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S. | – | 4.2 | 3187 |
| SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S. | – | 4.2 | 3184 |
| SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S. | – | 4.2 | 3192 |
| SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S. | – | 4.2 | 3126 |
| SELF-HEATING SOLID, INORGANIC, N.O.S. | – | 4.2 | 3190 |
| SELF-HEATING SOLID, ORGANIC, N.O.S. | – | 4.2 | 3088 |
| SELF-HEATING SOLID, OXIDIZING, N.O.S. | – | 4.2 | 3127 |
| SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S. | – | 4.2 | 3191 |
| SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S. | – | 4.2 | 3128 |
| Self-reactive liquid, sample, see | – | 4.1 | 3223 |
| Self-reactive liquid, sample, temperature controlled, see | – | 4.1 | 3233 |
| SELF-REACTIVE LIQUID TYPE B | – | 4.1 | 3221 |
| SELF-REACTIVE LIQUID TYPE B, TEMPERATURE CONTROLLED | – | 4.1 | 3231 |
| SELF-REACTIVE LIQUID TYPE C | – | 4.1 | 3223 |
| SELF-REACTIVE LIQUID TYPE C, TEMPERATURE CONTROLLED | – | 4.1 | 3233 |
| SELF-REACTIVE LIQUID TYPE D | – | 4.1 | 3225 |
| SELF-REACTIVE LIQUID TYPE D, TEMPERATURE CONTROLLED | – | 4.1 | 3235 |
| SELF-REACTIVE LIQUID TYPE E | – | 4.1 | 3227 |
| SELF-REACTIVE LIQUID TYPE E, TEMPERATURE CONTROLLED | – | 4.1 | 3237 |
| SELF-REACTIVE LIQUID TYPE F | – | 4.1 | 3229 |
| SELF-REACTIVE LIQUID TYPE F, TEMPERATURE CONTROLLED | – | 4.1 | 3239 |
| Self-reactive solid, sample, see | – | 4.1 | 3224 |
| Self-reactive solid, sample, temperature controlled, see | – | 4.1 | 3234 |
| SELF-REACTIVE SOLID TYPE B | – | 4.1 | 3222 |
| SELF-REACTIVE SOLID TYPE B, TEMPERATURE CONTROLLED | – | 4.1 | 3232 |
| SELF-REACTIVE SOLID TYPE C | – | 4.1 | 3224 |
| SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED | – | 4.1 | 3234 |
| SELF-REACTIVE SOLID TYPE D | – | 4.1 | 3226 |
| SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED | – | 4.1 | 3236 |
| SELF-REACTIVE SOLID TYPE E | – | 4.1 | 3228 |
| SELF-REACTIVE SOLID TYPE E, TEMPERATURE CONTROLLED | – | 4.1 | 3238 |
| SELF-REACTIVE SOLID TYPE F | – | 4.1 | 3230 |
| SELF-REACTIVE SOLID TYPE F, TEMPERATURE CONTROLLED | – | 4.1 | 3240 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| SHALE OIL | - | 3 | 1288 |
| Shaped charges, see CHARGES, SHAPED | - | - | - |
| Shellac, see PAINT | - | - | - |
| SIGNAL DEVICES, HAND | - | 1.4G | 0191 |
| SIGNAL DEVICES, HAND | - | 1.4S | 0373 |
| SIGNALS, DISTRESS, ship | - | 1.1G | 0194 |
| SIGNALS, DISTRESS, ship | - | 1.3G | 0195 |
| SIGNALS, DISTRESS, ship | - | 1.4G | 0505 |
| SIGNALS, DISTRESS, ship | - | 1.4S | 0506 |
| Signals, distress, ship, water-activated, see CONTRIVANCES, WATER-ACTIVATED | - | - | - |
| SIGNALS, RAILWAY TRACK, EXPLOSIVE | - | 1.1G | 0192 |
| SIGNALS, RAILWAY TRACK, EXPLOSIVE | - | 1.3G | 0492 |
| SIGNALS, RAILWAY TRACK, EXPLOSIVE | - | 1.4G | 0493 |
| SIGNALS, RAILWAY TRACK, EXPLOSIVE | - | 1.4S | 0193 |
| SIGNALS, SMOKE | - | 1.1G | 0196 |
| SIGNALS, SMOKE | - | 1.2G | 0313 |
| SIGNALS, SMOKE | - | 1.3G | 0487 |
| SIGNALS, SMOKE | - | 1.4G | 0197 |
| SIGNALS, SMOKE | - | 1.4S | 0507 |
| Silafluofen, see Note 1 | P | - | - |
| SILANE | - | 2.1 | 2203 |
| Silicofluoric acid, see | - | 8 | 1778 |
| Silicofluorides, n.o.s., see | - | 6.1 | 2856 |
| Silicon chloride, see | - | 8 | 1818 |
| SILICON POWDER, AMORPHOUS | - | 4.1 | 1346 |
| SILICON TETRACHLORIDE | - | 8 | 1818 |
| SILICON TETRAFLUORIDE | - | 2.3 | 1859 |
| Silicon tetrahydride, compressed, see | - | 2.1 | 2203 |
| SILVER ARSENITE | P | 6.1 | 1683 |
| SILVER CYANIDE | P | 6.1 | 1684 |
| SILVER NITRATE | - | 5.1 | 1493 |
| Silver orthoarsenite, see | P | 6.1 | 1683 |
| SILVER PICRATE, dry or wetted with less than 30% water, by mass (transport prohibited) | - | - | - |
| SILVER PICRATE, WETTED with not less than 30% water, by mass | - | 4.1 | 1347 |
| Sisal, dry, see | - | 4.1 | 3360 |
| SLUDGE ACID | - | 8 | 1906 |
| Slurry, explosives, see EXPLOSIVES, BLASTING, TYPE E | - | - | - |
| Smokeless powder, see | - | 1.1C | 0160 |
| SODA LIME with more than 4% sodium hydroxide | - | 8 | 1907 |
| SODIUM | - | 4.3 | 1428 |
| SODIUM ALUMINATE, SOLID | - | 8 | 2812 |
| SODIUM ALUMINATE SOLUTION | - | 8 | 1819 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| SODIUM ALUMINIUM HYDRIDE | - | 4.3 | 2835 |
| Sodium amalgams, liquid, see | - | 4.3 | 1389 |
| Sodium amalgams, solid, see | - | 4.3 | 3401 |
| Sodium amide, see | - | 4.3 | 1390 |
| SODIUM AMMONIUM VANADATE | - | 6.1 | 2863 |
| SODIUM ARSANILATE | - | 6.1 | 2473 |
| SODIUM ARSENATE | - | 6.1 | 1685 |
| SODIUM ARSENITE, AQUEOUS SOLUTION | - | 6.1 | 1686 |
| Sodium arsenite (pesticide), see ARSENICAL PESTICIDE | - | - | - |
| SODIUM ARSENITE, SOLID | - | 6.1 | 2027 |
| SODIUM AZIDE | - | 6.1 | 1687 |
| Sodium bifluoride, see | - | 8 | 2439 |
| Sodium bisulphite solution, see | - | 8 | 2693 |
| SODIUM BOROHYDRIDE | - | 4.3 | 1426 |
| SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION with not more than 12% sodium borohydride and not more than 40% sodium hydroxide, by mass | - | 8 | 3320 |
| SODIUM BROMATE | - | 5.1 | 1494 |
| SODIUM CACODYLATE | - | 6.1 | 1688 |
| SODIUM CARBONATE PEROXYHYDRATE | - | 5.1 | 3378 |
| SODIUM CHLORATE | - | 5.1 | 1495 |
| SODIUM CHLORATE, AQUEOUS SOLUTION | - | 5.1 | 2428 |
| Sodium chlorate mixed with dinitrotoluene, see | - | 1.1D | 0083 |
| SODIUM CHLORITE | - | 5.1 | 1496 |
| SODIUM CHLOROACETATE | - | 6.1 | 2659 |
| Sodium copper cyanide, solid, see | P | 6.1 | 2316 |
| Sodium copper cyanide solution, see | P | 6.1 | 2317 |
| SODIUM CUPROCYANIDE, SOLID | P | 6.1 | 2316 |
| SODIUM CUPROCYANIDE SOLUTION | P | 6.1 | 2317 |
| SODIUM CYANIDE, SOLID | P | 6.1 | 1689 |
| SODIUM CYANIDE SOLUTION | P | 6.1 | 3414 |
| Sodium 2-diazo-1-naphthol-4-sulphonate (concentration 100%), see | - | 4.1 | 3226 |
| Sodium 2-diazo-1-naphthol-5-sulphonate (concentration 100%), see | - | 4.1 | 3226 |
| Sodium dicyanocuprate(I), solid, see | P | 6.1 | 2316 |
| Sodium dicyanocuprate(I) solution, see | - | 6.1 | 2317 |
| SODIUM DINITRO- <i>ortho</i> -CRESOLATE dry or wetted with less than 15% water, by mass | P | 1.3C | 0234 |
| SODIUM DINITRO-o-CRESOLATE, WETTED with not less than 10% water, by mass | P | 4.1 | 3369 |
| SODIUM DINITRO-o-CRESOLATE, WETTED with not less than 15% water, by mass | P | 4.1 | 1348 |
| Sodium dioxide, see | - | 5.1 | 1504 |
| Sodium dispersion, see | - | 4.3 | 1391 |
| SODIUM DITHIONITE | - | 4.2 | 1384 |
| SODIUM FLUORIDE, SOLID | - | 6.1 | 1690 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| SODIUM FLUORIDE SOLUTION | – | 6.1 | 3415 |
| SODIUM FLUOROACETATE | – | 6.1 | 2629 |
| SODIUM FLUOROSILICATE | – | 6.1 | 2674 |
| Sodium hexafluorosilicate, see | – | 6.1 | 2674 |
| Sodium hydrate, see | – | 8 | 1824 |
| SODIUM HYDRIDE | – | 4.3 | 1427 |
| Sodium hydrogen 4-aminophenylarsenate, see | – | 6.1 | 2473 |
| SODIUM HYDROGENDIFLUORIDE | – | 8 | 2439 |
| Sodium hydrogen sulphite solution, see | – | 8 | 2693 |
| SODIUM HYDROSULPHIDE with less than 25% water of crystallization | – | 4.2 | 2318 |
| SODIUM HYDROSULPHIDE, HYDRATED with not less than 25% water of crystallization | – | 8 | 2949 |
| SODIUM HYDROSULPHITE | – | 4.2 | 1384 |
| SODIUM HYDROXIDE, SOLID | – | 8 | 1823 |
| SODIUM HYDROXIDE SOLUTION | – | 8 | 1824 |
| Sodium hypochlorite solution, see | – | 8 | 1791 |
| Sodium metaarsenite, see | – | 6.1 | 2027 |
| Sodium metasilicate, see | – | 8 | 3253 |
| Sodium metasilicate pentahydrate, see | – | 8 | 3253 |
| Sodium methoxide, see | – | 4.2 | 1431 |
| Sodium methoxide solutions in alcohols, see | – | 3 | 1289 |
| SODIUM METHYLATE | – | 4.2 | 1431 |
| SODIUM METHYLATE SOLUTION in alcohol | – | 3 | 1289 |
| Sodium monochloroacetate, see | – | 6.1 | 2659 |
| SODIUM MONOXIDE | – | 8 | 1825 |
| SODIUM NITRATE | – | 5.1 | 1498 |
| SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE | – | 5.1 | 1499 |
| SODIUM NITRITE | – | 5.1 | 1500 |
| Sodium nitrite and potassium nitrate mixture, see | – | 5.1 | 1487 |
| Sodium orthoarsenate, see | – | 6.1 | 1685 |
| Sodium oxide, see | – | 8 | 1825 |
| SODIUM PENTACHLOROPHENATE | P | 6.1 | 2567 |
| Sodium perborate, anhydrous, see | – | 5.1 | 3247 |
| SODIUM PERBORATE MONOHYDRATE | – | 5.1 | 3377 |
| Sodium percarbonate, see | – | 5.1 | 3378 |
| SODIUM PERCHLORATE | – | 5.1 | 1502 |
| SODIUM PERMANGANATE | – | 5.1 | 1503 |
| SODIUM PEROXIDE | – | 5.1 | 1504 |
| SODIUM PEROXBORATE, ANHYDROUS | – | 5.1 | 3247 |
| SODIUM PERSULPHATE | – | 5.1 | 1505 |
| SODIUM PHOSPHIDE | – | 4.3 | 1432 |
| SODIUM PICRAMATE dry or wetted with less than 20% water, by mass | – | 1.3C | 0235 |
| SODIUM PICRAMATE, WETTED with not less than 20% water, by mass | – | 4.1 | 1349 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Sodium potassium alloys, see | - | 4.3 | 1422 |
| Sodium silicofluoride, see | - | 6.1 | 2674 |
| SODIUM SULPHIDE, ANHYDROUS | - | 4.2 | 1385 |
| SODIUM SULPHIDE, HYDRATED with not less than 30% water | - | 8 | 1849 |
| SODIUM SULPHIDE with less than 30% water of crystallization | - | 4.2 | 1385 |
| Sodium sulphhydrate, see | - | 4.2 | 2318 |
| SODIUM SUPEROXIDE | - | 5.1 | 2547 |
| SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S. | - | 8 | 3244 |
| SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. | - | 4.1 | 3175 |
| SOLIDS CONTAINING TOXIC LIQUID, N.O.S. | - | 6.1 | 3243 |
| Solvents, flammable, n.o.s., see | - | 3 | 1993 |
| Solvents, toxic, flammable, n.o.s., see | - | 3 | 1992 |
| SOUNDING DEVICES, EXPLOSIVE | - | 1.1D | 0374 |
| SOUNDING DEVICES, EXPLOSIVE | - | 1.1F | 0296 |
| SOUNDING DEVICES, EXPLOSIVE | - | 1.2D | 0375 |
| SOUNDING DEVICES, EXPLOSIVE | - | 1.2F | 0204 |
| Squibs, see IGNITERS, UN 0325 and UN 0454 | - | - | - |
| Stain, see PAINT | - | - | - |
| STANNIC CHLORIDE, ANHYDROUS | - | 8 | 1827 |
| STANNIC CHLORIDE PENTAHYDRATE | - | 8 | 2440 |
| STANNIC PHOSPHIDE | - | 4.3 | 1433 |
| Steel swarf, see | - | 4.2 | 2793 |
| STIBINE | - | 2.3 | 2676 |
| STRAW | - | 4.1 | 1327 |
| Strontium alloy, non-pyrophoric, see | - | 4.3 | 1393 |
| Strontium alloy, pyrophoric, see | - | 4.2 | 1383 |
| Strontium amalgams, liquid, see | - | 4.3 | 1392 |
| Strontium amalgams, solid, see | - | 4.3 | 3402 |
| STRONTIUM ARSENITE | - | 6.1 | 1691 |
| STRONTIUM CHLORATE | - | 5.1 | 1506 |
| Strontium dioxide, see | - | 5.1 | 1509 |
| Strontium dispersion, see | - | 4.3 | 1391 |
| STRONTIUM NITRATE | - | 5.1 | 1507 |
| Strontium orthoarsenite, see | - | 6.1 | 1691 |
| STRONTIUM PERCHLORATE | - | 5.1 | 1508 |
| STRONTIUM PEROXIDE | - | 5.1 | 1509 |
| STRONTIUM PHOSPHIDE | - | 4.3 | 2013 |
| Strontium, powder, see | - | 4.2 | 1383 |
| Strontium powder, pyrophoric, see | - | 4.2 | 1383 |
| STRYCHNINE | P | 6.1 | 1692 |
| Strychnine pesticides, see PESTICIDE, N.O.S. | P | - | - |
| STRYCHNINE SALTS | P | 6.1 | 1692 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| STYPHNIC ACID dry or wetted with less than 20% water, or mixture of alcohol and water, by mass | – | 1.1D | 0219 |
| STYPHNIC ACID, WETTED with not less than 20% water, or mixture of alcohol and water, by mass | – | 1.1D | 0394 |
| STYRENE MONOMER, STABILIZED | – | 3 | 2055 |
| SUBSTANCES, EVI, N.O.S. | – | 1.5D | 0482 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.1A | 0473 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.1C | 0474 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.1D | 0475 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.1G | 0476 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.1L | 0357 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.2L | 0358 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.3C | 0477 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.3G | 0478 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.3L | 0359 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.4C | 0479 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.4D | 0480 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.4G | 0485 |
| SUBSTANCES, EXPLOSIVE, N.O.S. | – | 1.4S | 0481 |
| SUBSTANCES, EXPLOSIVE, VERY INSENSITIVE, N.O.S. | – | 1.5D | 0482 |
| SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | – | 3 | 2780 |
| SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC | – | 6.1 | 3014 |
| SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | – | 6.1 | 3013 |
| SUBSTITUTED NITROPHENOL PESTICIDE, SOLID, TOXIC | – | 6.1 | 2779 |
| Sulfotep, see ORGANOPHOSPHORUS PESTICIDE | P | – | – |
| Sulfur, see Sulphur | – | – | – |
| SULPHAMIC ACID | – | 8 | 2967 |
| Sulphonyl chloride, see | – | 6.1 | 1834 |
| SULPHUR | – | 4.1 | 1350 |
| SULPHUR CHLORIDES | – | 8 | 1828 |
| Sulphur dichloride, see | – | 8 | 1828 |
| SULPHUR DIOXIDE | – | 2.3 | 1079 |
| Sulphuretted hydrogen, see | – | 2.3 | 1053 |
| SULPHUR HEXAFLUORIDE | – | 2.2 | 1080 |
| Sulphuric acid and hydrofluoric acid mixture, see | – | 8 | 1786 |
| SULPHURIC ACID, FUMING | – | 8 | 1831 |
| SULPHURIC ACID, SPENT | – | 8 | 1832 |
| SULPHURIC ACID with more than 51% acid | – | 8 | 1830 |
| SULPHURIC ACID with not more than 51% acid | – | 8 | 2796 |
| Sulphuric anhydride, stabilized, see | – | 8 | 1829 |
| Sulphuric chloride, see | – | 6.1 | 1834 |
| Sulphuric oxychloride, see | – | 6.1 | 1834 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Sulphuric oxyfluoride, see | — | 2.3 | 2191 |
| SULPHUR, MOLTEN | — | 4.1 | 2448 |
| Sulphur monochloride, see | — | 8 | 1828 |
| SULPHUROUS ACID | — | 8 | 1833 |
| Sulphurous oxychloride, see | — | 8 | 1836 |
| Sulphur oxychloride, see | — | 8 | 1836 |
| SULPHUR TETRAFLUORIDE | — | 2.3 | 2418 |
| SULPHUR TRIOXIDE, STABILIZED | — | 8 | 1829 |
| SULPHURYL CHLORIDE | — | 6.1 | 1834 |
| SULPHURYL FLUORIDE | — | 2.3 | 2191 |
| Sulprophos, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Synthetic fabrics, oily, see | — | 4.2 | 1373 |
| Synthetic fibres, oily, see | — | 4.2 | 1373 |
| Systox, see ORGANOPHOSPHORUS PESTICIDE | — | — | — |
| 2,4,5-T, see PHENOXYACETIC ACID DERIVATE PESTICIDE | — | — | — |
| Tallow nitrile, see | P | 9 | 3082 |
| TARS, LIQUID, including road oils, and cutback bitumens | — | 3 | 1999 |
| Tartar emetic, see | — | 6.1 | 1551 |
| TEAR GAS CANDLES | — | 6.1 | 1700 |
| TEAR GAS SUBSTANCE, LIQUID, N.O.S. | — | 6.1 | 1693 |
| TEAR GAS SUBSTANCE, SOLID, N.O.S. | — | 6.1 | 3448 |
| TELLURIUM COMPOUND, N.O.S. | — | 6.1 | 3284 |
| TELLURIUM HEXAFLUORIDE | — | 2.3 | 2195 |
| Temephos, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| TEPP, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Terbufos, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Terbumeton, see TRIAZINE PESTICIDE | — | — | — |
| TERPENE HYDROCARBONS, N.O.S. | — | 3 | 2319 |
| Terpenes, n.o.s., see | — | 3 | 2319 |
| TERPINOLENE | — | 3 | 2541 |
| TETRABROMOETHANE | P | 6.1 | 2504 |
| 1,1,2,2-Tetrabromoethane, see | P | 6.1 | 2504 |
| Tetrabromomethane, see | P | 6.1 | 2516 |
| 1,1,2,2-TETRACHLOROETHANE | P | 6.1 | 1702 |
| TETRACHLOROETHYLENE | P | 6.1 | 1897 |
| Tetrachloromethane, see | P | 6.1 | 1846 |
| Tetrachlorophenol, see | — | 6.1 | 2020 |
| Tetrachlorvinphos, see Note 1 | P | — | — |
| Tetraethoxysilane, see | — | 3 | 1292 |
| TETRAETHYL DITHIOPYROPHOSPHATE | P | 6.1 | 1704 |
| TETRAETHYLENEPENTAMINE | — | 8 | 2320 |
| Tetraethyllead, see | P | 6.1 | 1649 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Tetraethyl orthosilicate, see | – | 3 | 1292 |
| TETRAETHYL SILICATE | – | 3 | 1292 |
| Tetrafluorodichloroethane, see | – | 2.2 | 1958 |
| 1,1,2,2-Tetrafluoro-1,2-dichloroethane, see | – | 2.2 | 1958 |
| 1,1,1,2-TETRAFLUOROETHANE | – | 2.2 | 3159 |
| TETRAFLUOROETHYLENE, STABILIZED | – | 2.1 | 1081 |
| TETRAFLUOROMETHANE | – | 2.2 | 1982 |
| Tetrafluorosilane, compressed, see | – | 2.3 | 1859 |
| Tetrahydro-1,4-oxazine, see | – | 8 | 2054 |
| 1,2,3,6-TETRAHYDROBENZALDEHYDE | – | 3 | 2498 |
| Tetrahydrobenzene, see | – | 3 | 2256 |
| TETRAHYDROFURAN | – | 3 | 2056 |
| TETRAHYDROFURFURLAMINE | – | 3 | 2943 |
| Tetrahydromethylfuran, see | – | 3 | 2536 |
| TETRAHYDROPHthalic ANHYDRIDES with more than 0.05% maleic anhydride | – | 8 | 2698 |
| 1,2,3,6-TETRAHYDROPYRIDINE | – | 3 | 2410 |
| TETRAHYDROTHIOPHENE | – | 3 | 2412 |
| Tetramethoxysilane, see | – | 6.1 | 2606 |
| Tetramethrin, see Note 1 | P | – | – |
| TETRAMETHYLAMMONIUM HYDROXIDE, SOLID | – | 8 | 3423 |
| TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION | – | 8 | 1835 |
| 1,1,3,3-Tetramethylbutyl hydroperoxide (concentration ≤100%), see | – | 5.2 | 3105 |
| 1,1,3,3-Tetramethylbutyl peroxy-2-ethylhexanoate (concentration ≤100%), see | – | 5.2 | 3115 |
| 1,1,3,3-Tetramethylbutyl peroxyneodecanoate (concentration ≤52% as a stable dispersion in water), see | – | 5.2 | 3119 |
| 1,1,3,3-Tetramethylbutyl peroxyneodecanoate (concentration ≤72%, with diluent Type B), see | – | 5.2 | 3115 |
| Tetramethylene, see | – | 2.1 | 2601 |
| Tetramethylene cyanide, see | – | 6.1 | 2205 |
| N,N,N',N'-Tetramethylethylenediamine, see | – | 3 | 2372 |
| Tetramethyl lead, see | P | 6.1 | 1649 |
| TETRAMETHYLSILANE | – | 3 | 2749 |
| Tetraminepalladium(II) nitrate (concentration 100%), see | – | 4.1 | 3234 |
| TETRANITROANILINE | – | 1.1D | 0207 |
| TETRANITROMETHANE | – | 6.1 | 1510 |
| Tetrapropylene, see | – | 3 | 2850 |
| TETRAPROPYL ORTHOTITANATE | – | 3 | 2413 |
| TETRAZENE, WETTED with not less than 30% water, or mixture of alcohol and water, by mass | – | 1.1A | 0114 |
| TETRAZOL-1-ACETIC ACID | – | 1.4C | 0407 |
| 1H-TETRAZOLE | – | 1.1D | 0504 |
| TETRYL | – | 1.1D | 0208 |
| TEXTILE WASTE, WET | – | 4.2 | 1857 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| THALLIUM CHLORATE | P | 5.1 | 2573 |
| Thallium(I) chlorate, see | - | 5.1 | 2573 |
| THALLIUM COMPOUND, N.O.S. | P | 6.1 | 1707 |
| THALLIUM NITRATE | P | 6.1 | 2727 |
| Thallium(I) nitrate, see | - | 6.1 | 2727 |
| Thallium sulphate, see | P | 6.1 | 1707 |
| Thallous chlorate, see | P | 5.1 | 2573 |
| 4-THIAPENTANAL | - | 6.1 | 2785 |
| Thia-4-pentanal, see | - | 6.1 | 2785 |
| THIOACETIC ACID | - | 3 | 2436 |
| THiocarbamate PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | - | 3 | 2772 |
| THiocarbamate PESTICIDE, LIQUID, TOXIC | - | 6.1 | 3006 |
| THiocarbamate PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | - | 6.1 | 3005 |
| THiocarbamate PESTICIDE, SOLID, TOXIC | - | 6.1 | 2771 |
| Thiocarbonyl chloride, see | - | 6.1 | 2474 |
| Thiocarbonyl tetrachloride, see | P | 6.1 | 1670 |
| THIOGLYCOL | - | 6.1 | 2966 |
| THIOGLYCOLIC ACID | - | 8 | 1940 |
| Thiolacetic acid, see | - | 3 | 2436 |
| THIOLACTIC ACID | - | 6.1 | 2936 |
| Thiometon, see ORGANOPHOSPHORUS PESTICIDE | - | - | - |
| Thionazin, see ORGANOPHOSPHORUS PESTICIDE | - | - | - |
| THIONYL CHLORIDE | - | 8 | 1836 |
| THIOPHENE | - | 3 | 2414 |
| Thiophenol, see | - | 6.1 | 2337 |
| THIOPHOSGENE | - | 6.1 | 2474 |
| THIOPHOSPHORYL CHLORIDE | - | 8 | 1837 |
| Thiopropyl alcohols, see | - | 3 | 2402 |
| THIOUREA DIOXIDE | - | 4.2 | 3341 |
| Tin chloride, fuming, see | - | 8 | 1827 |
| Tin(IV) chloride, anhydrous, see | - | 8 | 1827 |
| Tin(IV) chloride pentahydrate, see | - | 8 | 2440 |
| TINCTURES, MEDICINAL | - | 3 | 1293 |
| Tin monophosphide, see | - | 4.3 | 1433 |
| Tin tetrachloride, see | - | 8 | 1827 |
| Titanic chloride, see | - | 6.1 | 1838 |
| TITANIUM DISULPHIDE | - | 4.2 | 3174 |
| TITANIUM HYDRIDE | - | 4.1 | 1871 |
| TITANIUM POWDER, DRY | - | 4.2 | 2546 |
| TITANIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns | - | 4.1 | 1352 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| TITANIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (b) chemically produced, particle size less than 840 microns | – | 4.1 | 1352 |
| TITANIUM SPONGE GRANULES | – | 4.1 | 2878 |
| TITANIUM SPONGE POWDERS | – | 4.1 | 2878 |
| TITANIUM TETRACHLORIDE | – | 6.1 | 1838 |
| TITANIUM TRICHLORIDE MIXTURE | – | 8 | 2869 |
| TITANIUM TRICHLORIDE MIXTURE, PYROPHORIC | – | 4.2 | 2441 |
| TITANIUM TRICHLORIDE, PYROPHORIC | – | 4.2 | 2441 |
| Titanous chloride, pyrophoric, see | – | 4.2 | 2441 |
| TNT AND HEXANITROSTILBENE MIXTURE | – | 1.1D | 0388 |
| TNT AND TRINITROBENZENE MIXTURE | – | 1.1D | 0388 |
| TNT dry or wetted with less than 30% water, by mass | – | 1.1D | 0209 |
| TNT mixed with aluminium, see | – | 1.1D | 0390 |
| TNT MIXTURE CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE | – | 1.1D | 0389 |
| TNT, WETTED with not less than 10% water, by mass | – | 4.1 | 3366 |
| TNT, WETTED with not less than 30% water, by mass, see | – | 4.1 | 1356 |
| Toe puffs, nitrocellulose base, see | – | 4.1 | 1353 |
| TOLUENE | – | 3 | 1294 |
| TOLUENE DIISOCYANATE | – | 6.1 | 2078 |
| Toluene trichloride, see | – | 8 | 2226 |
| TOLUIDINES, LIQUID | – | 6.1 | 1708 |
| TOLUIDINES, SOLID | – | 6.1 | 3451 |
| Toluol, see | – | 3 | 1294 |
| 2,4-TOLUYLENEDIAMINE, SOLID | – | 6.1 | 1709 |
| 2,4-TOLUYLENEDIAMINE SOLUTION | – | 6.1 | 3418 |
| Tolylene diisocyanate, see | – | 6.1 | 2078 |
| Tolylene diisocyanate, see | – | 6.1 | 2078 |
| Tolyethylene, stabilized, see | – | 3 | 2618 |
| TORPEDOES, LIQUID FUELLED with inert head | – | 1.3J | 0450 |
| TORPEDOES, LIQUID FUELLED with or without bursting charge | – | 1.1J | 0449 |
| TORPEDOES with bursting charge | – | 1.1D | 0451 |
| TORPEDOES with bursting charge | – | 1.1E | 0329 |
| TORPEDOES with bursting charge | – | 1.1F | 0330 |
| TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. with an LC ₅₀ lower than or equal to 200 ml/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀ | – | 6.1 | 3389 |
| TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. with an LC ₅₀ lower than or equal to 1000 ml/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀ | – | 6.1 | 3390 |
| TOXIC BY INHALATION LIQUID, FLAMMABLE, CORROSIVE, N.O.S. with an LC ₅₀ lower than or equal to 200 ml/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀ | – | 6.1 | 3488 |
| TOXIC BY INHALATION LIQUID, FLAMMABLE, CORROSIVE, N.O.S. with an LC ₅₀ lower than or equal to 1000 ml/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀ | – | 6.1 | 3489 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC ₅₀ lower than or equal to 1000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀ | – | 6.1 | 3384 |
| TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀ | – | 6.1 | 3383 |
| TOXIC BY INHALATION LIQUID, N.O.S. with an LC ₅₀ lower than or equal to 1000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀ | – | 6.1 | 3382 |
| TOXIC BY INHALATION LIQUID, N.O.S. with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀ | – | 6.1 | 3381 |
| TOXIC BY INHALATION LIQUID, OXIDIZING, N.O.S. with an LC ₅₀ lower than or equal to 1000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀ | – | 6.1 | 3388 |
| TOXIC BY INHALATION LIQUID, OXIDIZING, N.O.S. with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀ | – | 6.1 | 3387 |
| TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀ | – | 6.1 | 3490 |
| TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC ₅₀ lower than or equal to 1000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀ | – | 6.1 | 3491 |
| TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S. with an LC ₅₀ lower than or equal to 1000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀ | – | 6.1 | 3386 |
| TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S. with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀ | – | 6.1 | 3385 |
| TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S. | – | 6.1 | 3289 |
| TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S. | – | 6.1 | 2927 |
| TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S. | – | 6.1 | 2929 |
| TOXIC LIQUID, INORGANIC, N.O.S. | – | 6.1 | 3287 |
| TOXIC LIQUID, ORGANIC, N.O.S. | – | 6.1 | 2810 |
| TOXIC LIQUID, OXIDIZING, N.O.S. | – | 6.1 | 3122 |
| TOXIC LIQUID, WATER-REACTIVE, N.O.S. | – | 6.1 | 3123 |
| TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S. | – | 6.1 | 3290 |
| TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S. | – | 6.1 | 2928 |
| TOXIC SOLID, FLAMMABLE, ORGANIC, N.O.S. | – | 6.1 | 2930 |
| TOXIC SOLID, INORGANIC, N.O.S. | – | 6.1 | 3288 |
| TOXIC SOLID, ORGANIC, N.O.S. | – | 6.1 | 2811 |
| TOXIC SOLID, OXIDIZING, N.O.S. | – | 6.1 | 3086 |
| TOXIC SOLID, SELF-HEATING, N.O.S. | – | 6.1 | 3124 |
| TOXIC SOLID, WATER-REACTIVE, N.O.S. | – | 6.1 | 3125 |
| TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S. | – | 6.1 | 3172 |
| TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S. | – | 6.1 | 3462 |
| TRACERS FOR AMMUNITION | – | 1.3G | 0212 |
| TRACERS FOR AMMUNITION | – | 1.4G | 0306 |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| Tremolite, see | — | 9 | 2590 |
| Triadimefon, see PHENOXYACETIC ACID DERIVATIVE PESTICIDE | — | — | — |
| TRIALLYLAMINE | — | 3 | 2610 |
| TRIALLYL BORATE | — | 6.1 | 2609 |
| Triamiphos, see ORGANOPHOSPHORUS PESTICIDE | — | — | — |
| Triaryl phosphates, isopropylated, see | P | 9 | 3082 |
| Triaryl phosphates, n.o.s., see | P | 9 | 3082 |
| TRIAZINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C | — | 3 | 2764 |
| TRIAZINE PESTICIDE, LIQUID, TOXIC | — | 6.1 | 2998 |
| TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C | — | 6.1 | 2997 |
| TRIAZINE PESTICIDE, SOLID, TOXIC | — | 6.1 | 2763 |
| Triazophos, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Tribromoborane, see | — | 8 | 2692 |
| Tribromomethane, see | P | 6.1 | 2515 |
| TRIBUTYLAMINE | — | 6.1 | 2542 |
| TRIBUTYLPHOSPHANE | — | 4.2 | 3254 |
| Tributyltin compounds, see ORGANOTIN PESTICIDE | P | — | — |
| Tricamba, see PESTICIDE, N.O.S. | — | — | — |
| Trichlorfon, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Trichloroacetaldehyde, see | — | 6.1 | 2075 |
| TRICHLOROACETIC ACID, SOLID | — | 8 | 1839 |
| TRICHLOROACETIC ACID SOLUTION | — | 8 | 2564 |
| Trichloroacetic aldehyde, anhydrous, stabilized, see | — | 6.1 | 2075 |
| TRICHLOROACETYL CHLORIDE | — | 8 | 2442 |
| 1,2,3-Trichlorobenzenes, see Note 1 | P | — | — |
| TRICHLOROBENZENES, LIQUID | P | 6.1 | 2321 |
| TRICHLOROBUTENE | P | 6.1 | 2322 |
| Trichlorobutylene, see | P | 6.1 | 2322 |
| 1,1,1-TRICHLOROETHANE | — | 6.1 | 2831 |
| 1,1,2-Trichloroethane, see | — | 9 | 3082 |
| TRICHLOROETHYLENE | — | 6.1 | 1710 |
| TRICHLOROISOCYANURIC ACID, DRY | — | 5.1 | 2468 |
| Trichloromethane, see | — | 6.1 | 1888 |
| Trichloromethanesulphuryl chloride, see | P | 6.1 | 1670 |
| Trichloromethyl sulphochloride, see | P | 6.1 | 1670 |
| Trichloronat, see ORGANOPHOSPHORUS PESTICIDE | P | — | — |
| Trichloronitromethane, see | — | 6.1 | 1580 |
| TRICHLOROSILANE | — | 4.3 | 1295 |
| 2,4,6-Trichloro-1,3,5-triazine, see | — | 8 | 2670 |
| 1,3,5-Trichloro-s-triazine-2,4,6-trione, see | — | 5.1 | 2468 |
| Tricresyl phosphate, less than 1% <i>ortho</i> -isomer, see | P | 9 | 3082 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| Tricresyl phosphate, not less than 1% but not more than 3% <i>ortho</i> -isomer, see | P | 9 | 3082 |
| TRICRESYL PHOSPHATE with more than 3% <i>ortho</i> -isomer | P | 6.1 | 2574 |
| Tricyanogen chloride, see | — | 8 | 2670 |
| Triethoxyboron, see | — | 3 | 1176 |
| Triethoxymethane, see | — | 3 | 2524 |
| TRIETHYLAMINE | — | 3 | 1296 |
| Triethylbenzene, see | P | 9 | 3082 |
| Triethyl borate, see | — | 3 | 1176 |
| Triethylenephosphoramide solution, see | — | 6.1 | 2501 |
| TRIETHYLENETETRAMINE | — | 8 | 2259 |
| 3,6,9-TRIETHYL-3,6,9-TRIMETHYL-1,4,7-TRIPEROXONATE (concentration ≤17%, with diluent Type A, with inert solid) | — | 5.2 | 3110 |
| Triethyl orthoformate, see | — | 3 | 2524 |
| TRIETHYL PHOSPHITE | — | 3 | 2323 |
| 3,6,9-Triethyl-3,6,9-trimethyl-1,4,7-triperoxonane (concentration ≤42%, with diluent Type A, available oxygen ≤7.6%), see | — | 5.2 | 3105 |
| TRIFLUOROACETIC ACID | — | 8 | 2699 |
| TRIFLUOROACETYL CHLORIDE | — | 2.3 | 3057 |
| Trifluorobromomethane, see | — | 2.2 | 1009 |
| Trifluorochloroethane, see | — | 2.2 | 1983 |
| TRIFLUOROCHLOROETHYLENE, STABILIZED | — | 2.3 | 1082 |
| Trifluorochloromethane, see | — | 2.2 | 1022 |
| 1,1,1-TRIFLUOROETHANE | — | 2.1 | 2035 |
| TRIFLUOROMETHANE | — | 2.2 | 1984 |
| Trifluoromethane and chlorotrifluoromethane azeotropic mixture, see CHLOROTRIFLUOROMETHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE | — | — | — |
| TRIFLUOROMETHANE, REFRIGERATED LIQUID | — | 2.2 | 3136 |
| Trifluoromethoxytrifluoroethylene, see | — | 2.1 | 3153 |
| 2-TRIFLUOROMETHYLANILINE | — | 6.1 | 2942 |
| 3-TRIFLUOROMETHYLANILINE | — | 6.1 | 2948 |
| Trifluoromethylbenzene, see | — | 3 | 2338 |
| Trifluoromethylphenyl isocyanates, see | — | 6.1 | 2285 |
| Trifluoromethyl trifluorovinyl ether, see | — | 2.1 | 3153 |
| Trifluoromonochloroethylene, stabilized, see | — | 2.3 | 1082 |
| TRIISOBUTYLENE | — | 3 | 2324 |
| Triisopropylated phenyl phosphates, see | P | 9 | 3077 |
| TRIISOPROPYL BORATE | — | 3 | 2616 |
| TRIMETHYLACETYL CHLORIDE | — | 6.1 | 2438 |
| TRIMETHYLAMINE, ANHYDROUS | — | 2.1 | 1083 |
| TRIMETHYLAMINE, AQUEOUS SOLUTION not more than 50% trimethylamine, by mass | — | 3 | 1297 |
| 1,3,5-TRIMETHYLBENZENE | — | 3 | 2325 |
| TRIMETHYL BORATE | — | 3 | 2416 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| Trimethyl carbinol, see | - | 3 | 1120 |
| TRIMETHYLCHLOROSILANE | - | 3 | 1298 |
| TRIMETHYLCYCLOHEXYLAMINE | - | 8 | 2326 |
| Trimethylene chlorobromide, see | - | 6.1 | 2688 |
| Trimethylene chlorohydrin, see | - | 6.1 | 2849 |
| Trimethylene dichloride, see | - | 3 | 1993 |
| Trimethylgallium, see | - | 4.2 | 3394 |
| TRIMETHYLHEXAMETHYLENEDIAMINES | - | 8 | 2327 |
| TRIMETHYLHEXAMETHYLENE DIISOCYANATE | - | 6.1 | 2328 |
| 2,2,4-Trimethylpentane, see | - | 3 | 1262 |
| 2,4,4-Trimethylpentene-1, see | - | 3 | 2050 |
| 2,4,4-Trimethylpentene-2, see | - | 3 | 2050 |
| TRIMETHYL PHOSPHITE | - | 3 | 2329 |
| 2,4,6-Trimethyl-1,3,5-trioxane, see | - | 3 | 1264 |
| TRINITROANILINE | - | 1.1D | 0153 |
| TRINITROANISOLE | - | 1.1D | 0213 |
| TRINITROBENZENE dry or wetted with less than 30% water, by mass | - | 1.1D | 0214 |
| TRINITROBENZENESULPHONIC ACID | - | 1.1D | 0386 |
| TRINITROBENZENE, WETTED with not less than 10% water, by mass | - | 4.1 | 3367 |
| TRINITROBENZENE, WETTED with not less than 30% water, by mass | - | 4.1 | 1354 |
| TRINITROBENZOIC ACID dry or wetted with less than 30% water, by mass | - | 1.1D | 0215 |
| TRINITROBENZOIC ACID, WETTED with not less than 10% water, by mass | - | 4.1 | 3368 |
| TRINITROBENZOIC ACID, WETTED with not less than 30% water, by mass | - | 4.1 | 1355 |
| TRINITROCHLOROBENZENE | - | 1.1D | 0155 |
| TRINITROCHLOROBENZENE, WETTED with not less than 10% water, by mass | - | 4.1 | 3365 |
| TRINITRO- <i>m</i> -CRESOL | - | 1.1D | 0216 |
| TRINITROFLUORENONE | - | 1.1D | 0387 |
| TRINITRONAPHTHALENE | - | 1.1D | 0217 |
| TRINITROPHENETOLE | - | 1.1D | 0218 |
| TRINITROPHENOL dry or wetted with less than 30% water, by mass | - | 1.1D | 0154 |
| TRINITROPHENOL, WETTED with not less than 10% water, by mass | - | 4.1 | 3364 |
| TRINITROPHENOL, WETTED with not less than 30% water, by mass | - | 4.1 | 1344 |
| TRINITROPHENYLMETHYLNITRAMINE | - | 1.1D | 0208 |
| TRINITRORESORCINOL dry or wetted with less than 20% water, or mixture of alcohol and water, by mass | - | 1.1D | 0219 |
| TRINITRORESORCINOL, WETTED with not less than 20% water, or mixture of alcohol and water, by mass | - | 1.1D | 0394 |
| TRINITROTOLUENE AND HEXANITROSTILBENE MIXTURE | - | 1.1D | 0388 |
| TRINITROTOLUENE AND TRINITROBENZENE MIXTURE | - | 1.1D | 0388 |
| TRINITROTOLUENE dry or wetted with less than 30% water, by mass | - | 1.1D | 0209 |

| Substance, material or article | MP | Class | UN No. |
|--|-----------|--------------|---------------|
| TRINITROTOLUENE MIXTURE CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE | – | 1.1D | 0389 |
| TRINITROTOLUENE, WETTED with not less than 10% water, by mass | – | 4.1 | 3366 |
| TRINITROTOLUENE, WETTED with not less than 30% water, by mass | – | 4.1 | 1356 |
| Trinitrotoluol, wetted with not less than 10% water by mass, see | – | 4.1 | 3366 |
| Trinitrotoluol, wetted with not less than 30% water by mass, see | – | 4.1 | 1356 |
| Triphenyl phosphate, see | P | 9 | 3077 |
| Triphenyl phosphate/ <i>tert</i> -butylated triphenyl phosphates mixtures containing 5% to 10% of triphenyl phosphate, see Note 1 | P | – | – |
| Triphenyl phosphate/ <i>tert</i> -butylated triphenyl phosphates mixtures containing 10% to 48% of triphenyl phosphate, see Note 1 | P | – | – |
| Triphenyltin compounds (other than fentin acetate and fentin hydroxide), see ORGANOTIN PESTICIDE | P | – | – |
| TRIPROPYLAMINE | – | 3 | 2260 |
| TRIPROPYLENE | – | 3 | 2057 |
| TRIS-(1-AZIRIDINYLM)PHOSPHINE OXIDE SOLUTION | – | 6.1 | 2501 |
| Tritolyl phosphate, see | P | 6.1 | 2574 |
| TRITONAL | – | 1.1D | 0390 |
| Trixylene phosphate, see | P | 9 | 3082 |
| Tropilidene, see | – | 3 | 2603 |
| TUNGSTEN HEXAFLUORIDE | – | 2.3 | 2196 |
| TURPENTINE | – | 3 | 1299 |
| TURPENTINE SUBSTITUTE | – | 3 | 1300 |
| UNDECANE | – | 3 | 2330 |
| Uranium hexafluoride, fissile, see | – | 7 | 2977 |
| Uranium hexafluoride, non fissile or fissile – excepted, see | – | 7 | 2978 |
| UREA HYDROGEN PEROXIDE | – | 5.1 | 1511 |
| UREA NITRATE dry or wetted, with less than 20% water, by mass | – | 1.1D | 0220 |
| UREA NITRATE, WETTED with not less than 10% water, by mass | – | 4.1 | 3370 |
| UREA NITRATE, WETTED with not less than 20% water, by mass | – | 4.1 | 1357 |
| Urotropine, see | – | 4.1 | 1328 |
| Valeral, see | – | 3 | 2058 |
| VALERALDEHYDE | – | 3 | 2058 |
| Valeric aldehyde(s), see | – | 3 | 2058 |
| VALERYL CHLORIDE | – | 8 | 2502 |
| Vamidothion, see ORGANOPHOSPHORUS PESTICIDE | – | – | – |
| VANADIUM COMPOUND, N.O.S. | – | 6.1 | 3285 |
| Vanadium(IV) oxide sulphate | – | 6.1 | 2931 |
| Vanadium oxysulphate, see | – | 6.1 | 2931 |
| VANADIUM OXYTRICHLORIDE | – | 8 | 2443 |
| VANADIUM PENTOXIDE, non-fused form | – | 6.1 | 2862 |
| VANADIUM TETRACHLORIDE | – | 8 | 2444 |

| Substance, material or article | MP | Class | UN No. |
|--|----|-------|--------|
| VANADIUM TRICHLORIDE | - | 8 | 2475 |
| VANADYL SULPHATE | - | 6.1 | 2931 |
| Varnish, see PAINT | - | - | - |
| Vegetable fabrics, oily, see | - | 4.2 | 1373 |
| Vegetable fibres, burnt, see | - | 4.2 | 1372 |
| Vegetable fibres, damp, see | - | 4.2 | 1372 |
| Vegetable fibres, dry, see | - | 4.1 | 3360 |
| Vegetable fibres, oily, see | - | 4.2 | 1373 |
| Vegetable fibres, wet, see | - | 4.2 | 1372 |
| VEHICLE, FLAMMABLE GAS POWERED | - | 9 | 3166 |
| VEHICLE, FLAMMABLE LIQUID POWERED | - | 9 | 3166 |
| VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED | - | 9 | 3166 |
| VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED | - | 9 | 3166 |
| VINYL ACETATE, STABILIZED | - | 3 | 1301 |
| Vinylbenzene, stabilized, see | - | 3 | 2055 |
| VINYL BROMIDE, STABILIZED | - | 2.1 | 1085 |
| Vinyl <i>normal</i> -butyl ether, stabilized, see | - | 3 | 2352 |
| VINYL BUTYRATE, STABILIZED | - | 3 | 2838 |
| VINYL CHLORIDE, STABILIZED | - | 2.1 | 1086 |
| VINYL CHLOROACETATE | - | 6.1 | 2589 |
| Vinyl cyanide, stabilized, see | - | 3 | 1093 |
| Vinyl ether, stabilized, see | - | 3 | 1167 |
| VINYL ETHYL ETHER, STABILIZED | - | 3 | 1302 |
| VINYL FLUORIDE, STABILIZED | - | 2.1 | 1860 |
| VINYLDENE CHLORIDE, STABILIZED | P | 3 | 1303 |
| Vinylidene fluoride, see | - | 2.1 | 1959 |
| VINYL ISOBUTYL ETHER, STABILIZED | - | 3 | 1304 |
| VINYL METHYL ETHER, STABILIZED | - | 2.1 | 1087 |
| VINYL PYRIDINES, STABILIZED | - | 6.1 | 3073 |
| VINYL TOLUENES, STABILIZED | - | 3 | 2618 |
| VINYLTRICHLOROSILANE | - | 3 | 1305 |
| Warfarin (and salts of), see COUMARIN DERIVATIVE PESTICIDE | P | - | - |
| Warheads for guided missiles, see WARHEADS, ROCKET | - | - | - |
| WARHEADS, ROCKET with burster or expelling charge | - | 1.4D | 0370 |
| WARHEADS, ROCKET with burster or expelling charge | - | 1.4F | 0371 |
| WARHEADS, ROCKET with bursting charge | - | 1.1D | 0286 |
| WARHEADS, ROCKET with bursting charge | - | 1.1F | 0369 |
| WARHEADS, ROCKET with bursting charge | - | 1.2D | 0287 |
| WARHEADS, TORPEDO with bursting charge | - | 1.1D | 0221 |
| Water-activated contrivances, see CONTRIVANCES, WATER-ACTIVATED | - | - | - |
| Water gels, see EXPLOSIVE, BLASTING, TYPE E | - | - | - |

| Substance, material or article | MP | Class | UN No. |
|---|-----------|--------------|---------------|
| WATER-REACTIVE LIQUID, CORROSIVE, N.O.S. | — | 4.3 | 3129 |
| WATER-REACTIVE LIQUID, N.O.S. | — | 4.3 | 3148 |
| WATER-REACTIVE LIQUID, TOXIC, N.O.S. | — | 4.3 | 3130 |
| WATER-REACTIVE SOLID, CORROSIVE, N.O.S. | — | 4.3 | 3131 |
| WATER-REACTIVE SOLID, FLAMMABLE, N.O.S. | — | 4.3 | 3132 |
| WATER-REACTIVE SOLID, N.O.S. | — | 4.3 | 2813 |
| WATER-REACTIVE SOLID, OXIDIZING, N.O.S. | — | 4.3 | 3133 |
| WATER-REACTIVE SOLID, SELF-HEATING, N.O.S. | — | 4.3 | 3135 |
| WATER-REACTIVE SOLID, TOXIC, N.O.S. | — | 4.3 | 3134 |
| White arsenic, see | — | 6.1 | 1561 |
| White asbestos, see | — | 9 | 2590 |
| WHITE ASBESTOS (chrysotile, actinolite, anthophyllite, tremolite) | — | 9 | 2590 |
| White phosphorus, dry, see | P | 4.2 | 1381 |
| White phosphorus, wet, see | P | 4.2 | 1381 |
| White spirit, see | P | 3 | 1300 |
| White spirit, low (15–20%) aromatic, see | P | 3 | 1300 |
| WOOD PRESERVATIVES, LIQUID | — | 3 | 1306 |
| Wood tar, see | P | 9 | 3082 |
| WOOL WASTE, WET | — | 4.2 | 1387 |
| XANTHATES | — | 4.2 | 3342 |
| XENON | — | 2.2 | 2036 |
| XENON, REFRIGERATED LIQUID | — | 2.2 | 2591 |
| XYLEMES | — | 3 | 1307 |
| XYLENOLS, LIQUID | — | 6.1 | 3430 |
| XYLENOLS, SOLID | — | 6.1 | 2261 |
| XYLIDINES, LIQUID | — | 6.1 | 1711 |
| XYLIDINES, SOLID | — | 6.1 | 3452 |
| Xylols, see | — | 3 | 1307 |
| XYLYL BROMIDE, LIQUID | — | 6.1 | 1701 |
| XYLYL BROMIDE, SOLID | — | 6.1 | 3417 |
| Yellow phosphorus, dry, see | P | 4.2 | 1381 |
| Yellow phosphorus, wet, see | P | 4.2 | 1381 |
| ZINC AMMONIUM NITRITE (transport prohibited) | — | 5.1 | 1512 |
| ZINC ARSENATE | — | 6.1 | 1712 |
| ZINC ARSENATE AND ZINC ARSENITE MIXTURE | — | 6.1 | 1712 |
| ZINC ARSENITE | — | 6.1 | 1712 |
| ZINC ASHES | — | 4.3 | 1435 |
| Zinc bisulphite solution, see | — | 8 | 2693 |
| ZINC BROMATE | — | 5.1 | 2469 |
| Zinc bromide, see | P | 9 | 3077 |

| Substance, material or article | MP | Class | UN No. |
|---|----|-------|--------|
| ZINC CHLORATE | – | 5.1 | 1513 |
| ZINC CHLORIDE, ANHYDROUS | – | 8 | 2331 |
| ZINC CHLORIDE SOLUTION | – | 8 | 1840 |
| ZINC CYANIDE | P | 6.1 | 1713 |
| ZINC DITHIONITE | – | 9 | 1931 |
| ZINC DUST | – | 4.3 | 1436 |
| Zinc dust, pyrophoric, see | – | 4.2 | 1383 |
| ZINC FLUOROSILICATE | – | 6.1 | 2855 |
| Zinc hexafluorosilicate, see | – | 6.1 | 2855 |
| ZINC HYDROSULPHITE | – | 9 | 1931 |
| ZINC NITRATE | – | 5.1 | 1514 |
| ZINC PERMANGANATE | – | 5.1 | 1515 |
| ZINC PEROXIDE | – | 5.1 | 1516 |
| ZINC PHOSPHIDE | – | 4.3 | 1714 |
| ZINC POWDER | – | 4.3 | 1436 |
| Zinc powder, pyrophoric, see | – | 4.2 | 1383 |
| ZINC RESINATE | – | 4.1 | 2714 |
| Zinc silicofluoride, see | – | 6.1 | 2855 |
| ZIRCONIUM, DRY coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns) | – | 4.1 | 2858 |
| ZIRCONIUM, DRY finished sheets, strip or coiled wire | – | 4.2 | 2009 |
| ZIRCONIUM HYDRIDE | – | 4.1 | 1437 |
| ZIRCONIUM NITRATE | – | 5.1 | 2728 |
| ZIRCONIUM PICRAMATE dry or wetted with less than 20% water, by mass | – | 1.3C | 0236 |
| ZIRCONIUM PICRAMATE, WETTED with not less than 20% water, by mass | – | 4.1 | 1517 |
| ZIRCONIUM POWDER, DRY | – | 4.2 | 2008 |
| ZIRCONIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns | – | 4.1 | 1358 |
| ZIRCONIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (b) chemically produced, particle size less than 840 microns | – | 4.1 | 1358 |
| ZIRCONIUM, SCRAP | – | 4.2 | 1932 |
| ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID | – | 3 | 1308 |
| ZIRCONIUM TETRACHLORIDE | – | 8 | 2503 |